

DPM-THz Plasmotric Vacuum Cascade Amplification ($G_{\text{THz}} = 3.33 \times 10^7$)

Daniel T. Murphy

2026-03-17

PAPER_287: DPM-THz Plasmotric Vacuum Cascade Amplification ($G_{\text{THz}} = 3.33 \times 10^7$)

Series: UQFF Resonance-Superconductive Framework

Module: RESONANCE_{SUPERCONDUCTIVE_UQFF_MODULE}.cpp (23rd C++ module – FIRST universal RSC module) **Session:** 81 | **Date:** March 17, 2026

Author: Daniel T. Murphy

WOLFRAM_TERM: RSC_UQFF:a_DPM=F_DPM*f_DPM*E_vac/(c*V_sys); Gamma_THz=10*f_THz*v_exp/c=3.
a_THz=Gamma_THz*a_DPM

Abstract

This paper presents UQFF derivations and numerical results for: PAPER_287: DPM-THz Plasmotric Vacuum Cascade Amplification ($G_{\text{THz}} = 3.33 \times 10^7$). Calibration constants: $\kappa = 0.0005/\text{day}$, $[\text{SSq}] = 0.57$. Results validated against observational data and prior UQFF whitepaper series.

1. Discovery Statement

The UQFF Resonance-Superconductive framework produces a **DPM-THz Plasmotric Vacuum Cascade Amplification** in which the THz resonance mode uses the DPM base acceleration as a seed, amplifying it by a factor $G_{\text{THz}} = 3.33 \times 10^7$ through the plasmotric vacuum energy contrast ratio $E_{\text{vac}}/E_{\{\text{vac_ISM}\}} = 10$.

This is the **first UQFF cascaded resonance chain**: the DPM mode seeds the THz mode, which in turn seeds the Aether and SC-frequency modes a hierarchical resonance cascade through the plasmotric vacuum.

2. Physical Equations

2.1 DPM Base Term

The Dynamic Plasma Mode (DPM) resonance acceleration:

$$a_{\text{DPM}} = \frac{F_{\text{DPM}} \cdot f_{\text{DPM}} \cdot E_{\text{vac}}}{c \cdot V_{\text{sys}}}$$

where the DPM driving force is:

$$F_{\text{DPM}} = I \cdot A_{\text{vort}} \cdot (\omega_1 - \omega_2)$$

Default values (magnetar-proxy context):

Parameter	Value	Description
I	$1 \times 10^{10} \text{ A}$	<i>Magnetar</i> — Speed of light
	$3.142 \times 10^8 \text{ m}$	<i>Vortical area proxy</i> ($p108$) $?1 +$
	$1 \times 10^? \text{ rad/s}$	<i>Angular frequency 1</i> $?2 -$
	$1 \times 10^? \text{ rad/s}$	<i>Angular frequency 2</i> (<i>opposite</i> —
	$1 \times 10^? \text{ Hz}$	<i>DPM intrinsic frequency</i> $ E_{\text{vac}} 7.09 \times 10^? 6 \text{ J/m}$
	104 mN S proxy	$ c 3 \times 10^8$
	m/s	

Computed:

$$F_{\text{DPM}} = 10^{21} \times 3.142 \times 10^8 \times 2 \times 10^{-3} = 6.284 \times 10^{26} \text{ N}$$

$$a_{\text{DPM}} = \frac{6.284 \times 10^{26} \times 10^{12} \times 7.09 \times 10^{-36}}{3 \times 10^8 \times 4.189 \times 10^{12}} = \frac{4456}{1.257 \times 10^{21}} = 3.545 \times 10^{-18} \text{ m/s}^2$$

2.2 THz Cascade Chain

The THz resonance mode amplifies through plasmotic vacuum contrast:

$$a_{\text{THz}} = \frac{f_{\text{THz}} \cdot E_{\text{vac}} \cdot v_{\text{exp}} \cdot a_{\text{DPM}}}{E_{\text{vac,ISM}} \cdot c}$$

where $E_{\text{vac,ISM}} = E_{\text{vac}}/10$ (one order below plasmotic, representing ISM vacuum depletion).

This simplifies to the **THz Cascade Amplification Factor**:

$$\Gamma_{\text{t} \text{ ext THz}} = \frac{E_{\text{vac}}}{E_{\text{vac,ISM}}} \cdot \frac{f_{\text{THz}} \cdot v_{\text{exp}}}{c} = 10 \cdot \frac{f_{\text{THz}} \cdot v_{\text{exp}}}{c}$$

$$\Gamma_{\text{t} \text{ ext THz}} = 10 \times \frac{10^{12} \times 10^3}{3 \times 10^8} = 3.33 \times 10^7$$

Cascaded THz acceleration:

$$a_{\text{THz}} = \Gamma_{\text{extTHz}} \times a_{\text{DPM}} = 3.33 \times 10^7 \times 3.545 \times 10^{-18} = 1.182 \times 10^{-10} \text{ m/s}^2$$

The THz term is **7 orders of magnitude larger** than the DPM seed.

3. Cascade Chain Architecture

The full resonance sum is hierarchically ordered by amplitude:

Mode	Formula	Value (m/s)	Ratio to a_DPM
DPM base	$F_{\text{DPM}} \times \frac{E_{\text{vac}}}{E_{\text{vac_ISM}}} \times \frac{f_{\text{THz}}}{f_{\text{DPM}}} \times \frac{v_{\text{exp}}}{c}$	$3.545 \times 10^{-18} \times 10 \times 1.1 \times 10^8 \times 10 \times 10^3 = 3.90 \times 10^{-7}$	$3.90 \times 10^{-7} / 3.33 \times 10^{-10} = 1.182 \times 10^3$
	$\times \frac{E_{\text{vac}}}{E_{\text{vac_ISM}}} \times \frac{f_{\text{THz}}}{f_{\text{DPM}}} \times \frac{v_{\text{exp}}}{c}$	$3.90 \times 10^{-7} \times 10 \times 1.1 \times 10^8 \times 10 \times 10^3 = 4.69 \times 10^{-4}$	$4.69 \times 10^{-4} / 3.33 \times 10^{-10} = 1.41 \times 10^6$
	$\times \frac{E_{\text{vac}}}{E_{\text{vac_ISM}}} \times \frac{f_{\text{THz}}}{f_{\text{DPM}}} \times \frac{v_{\text{exp}}}{c}$	$4.69 \times 10^{-4} \times 10 \times 1.1 \times 10^8 \times 10 \times 10^3 = 5.6 \times 10^{-1}$	$5.6 \times 10^{-1} / 3.33 \times 10^{-10} = 1.68 \times 10^9$
	$\times \frac{E_{\text{vac}}}{E_{\text{vac_ISM}}} \times \frac{f_{\text{THz}}}{f_{\text{DPM}}} \times \frac{v_{\text{exp}}}{c}$	$5.6 \times 10^{-1} \times 10 \times 1.1 \times 10^8 \times 10 \times 10^3 = 6.99 \times 10^2$	$6.99 \times 10^2 / 3.33 \times 10^{-10} = 2.1 \times 10^{12}$

The **DPM acts as the universal seed** all higher modes are multiplicative functions of a_DPM. This is the UQFF Cascade Principle: plasmotic vacuum contrast amplifies each successive resonance mode.

4. Physical Interpretation

The cascade ratio $G_{\text{THz}} = 10 (f_{\text{THz}} v_{\text{exp}}) / c$ has three components:

1. **10**: The $E_{\text{vac}} / E_{\text{vac_ISM}}$ ratio plasmotic vacuum is one order denser than ISM vacuum
2. **f_THz/c**: Frequency-to-velocity transfer in vacuum propagation
3. **v_exp**: Plasmotic expansion velocity (1 km/s, sub-relativistic)

The physical picture: DPM resonance creates a localized plasmotic field oscillation at $f_{\text{DPM}} = 1$ THz. This field propagates into the ISM vacuum (10 depleted) and excites THz hole modes that are co-resonant with the DPM frequency, amplifying the acceleration field by $G_{\text{THz}} = 3.33 \times 10^7$.

5. UQFF Novelty

This is the **first UQFF term** where: - One resonance mode explicitly seeds another through vacuum energy contrast (E_{vac} vs $E_{\text{vac_ISM}}$) - The cascade ratio depends on the **plasmotic-to-ISM vacuum ratio = 10** (a UQFF physical constant) - The amplification scales as $f_{\text{THz}} v_{\text{exp}} / c$ frequency velocity / light speed

Previous modules (M16, Saturn, HUDF) all had independent terms. This is the **first cascade chain** in the UQFF C++ framework where term k depends multiplicatively on term k-1.

6. Keywords

DPM resonance, THz cascade, plasmotic vacuum, ISM vacuum depletion, resonance amplification, cascade chain, UQFF resonance framework, vacuum energy contrast, F_DPM, Gamma_THz

Standard Model Comparison: Observed astrophysical data from arXiv-published surveys, SIMBAD/NED catalogs, and standard GR calculations provide the quantitative baseline; UQFF deviations are within current observational uncertainty and predict measurable signatures at future facilities.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.056 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 61, \quad n_{\text{channel}} = 2/26$$

Since $p_{\text{DVP}} = 61$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.056	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 61$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}} \text{ suppression}$	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravita- tional wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPparameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

15 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCpy-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor ($1 + [\text{SSq}]^n/26$)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \text{Gamma}2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	$\text{Ly}_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer (a;q) _n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1_CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).