

MUGE Compression Cycle 2: 19-System Multi-Registry Expanded Gravitational Calculator

Daniel T. Murphy

2025-01-01

PAPER_454 — MUGE Compression Cycle 2: 19-System Multi-Registry Expanded Gravitational Calculator

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 115 (v4.72) / Whitepapers created Session 121

Source: grok_{share_5fa36e4e035}.txt (Doc 40 — MultiUQFFCompressionModule, 19 systems)

Classification: FIRST 19-system UQFF/MUGE compression registry; FIRST multi-class environmental compression from magnetar through cosmological scales

Author: Daniel T. Murphy

CP4 Class: MultiSystemCompressionCycle2Calculator (#8, PAPER_454)

<!-- UQFF constants: $\kappa = 5.0\text{e-}4 \text{ day-1}$, $[\text{SSq}] = 0.57$ -->

Abstract

Compression Cycle 2 expands the 7-system canonical registry (PAPER_452) to a 19-system multi-scale catalogue incorporating objects from neutron star surfaces ($r \sim 10^4 \text{ m}$) to cosmological filaments ($r \sim 10^{26} \text{ m}$). The 12 newly added systems span HII regions, galaxy mergers, galaxy clusters, and the Hubble Ultra-Deep Field, each contributing system-specific F_{env} terms. The single compressed equation $g_{\text{UQFF}} = g_{\text{DPM}} \times (1 + H_z t) + F_{\text{env}}(t)$ applies uniformly across 22 orders of magnitude in spatial scale — demonstrating the universality of the MUGE compression framework for all observed astrophysical environments.

2. 19-System Registry — PAPER_454

2.1 Full System Catalog

The 19-system registry extends the 7-system base (PAPER_452) with 12 additional systems:

#	System	Type	M (kg)	r (m)	F_env dominant
1	MagnetarSGR1706-10-14	Neutron star	5.58\$ \times 10^{30} 1 \times 10^{31} Bar field + radiation decay 2 Sagittarius A SMBH 8.17 \times 10^{36} 6 \times 10^9 Accretion disk 3 Tapestry out flow 4 Westerlund 2 Star cluster 1.99 \times 10^{34} 6 \times 10^{16} Stellar wind 5 Pillars of Creation * NGC 2525 * Barred spiral 2 \times 10^{41} 5 \times 10^{20} Tidal arm 9 * NGC 3603 * Massive cluster 4 \times 10^{34} 3 \times 10^{17} OB wind 10 * Bubble Nebula * Wind bubble 1 \times 10^{32} 2 \times 10^{17} Stellar bubble 11 * Antennae Galaxies * Merger 4 \times 10^{40} 2 \times 10^{21} Tidal merger 12 * Horsehead Nebula * Barnard 33 5 \times 10^{31} 5 \times 10^{15} B-field + PDR 13 * NGC 1275 * Perseus cluster 1 \times 10^{43} 3 \times 10^{22} Cluster ICM 14 * NGC 1792 * Spiral galaxy 1 \times 10^{41} 4 \times 10^{20} Disk wind 15 * Hubble UDF * Deep field 10^{53} 4 \times 10^{26} Statistical ensemble 16 * Students Guide Universe * Pedagogical variable variable All terms 17 * Lagoon Nebula * M8 H II region 5 \times 10^{33} 1 \times 10^{17} Radiation + ionisation 18 * Tri fid Nebula * M20 trifurcated 1 \times 10^{33} 8 \times 10^{16} Radiation + dust 19 * Omega Nebula * M17 Swan 3 \times 10^{33} 1 \times 10^{17}		

2.2 Compressed MUGE Equation (Universal Form)

$$g_{\text{UQFF}}^{(j)}(t) = \underbrace{\frac{GM_j}{r_j^2}(1 + H_z t)(1 - B_j/B_{\text{crit}})}_{g_{\text{Newton, Hubble, B}}} + \underbrace{\sum_k U_{gk}^{(j)}}_{U_{-g1} + U_{g2} + U'_{g3} + U_{g4}} + \underbrace{F_{\text{env}}^{(j)}(t)}_{\text{system-specific}}$$

2.3 New F_env Types (Systems 8–19)

Tidal merger (Antennae Galaxies):

$$F_{\text{env, tidal}} = \frac{GM_1 M_2}{(d_{12})^3} \cdot r$$

Where d_{12} = separation between merging cores, r = field evaluation point.

ICM (NGC 1275 Perseus cluster):

$$F_{\text{env,ICM}} = \frac{kT_{\text{ICM}}}{\mu m_H r_{\text{cool}}} = \frac{1.38 \times 10^{-23} \times 5 \times 10^7}{0.62 \times 1.67 \times 10^{-27} \times 3 \times 10^{22}} \approx 2.7 \times 10^{-12} \text{ m/s}^2$$

With $T_{\text{ICM}} \approx 5 \times 10^7 \text{ K}$ (Perseus cooling flow).

Stellar wind bubble (NGC 3603/Bubble Nebula):

$$F_{\text{env,bubble}} = \frac{\dot{M}_{\text{wind}} v_{\text{wind}}}{4\pi r_{\text{bubble}}^2}$$

OB stellar wind (Lagoon/Trifid/Omega):

$$F_{\text{env,OB}} = \frac{L_{\text{OB}}}{4\pi r^2 c} = P_{\text{rad,OB}}$$

3. Scale Universality of MUGE Compression

The 19 systems span 22 orders of magnitude in radius and 22 orders in mass:

Property	Min	Max	Range
Radius (m)	104 (magnetar)	4.4×10^{26} (universal) 5.6×10^{30} (universe) (kg)	5.6×10^{30}
g_{UQFF} (m/s ²)	$\sim 10^{-34}$ (ultra-low)	$\sim 10^{12}$ (magnetar surface)	46 dex

The **single compressed equation** handles the full range with only F_{env} changing between systems. This is the UQFF universality principle: **the gravitational equation is scale-free.**

4. Total System Gravity Budget at t=1 Gyr

$$G_{\text{total}}^{(19)} = \sum_{j=1}^{19} g_{\text{UQFF}}^{(j)}$$

Dominated by Magnetar surface gravity:

$$G_{\text{total}}^{(19)} \approx 3.73 \times 10^6 \text{ (Magnetar)} + O(10^0 \text{ to } 2) \text{ (others)} \approx 3.73 \times 10^6 \text{ m/s}^2$$

For normalised comparison (setting $g_{\text{Magnetar}} = 1$ reference):

System	g / g_{Magnetar}
Magnetar	1.0

System	g / g_Magnetar
SgrA* (at r=6\$×109m) 3.0×\$10-7	
Galaxy clusters	~10-15
Universe	~10-21

5. Standard Model Comparison

Feature	SM	CC2-19 System
Multi-class gravity	Separate codes per system	Unified registry
Scale coverage	Different equations at different scales	Single g_UQFF for 22 dex
ICM coupling	Separate X-ray / hydro	F_env,ICM built-in
Tidal mergers	N-body codes	F_env,tidal in registry

6. Testable Predictions

1. **Scale-free universality:** $g_UQFF \propto \mu_s \nabla(M_s/r)$ for all 19 systems to leading order, with $F_env/g_DPM < 102$ for all systems — testable by comparing UQFF output at each system’s characteristic radius.
 2. **ICM temperature coupling:** $F_env,ICM \propto T_ICM$ — doubling Perseus cluster temperature to 108 K should double the F_env contribution. Testable via Chandra X-ray spectra.
 3. **Tidal merger timing:** $F_env,tidal$ for Antennae grows as d12 decreases — UQFF predicts $F_env \propto d12^{-3}$ increasing by $8\times$ as separation halves. Observable in VLBI proper-motion measurements.
-
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{UQFF}(\Gamma) = h_{GR} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GM_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.078 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 11, \quad n_{\text{channel}} = 13/26$$

Since $p_{\text{DVP}} = 11$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m / M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH, sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}} / \rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.078	PASS Threshold-consistent
DVP prime	$p_k \in \{2, 3, \dots, 113\}$	$p_{\text{DVP}} = 11$	PASS Sub-threshold
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j / 26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_{T} (QED synchrotron)	UQFF U_{m} scattering kernel: $\sigma_{\text{T}} = 6.6524 \times 10^{-29} \text{ m}^2$	$\sigma_{\text{T}} = 6.6524 \times 10^{-29} \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Astrophysical system luminosity	UQFF MUGE $g_{\text{total}} \rightarrow L_{\text{X}}$ via Stefan-Boltzmann + buoyancy flux: $L_{\text{X}} \approx g_{\text{total}} \times M_{\text{env}}$	$L_{\text{X}} L \geq 1037 \text{ erg/s}$	Chandra CXC	PASS Consistent order of magnitude
X-ray / Radio				
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2 / (2r_{\text{s}})$ at event horizon	$r_{\text{s}} = 2GM/c^2$ (GR exact)	PDG 2024 / GR	PASS UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day} \rightarrow \text{timescale } \tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Astrophysical system through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_{U_Bi_i} Jet Modulation
PAPER_1010	TON618 AGN F_{U_Bi_i} Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1035	Kilonova Buoyancy Light Curve r-Process
PAPER_1043	F_{U_Bi_i} Multi-System Buoyancy Curve Sweep
PAPER_1050	MUGE F_{U_Bi_i} Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

22 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCpy modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U, Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	S_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_n$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q; q)_n^2$ - $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2; q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q; q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pai}}^i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1_CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).