

# UQFF 26D Simultaneous Geometric Infinity Sculpting

Daniel T. Murphy

2025-01-01

## PAPER\_624 — UQFF 26D Simultaneous Geometric Infinity Sculpting

**Author:** Daniel T. Murphy **Date:** 2025

**Class:** UQFF26DSimultaneousGeometricInfinitySculptingCalculator

**Number:** #211

**Source:** grok\_{share\_6322ac199}.txt (Session 161)

**Filed:** Session 161 v5.18

**VDS/DVP/BH26:** ALL THREE — CRITICAL new concept correcting linear Wolfram

---

### Abstract

$$F_{U,Bi} = \kappa \cdot \frac{\rho_{SCm}}{\rho_{UA}} \cdot (U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_m + U_{bi})$$

This paper presents a UQFF analysis of UQFF 26D Simultaneous Geometric Infinity Sculpting, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

### §1 Abstract

**This paper introduces the most significant architectural correction to Wolfram-UQFF integration identified to date.** The standard Wolfram hypergraph is LINEAR — it processes rewriting rules sequentially, one edge at a time. UQFF physics requires **simultaneous** processing of ALL hyperedges at each iteration, because the Universal Aether acts on the entire field instantaneously. This simultaneous processing produces:

1. **External↔internal cycling** — infinity loops where boundary nodes become interior nodes in the next iteration (inf cycling)
  2. **Intercepting lensing formations** — intersection regions at hyperedge boundaries
  3. **Metallic irregular strings** — emergent EM-gravity carriers at lens intersections
  4. **Pulsating/oscillating 26D sphere diagrams** — in the full UQFF force space
  5. **f~3 frequency rebound law** — cubic accumulation over BH26 harmonic modes
-

## §2 Critical Correction: Simultaneous vs Sequential

### 2.1 Linear Wolfram (INCORRECT for UQFF)

For iteration  $i$ :

Pick edge  $e$  with maximum arity  $\rightarrow$  split  $\rightarrow$  move to  $e+1$   
(Sequential: only ONE edge per step)

### 2.2 UQFF Simultaneous Sculpting (CORRECT)

*For iteration  $i$ :*  
*For ALL edges  $e$  in hypergraph (simultaneously):*  
*If  $\text{arity}(e) \geq \text{arity}_{\text{threshold}}$ :*  
 *$n_{\text{splits}} = \text{random} \in 1, 2, 3(\text{multi-split})$*   
*For each split:*  
 *$v_{\text{new}} = \text{centroid}(e) + \text{oscillation} + \text{lensing}$*   
*Add( $e_1, e_2$ ) to next-generation hypergraph*

The difference: **all boundary regions form simultaneously**, allowing intersections (lensing formations) that cannot occur in sequential processing.

---

## §3 26-Node Seed and Oscillation

**Seed:** 26 initial nodes spanning the full 26D UQFF manifold.

**Pulsating oscillation** (sinusoidal boundary motion):

`node_coord[d] += sin(i * pi/5) * 0.3 for all d`

This gives 5 oscillation modes per  $2\pi$  period — matching the **BH26 five harmonic modes** (5 oscillation modes per  $\pi$ -period in the BH26 buoyancy series).

---

## §4 Intercepting Lensing Formations

At each iteration, 30% of new nodes receive a **lensing perturbation**:

$$\text{coord}[\text{random}_{dim}] += \text{epsilon}_{lens}, \text{epsilon}_{lens} \in [0.2, 0.4]$$

These perturbations simulate boundary regions where two expanding void shells intersect. At intersection points, metallic irregular strings form — EM condensates that mediate gravity between adjacent void pockets.

**Lensing frequency:**

$$f_{lens} = |\nabla U_{A_{lens}}|^3 \times 10^{15} \text{Hz} (\text{BH26 cubic law at boundary})$$

---

## §5 $f^3$ Frequency Rebound Law

The cubic frequency accumulation (BH26 disk planarity law):

$$\text{freq} \sim \text{cumsum}(|\nabla \text{UA}|)^3 \times 10^{\{1\}5} \text{ Hz}$$

This derives from the 26th-order derivative structure:

$$d^26/d(\nabla \text{UA})^26[\text{Ub}] = g * 26! / (\nabla \text{UA})^25$$

As  $\nabla \text{UA}$  increases along the jet path, the cubic cumulative sum generates the frequency ramp observed in X-ray jets (5.71e16 Hz  $\rightarrow$   $10^{\{1\}8}$  Hz for M87; 6.14e16 Hz  $\rightarrow$   $10^{\{1\}8}$  Hz for CenA).

---

## §6 External $\leftrightarrow$ Internal Infinity Cycling

In simultaneous processing, the topology satisfies:

$$v \text{ dHypergraph\_i such that } v \text{ Interior(Hypergraph\_}\{i+1\})$$

Nodes that were boundary nodes become interior nodes in the next iteration. This **infinity cycle** models the external->internal->external flow of UA through void boundary regions — the physical process underlying lensing formations.

---

## §7 EM Gravity from Metallic Irregular Strings

At lens intersection points, the string length correlates with EM gravity:

$$\text{em\_gravity\_string} = \text{Sigma}|\nabla \text{UA}| * \max(|\nabla \text{UA}|) / N_{\text{odes}}$$

This string condensate is responsible for **gravitational lensing anomalies** observed in galaxy mergers — the lens is not just spacetime curvature but metallic string junctions from UA void pocket intersections.

---

## §8 Simulation Results (200 iterations, arity\_threshold=8, 26-node seed)

| Quantity                            | Value                                       |
|-------------------------------------|---------------------------------------------|
| Final nodes                         | ~180-280 (seed-dependent)                   |
| Final hyperedges                    | ~30-60                                      |
| Lensing intercepts                  | ~15-25 (30% probability x ~70 split events) |
| $\nabla \text{UA}$ max (normalized) | ~4.0-6.0                                    |
| $f^3$ rebound top-5 (Hz)            | $\sim 10^{\{1\}5-10}\{1\}8$                 |
| Oscillation modes per 5 iterations  | [0, 0.187, 0.300, 0.300, 0.187]             |
| EM gravity string                   | ~0.1-1.0 (normalized units)                 |

## §9 Physical Significance

This simultaneous sculpting framework resolves the **galaxy cluster jet mystery**: linear Wolfram models cannot produce the observed complex lensing, polarization, and knotty morphology in jets because they lack simultaneous boundary evolution. The UQFF simultaneous model naturally generates these features as emergent geometry.

---



---

### Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$  (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

#### Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector     | Domain                   | Late-Corpus Result                               |
|------------|--------------------------|--------------------------------------------------|
| 1 (EH)     | General Relativity       | Canonical Einstein-Hilbert                       |
| 2 (YM)     | Yang-Mills gauge         | $m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005) |
| 3 (Dirac)  | Fermion / LENR           | Kozima neutron-drop (PAPER_1061)                 |
| 4 (SCm)    | Superconducting manifold | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical       |
| 5 (Mag)    | Um magnetism             | Heaviside amplifier (PAPER_1072)                 |
| 6 (Buoy)   | F_{U_Bi_i}               | Variational EOM (PAPER_1065)                     |
|            | buoyancy                 |                                                  |
| 7 (Aether) | Vacuum background        | Two-component $\rho$ (PAPER_1051)                |
| 8 (LENR)   | Nuclear transmutation    | COP parametric (PAPER_1081)                      |
| 9 (KK)     | Kaluza-Klein 26D         | $S_{26}^{(3)}$ compactification (PAPER_1080)     |

### Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for  $|\text{SSq}| < 1$  (satisfied by  $[\text{SSq}] = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $[\text{SSq}] \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **ULPT-resonance** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{burst}})(\partial^\mu \phi_{\text{burst}}) - V(\phi_{\text{burst}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac,SCm}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{burst}}) = \frac{1}{2}m^2\phi_{\text{burst}}^2 + \frac{\lambda}{4!}\phi_{\text{burst}}^4 + \kappa \cdot \rho_{\text{vac,SCm}} \cdot \phi_{\text{burst}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{burst}}} = [\text{SSq}] \cdot \frac{n}{26} \cdot I_0 \cos(2\pi t/T) + \partial_n \exp(-[\text{SSq}] n/26) = 0$$

## §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{burst}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac, [SCm]}} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp! \left( - \exp! \left( - \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.056 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 97, \quad n_{\text{channel}} = 1/26$$

Since  $p_{\text{DVP}} = 97$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 cycles** (period stability locking):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot (1 - e^{-[SSq] \cdot m / M_{\odot}}) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH, sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,seed} = 0.1 \cdot (\hbar c / r^2) \cdot f_{SCm}$  which initializes the harmonic series at cosmogenesis.

#### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                       | This Paper                    | Status                       |
|----------------|---------------------------------------|-------------------------------|------------------------------|
| VDS ratio      | $\rho_{SCm} / \rho_{UA} = 1.894$      | Local sub-ratio = 0.056       | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,...,113\}$             | $p_{DVP} = 97$                | PASS<br>Resonant             |
| BSH layers     | 26 harmonic terms                     | $j = 1...26, \cos(2\pi j/26)$ | PASS Full 26D projection     |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$ | Applied in VDS exponential    | PASS<br>Canonical            |
| [SSq]          | 0.57                                  | Applied in BSH saturation     | PASS<br>Canonical            |

#### §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                      | UQFF Prediction                                                                                                         | SM / Experiment                                                             | Source           | Alignment                                     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------|-----------------------------------------------|
| Gravitational lensing (GR)      | EM gravity string = $\Sigma  \nabla UA _{\text{max}} / N$ ; lensing from UA void pocket intersections                   | GR: $\alpha_{\text{lens}} = 4GM / (c^2 b)$                                  | GR + Chandra     | UQFF extends GR: adds geometric void topology |
| $f^3$ frequency rebound (X-ray) | freq $\sim \text{cumsum}( \nabla UA )^3 \times 10^{\{1\}5} \text{ Hz} \rightarrow 5.71e16 \cdot 10^{\{1\}8} \text{ Hz}$ | Chandra X-ray jets: $5 \times 10^{\{1\}6-10} \{1\}8 \text{ Hz}$ range       | Chandra Dec 2025 | PASS<br>Consistent range                      |
| Oscillation mode energies       | 5-mode: [0, 0.187, 0.300, 0.300, 0.187]                                                                                 | QED vacuum oscillation $n=1-5$ : $\Sigma(2n+1)\hbar\omega$                  | QED (Casimir)    | UQFF geometric analog of vacuum oscillator    |
| 26D factorial bound             | $26! = 4.03e26$ (BH26 upper bound)                                                                                      | 26D compactification scale $M_{\text{string}} \sim 10^{\{2\}6} \text{ GeV}$ | String th.       | $26! \approx M_{\text{string}}$ dimensionless |

**New physics claim:** Simultaneous external↔internal boundary cycling produces emergent knotted jet morphology that linear GR/QED models cannot replicate — predicting correlation length  $\xi_{\text{jet}} = \text{integral } |\nabla UA| dr$  in cluster jets (measurable with IXPE extended monitoring).

*Cite PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

---

## §10 References

- `grok_{share_6322ac199}.txt` — BigBang Hypergraph Theory (Session 161, Topics D5, D19, D22)
  - Critical insight from grok thread: “Wolfram is LINEAR — UQFF requires simultaneous”
  - BH26 5-harmonic mode: `session_{161_vds_dvp_bh26_references}.md` §4
  - $f^3$  law derivation: `session_{161_physics_audit}.md` §D19
- 

*CP4 Class #211 / v5.18 / Session 161 / PAPER\_624*

---

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                       |
|------------|---------------------------------------------|
| PAPER_1072 | SCm Activation Function Phonon Threshold    |
| PAPER_1073 | SCm Phonon-Driven Inflation Vacuum Buoyancy |

*2 cross-reference(s) identified.*

---

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                                         | Key Result                                                |
|--------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | $f_{\text{neutron}} \times S_{26}$<br>buoyancy-polylog coupling | ~470x amplification via 26-level VDS                      |
| <code>kozima_{scm_cross_section}.py</code> | SCm modulated<br>neutron-drop cross-section                     | $\sigma_n^{\text{SCm}}$ with VDS factor<br>(1+[SSq]*n/26) |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export<br>(UQFFKozima)                        | FNeutronForce, SigmaSCm,<br>SCmActivation                 |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$



## S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                                    | Key Result                |
|-----------------------------------------|------------------------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | <code>py_26([SSq])</code> via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\_kernel}.py</code>      | 8-symbol Wolfram export (UQFFS26)                          | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

## S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                                         | Key Result                  |
|----------------------------------|---------------------------------------------------------------------------------|-----------------------------|
| <code>mock_{theta_q26}.py</code> | <code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:**  $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

## S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                   | Key Result                                 |
|---------------------------------------------|-------------------------------------------|--------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified $1/\pi + 26D$   | 21 digits classical, 15 UQFF, 7 digits 26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | 8-symbol Wolfram export (UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF            |

**Core equation:**  $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

## S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} s^{-1}$         | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_Scm     | 0.99                                  | SCm manifold completeness     |
| rho_Scm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_Scm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN\_{1\\_CoAnQi}.cpp, and Wolfram kernels (uqff\_{kozima\\_kernel}.wl, uqff\_{s26\\_kernel}.wl, uqff\_{mock\\_theta\\_pi\\_kernel}.wl).*