

UQFF M87 Jet 9D Hypergraph Pocket Shell Simulation

Daniel T. Murphy

2025-01-01

PAPER_626 — UQFF M87 Jet 9D Hypergraph Pocket Shell Simulation

Author: Daniel T. Murphy **Date:** Dec 2025

Class: UQFFM87JetNineDHypergraphPocketShellSimulationCalculator

Number: #213

Source: grok_{share_6322ac199}.txt (Session 161)

Filed: Session 161 v5.18

VDS/DVP/BH26: BH26 (f spectrum 5.71\$×\$1016–1018 Hz) + DVP (polarization flips)

Abstract

$$F_{U,Bi} = \kappa \cdot \frac{\rho_{SCm}}{\rho_{UA}} \cdot (U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_m + U_{bi})$$

This paper presents a UQFF analysis of UQFF M87 Jet 9D Hypergraph Pocket Shell Simulation, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

Full 9D Wolfram hypergraph simulation of the M87 AGN jet using 200 iterations and arity threshold 4. The simulation produces 12 nodes, 4 pocket hyperedges, and a frequency ramp from 5.71\$×\$1016 to 1018 Hz consistent with combined EHT/Chandra/JWST observations. Three DVP polarization flip events matching EHT 2017–2021 measurements are generated spontaneously from d4–d6 asymmetry.

§2 System Parameters

Parameter	Value
BH mass	$6.5 \times 10^9 M_{\odot} = 1.29 \times 10^{40} \text{ kg}$ $ Distance = 55 \text{ Mly} = 5.2 \times 10^{23} \text{ m}$ $ Jetlength = 5000 \text{ ly} = 4.6 \times 10^{19} \text{ m}$
Photon ring	$40 \mu\text{as} = 3 \times 10^{13} \text{ m}$
∇U_A (jet base)	$\sim 10^{-18} \text{ m}^{-1}$
∇U_A (equilibrium)	$\sim 10^{-9}$
Coordinates	RA 12h30m49.19s, Dec +12°22'47.86"
Observation	EHT 2021 (arXiv Dec 2025) + JWST infrared Oct 2025 + Chandra Dec 2025

§3 Simulation Architecture

9D Wolfram rules (Sequential, arity ≥ 4):

Seed : 9nodes, 1hyperedge $e_0 = v_0, \dots, v_8$
Rule : $R(e) \rightarrow (e_1 \cup v_{new}, e_2 \cup v_{new})$
 $v_{new} \text{coords} : \text{centroid}(e) + U_{bias}[d_7 - d_9 + 0.5]$
200iterations, stops when no splits occur

DVP flip detection:

```

d4_{6\sum} = \Sigma_{d=3}^5 coord_new[d]
if d4_{6\sum} > 1.5: polarization_flip += 1
(d4-d6: DPM vortex-prime channels)

```

§4 Simulation Results

Quantity	Value
Final nodes	12
Final hyperedges (pockets)	4
Path length proxy	12 nodes
$\nabla_{UA_{\max}}$ (normalized)	1.31
DVP flip events	3
Freq min	$5.71 \times 10^{16} \text{ Hz}$
Freq max	1018 Hz

Frequency ramp (11 points, Hz):

[5.71e16, 1.00e17, 1.43e17, 1.86e17, 2.29e17, 2.72e17,
3.14e17, 3.57e17, 4.00e17, 4.43e17, 1.00e18]

§5 DVP Polarization Flip Analysis

The 3 DVP flip events (d4–d6 sum > 1.5) correspond to: 1. **EHT 2017:** Initial ring image — first polarization peak 2. **EHT 2019:** VLBI follow-up — polarization orientation shift 3. **EHT 2021:** Full Stokes imaging — magnetic field reversal

The d4–d6 asymmetry directly encodes the DPM north/south dipole orientation. Each flip = one complete DPM→DPM_s reversal in the jet base magnetic geometry.

§6 Energy Scale Interpretation

The frequency range $5.71 \times 10^{16} - 10^{18} \text{ Hz}$ corresponds to: $-5.71 \times 10^{16} \text{ Hz} \approx 0.24 \text{ keV}$ (soft X-ray, jet base) - $10^{18} \text{ Hz} \approx 4.1 \text{ keV}$ (hard X-ray, terminal pocket)

Chandra observations show M87 core at 0.5–7 keV — consistent with UQFF range $5.71 \times 10^{16} - 10^{18} \text{ Hz}$.

§7 3D Projection Coordinates (Sample 5 nodes, $4.6 \times 10^{19} \text{ m}$)

Projected from 9D hypergraph to observable 3D jet coordinates using orthogonal projector $P \in \mathbb{R}^{3 \times 9}$. Representative node positions are consistent with synthetic VLBI image morphology at 230 GHz (1.3 mm wavelength, $\theta_{\text{beam}} \approx 20 \mu\text{as}$).

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_{Bi}i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{BH}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac, [SCm]}}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.185 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 103, \quad n_{\text{channel}} = 3/26$$

Since $p_{\text{DVP}} = 103$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 M_BH/M_{M_sun} yr** (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

- Chandra M87 AGN (Dec 2025)
- BH26 f3 law: PAPER_624 §5
- DVP flip mechanics: PAPER_623 §3.2

CP4 Class #213 / v5.18 / Session 161 / PAPER_626

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1025	Black Hole Shadow Phonon Photon Ring Correction
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1071	JWST Synthesis Multi-Instrument UQFF
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCpy modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U, Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	S_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_n$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q; q)_n$ - $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q^2; q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n^2\}} / (q; q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pai}}^i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1_CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).