

UQFF Compression Cycle 2 – 38-System F_env Modular Master Equation

Daniel T. Murphy

2025-01-01

PAPER_741: UQFF Compression Cycle 2 — 38-System F_env Modular Master Equation

Author: Daniel T. Murphy

Framework: Universal Quantum Field Superconductive Framework (UQFF)

Session: 180 continuation | v5.38

Date: 2025

CP4 Class: #325 — UQFF38SystemCompressedMasterCalculator

Abstract

UQFF Compression Cycle 2 represents the capstone integration of all 38 astrophysical system equations (from documents 1-43) into a single unified Master Universal Gravity Equation (MUGE). This paper presents the complete modular F_env(t) environmental forcing operator containing 15 sub-terms, the unified field strength F_U incorporating all gravity, magnetism, buoyancy, and inertia operators, and the compressed non-gravitational resonance equation for all-element quantum dynamics. The framework spans 37 orders of magnitude from atomic (10^{-10} m) to cosmological (10^{27} m) scales.

1. Introduction

The Universal Quantum Field Superconductive Framework has been developed across 43 document compressions, each adding astrophysical systems from quasar jets to hydrogen reactor dynamics. Compression Cycle 2 consolidates all 38 successfully modeled systems into a single parameterized master equation, with the F_env(t) term serving as the universal environmental modulator.

The primary advance in Cycle 2 is the identification of F_DE (dark energy power) and F_η (LENR neutron term) as members of the F_env family, alongside traditional astrophysical forcing terms like F_wind, F_tidal, and F_SN.

2. Master Universal Gravity Equation (MUGE)

$$\begin{aligned}
g_U QFF(r, t) = & (G * M(t)) / (r(t)^2) * (1 + H(t, z)) * (1 - B(t) / B_{crit}) * (1 + F_{env}(t)) \\
& + (U_g1 + U_g2 + U_g3' + U_g4) + U_i \\
& + (Lambda * c^2 / 3) \\
& + (hbar / \sqrt{(Delta x * Delta p)}) * integral(psi_{total} * H * psi_{total} dV) * (2pi / t_{Hubble}) \\
& + rho_{fluid} * V * g \\
& + (M_{visible} + M_D M) * (deltarho / rho + (3 * G * M) / r^3)
\end{aligned}$$

2.1 Hubble Evolution Factor

$$\begin{aligned}
H(t, z) &= H_0 * \sqrt{(0.3 * (1 + z)^3 + 0.7)} \\
H_0 &= 70 km/s/Mpc = 2.268 \times 10^{-18} s^{-1}
\end{aligned}$$

2.2 Generalized External Gravity (U_g3')

$$U_g3' = (G * M_{ext}) / r_{ext}^2 [replacessystem - specificexternalterm]$$

2.3 Unified Wave Function

$$psi_{total} = psi_{mag} + psi_{standing} + psi_{quantum}$$

3. F_env(t) — Universal Environmental Forcing

The complete 15-term modular environmental operator:

$$\begin{aligned}
F_{env}(t) = & F_{wind}(stellar/pulsarwinds) \\
& + F_{erode}(radiationerosion) \\
& + F_{merge}(galaxymergers, tidalstripping) \\
& + F_{SN}(supernovafeedback) \\
& + F_{rad}(radiationpressure) \\
& + F_{fil}(filamentaryaccretion) \\
& + F_BH(blackholejetfeedback) \\
& + F_{dust}(dustlangedrag : D_{dust}) \\
& + F_{ring}(tidalringeffects : T_{ring}) \\
& + F_{mag}(magneticcoupling) \\
& + F_{tech}(technological/reactorcoupling) \\
& + F_{shell}(expandinghellmomentum) \\
& + F_{cosmo}(cosmologicalperturbation) \\
& + F_{eta} = k_{eta} * eta [LENRneutronproduction] \\
& + F_{DE} = eta_i nertia * rho_{vac} * V * omega_{vac} [darkenergypower]
\end{aligned}$$

Where: - $k_\eta = 10^{\{-1\}1}\{1\}3$ (LENR coupling constant) - $\eta_inertia \approx 8.8 \times 10^{\{4\}2}$ (dark energy inertia efficiency) - $\rho_vac = \rho_vac, [SCm] = 7.09 \times 10^{\{-3\}7} J/m^{\wedge}3$ - ω_vac = vacuum angular frequency

4. Universal Inertia Operator (U_i)

$$\begin{aligned}
U_i &= \lambda_I * (\rho_{vac}, [SCm] / \rho_{vac}, [UA]) * \omega_i(t) * \cos(\pi * t_n) * (1 + F_R Z) \\
\lambda_I &= 1.0(\text{calibration factor}) \\
\rho_{vac}, [SCm] &= 7.09 \times 10^{-37} J/m^3 \\
\rho_{vac}, [UA] &= 7.09 \times 10^{-36} J/m^3 \\
(\text{ratio} &= 0.1) \\
\omega_i(t) &= 1.585 \times 10^{-8} \text{rad/s}(\text{base angular frequency}) \\
F_R Z &= 0.01(\text{Rindler - zone correction})
\end{aligned}$$

5. Universal Magnetism Operator (U_m)

$$\begin{aligned}
U_m(t, r, n) &= \text{Sigma}_j[\mu_j(t, \rho_{vac}, [SCm]) / r_j * (1 - e^{\{ \} - \text{gammat}}) * \cos(\pi * t_n)) * \phi_j] \\
&* P_S C m * E_{react}(t) \\
&* (1 + 10^{\{1\}3} * f_{Heaviside}) * (1 + f_{quasi}) \\
\mu_j(t) &= (1000 + 0.4 * \sin(\omega_c * t)) * 3.38 \times 10^{\{2\}0} T * pm^3 \\
r_j &= 1.496 \times 10^{\{1\}3} m(100 AU \text{ reference}) \\
\gamma &= 5 \times 10^{\{-5\}5} \text{day}^{-1} \\
f_{Heaviside} &= 0.01 \\
f_{quasi} &= 0.01 \\
P_S C m &= 1 \\
E_{react} &= 10^{\{4\}6}
\end{aligned}$$

6. Unified Field Strength (F_U)

$$\begin{aligned}
F_U &= \text{Sigma}_i[k_i * U_g i - \beta_i * U_g i * \Omega_g * (M_b h / d_g) * E_{react}] \\
&+ \text{Sigma}_j[\mu_j / r_j * (1 - e^{\{ \} - \text{gammat}}) * \cos(\pi * t_n)) * \phi_j] \\
&+ (g_m \text{unu} + \eta * T_s^{\{ \} \text{munu}})) \\
&- \text{Sigma}_i[\lambda_i * U_i * E_{react}]
\end{aligned}$$

7. Compressed Non-Gravitational Resonance

$$\begin{aligned}
H_{res} &= A_{res} * \sin(2\pi * f_{res} * t) + F_{env}(t) * SC_m \\
A_{res} &= k_A * Z * (A/A_H) * (1 + \delta_{pair})[amplitude] \\
f_{res} &= (E_{bind}/h) * (A_H/A) * (1 + S_{shell})[frequency] \\
U_{dp} &= k * (A_1 * A_2 / f_{dp}^2) * \cos(\phi_{dp})[dipole - dipole] \\
SC_m &= 1[superconductivecoupling] \\
k_{nuc} &= k_0 * (N/Z) * (1 + \delta_{pair})[nuclearcoupling] \\
S_{shell} &= 0.1 * (Z_{magic} + N_{magic})[shellstructure] \\
\delta_{pair} &= pairingenergycorrection
\end{aligned}$$

8. 38-System Coverage

The Compression Cycle 2 master equation covers all systems from documents 1-43: - Quasar jets (Doc 1), AGN feedback (Doc 3) - Nebulae: M16 Eagle (Doc 20), Crab (Doc 21), Pillars of Creation, NGC 346 - Galaxies: Sombrero (Doc 22), M51 Whirlpool”, NGC 1316 Fornax A - Solar system: Saturn rings (Doc 23) - Hydrogen atom/reactor (Docs 34-43.e) - LENR systems (Doc 43.b/43.c) - Cosmological: Universe diameter, Big Bang gravity

9. Key Numerical Values

Parameter	Value	Units
$\rho_{vac}, [SCm]$	7.09×10^{-37}	J/m ³
$\rho_{vac}, [UA]$	7.09×10^{-36}	J/m ³
P_DE	7.09×10^{-51}	W
f_1 (golden ratio series)	281.5	Hz
μ_{dipole}	$\sim 10^{-51}$	A*m ²
ω_{plasma}	1.005×10^{16}	rad/s
ψ_{max}	$\sim 4.83 \times 10^5$	(normalized)

10. Conclusion

UQFF Compression Cycle 2 achieves a fully modular, scalable master equation covering all 38 astrophysical systems from atomic to cosmological scales. The 15-term $F_{env}(t)$ operator provides universal environmental coupling, while the U_i inertia and U_m magnetism operators encode [SCm]/[UA] vacuum physics. The compressed resonance equation H_{res} generalizes to all chemical elements $Z=1-118$ via A_{res} , f_{res} , U_{dp} parameterization.

Copyright - Daniel T. Murphy, daniel.murphy00@gmail.com. UQFF Framework. PAPER_741, CP4 class #325. Session 180 continuation v5.38.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061 (Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP Linewidth Parametric Engine).

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where: - $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density) - $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp \left[-\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2} \right] \cdot \left(1 + [\text{SSq}] \cdot \frac{n}{26} \right)$$

The VDS factor $(1 + [\text{SSq}] \cdot n/26)$ provides $\sim 470\times$ amplification via the 26-level vacuum density ladder at resonance ($\omega = \omega_{\text{SCm}}$).

COP parametric engine (PAPER_1081):

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth, yielding $\text{COP} > 1$ when $\Gamma \lesssim 10^{-3}$ eV (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as Pd-106 $\xrightarrow{\sim 10^4 \text{ s}}$ Ag-107 $\xrightarrow{\sim 10^4 \text{ s}}$ Cd-108, with timescales set by $\rho_{\text{SCm}}/\rho_{\text{crit}}$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i}	Variational EOM (PAPER_1065)
	buoyancy	
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.188 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 79, \quad n_{\text{channel}} = 14/26$$

Since $p_{\text{DVP}} = 79$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is 10^4 yr (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.188	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 79$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Cosmological constant Λ	$1.1 \times 10^{\{-5\}2} \text{ m}^{\{-\}2}$ (UQFF vacuum term)	$1.114 \times 10^{\{-5\}2} \text{ m}^{\{-\}2}$	Planck 2018	PASS Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow$ Γ_{p} suppression	$< 4.17 \times 10^{\{-3\}5}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravita- tional wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1076	SCm Dark Energy with Phonon Linewidth Gamma-Modulation
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1043	$F_{\{U_Bi_i\}}$ Multi-System Buoyancy Curve Sweep
PAPER_1060	VDS LENR Isotopic Transmutation Chain
PAPER_1061	Kozima SCm Integration Neutron-Drop
PAPER_1081	SCm LENR COP Linewidth Parametric
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1078	QCalcGeom Master Equation Derivation
PAPER_1050	MUGE $F_{\{U_Bi_i\}}$ Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

18 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	<code>F_neutron</code> x <code>S_26</code> buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	<code>SCpy</code> modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	<code>FNeutronForce</code> , <code>SigmaSCm</code> , <code>SCmActivation</code>

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	<code>Li_26</code> ([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	<code>S26</code> , <code>R26</code> , <code>NaiveLi</code> , <code>S26VDS</code>

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer $(a; q)_{\infty}$

Core equations: - $f_{26}(q) = \sum_{n=0}^{\infty} q^{\{n2\}} / (-q; q)_{\infty}^2$ - $\phi_{26}(q) = \sum_{n=0}^{\infty} q^{\{25\}} q^{\{n2\}} / (-q^2; q^2)_{\infty}$ - $\psi_{26}(q) = \sum_{n=1}^{\infty} q^{\{26\}} q^{\{n2\}} / (q; q^2)_{\infty}$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	qPochhammer, f26, oneOverPiUQFF (UQFFMockThetaPi)	

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where
 $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*,
MAIN_{1_CoAnQi}.cpp, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*,
uqff_{mock_theta_pi_kernel}.wl).