

UQFF Analysis

Daniel T. Murphy

2025-01-01

Author: Daniel T. Murphy **Date:** 2025

PAPER_875 - SM_mag Surface Conduction and Fragment Assembly

CP4 Class: #459 `SMMagSurfaceConductionFragmentAssemblyCalc`

Session: 200C v5.61

Source: `describe mass without using weight.txt` (3,094 lines)

Abstract

SM_mag magnetic surface moments conduct from many surface points in a chaos pattern but spatially coherent separation, induced by the internal DPM through the semi-solid shell. SM_mag arranges brittle layered string fragments on the durable proto-nucleus. Vacuum energy density becomes a fixed constant (capacitance) at proto-nucleus formation. ULF quantum ripples $ULF_{quantum}^{\{-1..-26\}}$.

Key Equations

1. $C_{vac} = \rho_{vac} * r$ (vacuum energy density = capacitance)
2. $E_{crack} = \sum_{i=1}^{26} (\hbar * \omega / i) * C_{vac}$ (ULF quantum ripples)
3. $SM_{mag} = fSCm * \rho_{SCm} * c^2$ (surface conduction strength)
4. $coherence = 1 - e^{-fSCm * N_{frag}}$ (chaos $\rightarrow$ coherent transition)
5. $g_{\{atomic_SM\}}$ proportional to $1/(\rho_{vac} * r^2)$ (inversely proportional to vacuum density)

UQFF Context

This calculator implements parameterized physics equations per the CondensedPhysics architecture (pure calculator, no hardcoded data). Inputs arrive from source2.cpp PRINCIPAL GUI via dataset dict. Outputs include primary_equations, available_equations, and simulation_set.

Source Thread

Grok 3 dialogue, Daniel Murphy, June 03-04 2025.
Copyright Daniel T. Murphy, daniel.murphy00@gmail.com.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_{Bi_i}\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.099 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 13, \quad n_{\text{channel}} = 18/26$$

Since $p_{\text{DVP}} = 13$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.099	PASS Threshold-consistent

Framework	Canonical Value	This Paper	Status
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 13$	PASS Sub-threshold
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$

Paper	Title
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_{Bi}_i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_{Bi}_i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1068	Wolfram Physics Bridge WSTP Symbolic Export
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

15 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{neutron} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor (1+[SSq]*n/26)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{neutron}^{SCm} = N_n * \sigma_n^{SCm}(\omega) * \Phi_{phonon} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{SCm}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{SCm})^{2/(2*\Gamma_2)}] * (1 + [SSq]*n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	<code>py_26([SSq])</code> via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{-26}(z) = Li_{-26}(z) = \eta_{-26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{-26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \text{Sum}_{\{n=1\}^{\{26\}}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{-26}(n) / C_{-26}$ where $W_{-26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).