

# SCm E(t) Lagrangian Variation

Daniel T. Murphy

2026-04-08

## PAPER\_894: SCm E(t) Lagrangian Variation

**Author:** Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-08 **Session:** 209  
**Source:** Sessions 204-208 standalone module integration **Calculator:** SCmEtLagrangianVariationCalc (CP4 #478) **CVW:** v2.0.0 compliant

---

### Abstract

SCm-specific E(t) Lagrangian variation in the superconductive vacuum.  $L_{SCm} = \rho_{SCm}(t) \cdot V \cdot c^2 \cdot (2R-1) \cdot V_{fil} \cdot S_{26}$  with Euler-Lagrange variation  $\delta S / \delta \phi_{SCm} = 0$  providing the SCm closure equation.

---

### 1. Core Equations

$$L_{SCm} = E_{net, SCm} \cdot V \cdot S_{26}$$
$$\delta S / \delta \phi_{SCm} = 0$$

---

### 2. Parameters

| Parameter       | Default | Description             |
|-----------------|---------|-------------------------|
| t               | 0.0 s   | Time parameter          |
| V_filament      | 1e48 m3 | Filament volume         |
| F_{UBi\over\FU} | 0.8     | Buoyancy-to-field ratio |

---

---

### 3. Key Results

| Quantity       | Expression         | Level | Paper link |
|----------------|--------------------|-------|------------|
| $L_{\{E(t)\}}$ | $E_{net} V S_{26}$ | Macro | PAPER_888  |

| Quantity   | Expression                                                                                | Level    | Paper link |
|------------|-------------------------------------------------------------------------------------------|----------|------------|
| L_SCm      | $\rho_{\text{SCm}} V c^2 (2R-1) V_{\text{fil}} S_{26}$                                    | Micro    | This paper |
| Connection | $L_{\{E(t)\}} = L_{\text{SCm}}$<br>when $E_{\text{net}} = \rho_{\text{SCm}} V c^2 (2R-1)$ | Identity | Verified   |

#### 4. Physical Interpretation

The SCm-specific Lagrangian  $L_{\text{SCm}} = \rho_{\text{SCm}}(t) V c^2 (2R-1) V_{\text{fil}} S_{26}$  provides the variational principle restricted to the SCm sector. The Euler-Lagrange variation  $\delta S / \delta \phi_{\text{SCm}} = 0$  yields the SCm closure equation. This is the microscopic-scale version of the full  $E(t)$  Lagrangian (PAPER\_888), operating at the vacuum density level rather than the phenomenological energy level.

#### 5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies\_\*.csv data flow.

**Significance:** The SCm Lagrangian completes the vacuum-level variational formulation. While the full  $E(t)$  Lagrangian (PAPER\_888) works at the energy level,  $L_{\text{SCm}}$  works at the vacuum density level — providing the microscopic foundation for macroscopic dynamics.

#### 6. SCm Superconductivity Axiom (Session 207)

The SCm Lagrangian variation framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair  $(f_{\text{UA}}, f_{\text{SCm}})$  governing all interactions.

##### Axiom Connection

The standalone module `et_{scm\_vacuum}.py` implements this in:

- **Engine 2 (26-State Progression):** SCm variational at each quantum state  $n$
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four  $U_g$  forces)
- **Engine 4 (Lagrangian):** SCm-variational sector couples to the UQFF variational principle

##### Standalone Calculator

```
python et_{scm\_vacuum}.py          # Full report
python et_{scm\_vacuum}.py -json    # Machine-readable
```

---

## 7. Source Data

- **File:** Sessions 204-208 standalone module integration
  - **Session:** 207 (integrated Session 209)
  - **VDS/DVP/BSH:** PRESENT (SCm variational with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)
- 
- 

### Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$  (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

#### Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector     | Domain                   | Late-Corpus Result                               |
|------------|--------------------------|--------------------------------------------------|
| 1 (EH)     | General Relativity       | Canonical Einstein-Hilbert                       |
| 2 (YM)     | Yang-Mills gauge         | $m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005) |
| 3 (Dirac)  | Fermion / LENR           | Kozima neutron-drop (PAPER_1061)                 |
| 4 (SCm)    | Superconducting manifold | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical       |
| 5 (Mag)    | Um magnetism             | Heaviside amplifier (PAPER_1072)                 |
| 6 (Buoy)   | F_{U_Bi_i}               | Variational EOM (PAPER_1065)                     |
|            | buoyancy                 |                                                  |
| 7 (Aether) | Vacuum background        | Two-component $\rho$ (PAPER_1051)                |
| 8 (LENR)   | Nuclear transmutation    | COP parametric (PAPER_1081)                      |
| 9 (KK)     | Kaluza-Klein 26D         | $S_{26}^{(3)}$ compactification (PAPER_1080)     |

## Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for  $|\text{SSq}| < 1$  (satisfied by  $[\text{SSq}] = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $[\text{SSq}] \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **SCm-variational sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( - \exp! \left( - \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.095 (deep sub-threshold regime), placing it in the zone where exponential damping dominates. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 61, \quad n_{\text{channel}} = 17/26$$

Since  $p_{\text{DVP}} = 61$  is **super-threshold** (threshold at  $p > 26$ ), the system exhibits resonant UQFF coupling with enhanced vacuum topology encoding. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10<sup>7</sup> yr** (micro-level Lagrangian):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                                | This Paper                       | Status                       |
|----------------|------------------------------------------------|----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}} / \rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.095          | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                    | $p_{\text{DVP}} = 61$            | PASS Super-threshold         |
| BSH layers     | 26 harmonic terms                              | $j = 1\dots 26, \cos(2\pi j/26)$ | PASS Full 26D projection     |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$          | Applied in VDS exponential       | PASS Canonical               |
| [SSq]          | 0.57                                           | Applied in BSH saturation        | PASS Canonical               |

### §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                                          | SM / Experiment                    | Source                              | Alignment          |
|----------------------------------|--------------------------------------------------------------------------|------------------------------------|-------------------------------------|--------------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling                         | 1/137.036                          | PDG 2024                            | PASS<br>Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} m - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$ | Planck 2018                        | PASS<br>Consistent                  |                    |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression   | $< 4.17 \times 10^{-35}/\text{yr}$ | Super-K 2024                        | PASS<br>Consistent |
| UQFF buoyancy signature          | $F_{\text{U\_Bi\_i}}$ unique gravitational correction                    | Not yet measured                   | Future gravitational wave detectors | Testable           |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections ( $F_{\text{U\_Bi\_i}}$ ) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{\text{SCm}}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

## References

1. PAPER\_888 – E(t) Full Lagrangian (macro counterpart)
2. PAPER\_890 – SCm Vacuum Density Evolution (rho\_SCm source)
3. PAPER\_877 – Three-Assumption Cosmogenesis
4. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
5. UQFF Calibration: kappa=0.0005/day, [SSq]=0.57, beta\_i~0.603

---

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                            |
|------------|--------------------------------------------------|
| PAPER_1037 | AGN Buoyancy Jet Calculator — SCm Jet Launching  |
| PAPER_1004 | QGP Vacuum Density with SCm S26 Phonon Coupling  |
| PAPER_1079 | Galaxy Cluster Cooling-Flow Buoyancy Suppression |
| PAPER_1043 | F_{U_Bi_i} Multi-System Buoyancy Curve Sweep     |
| PAPER_1072 | SCm Activation Function Phonon Threshold         |
| PAPER_1073 | SCm Phonon-Driven Inflation Vacuum Buoyancy      |
| PAPER_1065 | Buoyancy Lagrangian EOM Variational Derivation   |
| PAPER_1069 | VDS-DVP-BSH Hybrid Calculator Unified            |
| PAPER_1049 | Source10 GPU DPM Spectral Atlas ALMA Overlay     |

*9 cross-reference(s) identified.*

---

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                  | Key Result                                                            |
|--------------------------------------------|------------------------------------------|-----------------------------------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | neutron x S_26 buoyancy-polylog coupling | ~470x amplification via 26-level VDS                                  |
| <code>kozima_{scm_cross_section}.py</code> | SCm modulated neutron-drop cross-section | $\sigma_n^{\text{SCm}}$ with VDS factor $(1 + [\text{SSq}] * n / 26)$ |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export (UQFFKozima)    | FNeutronForce, SigmaSCm, SCmActivation                                |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

## S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                                    | Key Result                |
|-----------------------------------------|------------------------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | <code>ly_26([SSq])</code> via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\kernel}.py</code>       | 8-symbol Wolfram export (UQFFS26)                          | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{-26}(z) = Li_{-26}(z) = \eta_{-26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2\{1-26\})} * Li_{-26}(z^2)$

## S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                                         | Key Result                  |
|----------------------------------|---------------------------------------------------------------------------------|-----------------------------|
| <code>mock_{theta_q26}.py</code> | <code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:**  $-f_{-26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n - \phi_{-26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

## S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                   | Key Result                                 |
|---------------------------------------------|-------------------------------------------|--------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified $1/\pi + 26D$   | 21 digits classical, 15 UQFF, 7 digits 26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | 8-symbol Wolfram export (UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF            |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{-26}(n) / C_{-26}$  where  $W_{-26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pi}} * n / 26)]$

## S204.5 Calibration Constants (Canonical)

| Symbol               | Value                                 | Description                   |
|----------------------|---------------------------------------|-------------------------------|
| [SSq]                | 0.57                                  | Universal Quantized Factor    |
| $\kappa_{\text{pi}}$ | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| $\beta_{\text{pi}}$  | 0.603                                 | Buoyancy coupling coefficient |
| $H_{\text{SCm}}$     | 0.99                                  | SCm manifold completeness     |



| Symbol    | Value                                 | Description                |
|-----------|---------------------------------------|----------------------------|
| rho_SCm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density         |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density   |
| omega_SCm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance       |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section |

*Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN\_{1\\_CoAnQi}.cpp, and Wolfram kernels (uqff\_{kozima\\_kernel}.wl, uqff\_{s26\\_kernel}.wl, uqff\_{mock\\_theta\\_pi\\_kernel}.wl).*