

E(t) Vs K-Essence Scherrer Model Contrast

Daniel T. Murphy

2026-04-08

PAPER_900: E(t) Vs K-Essence Scherrer Model Contrast

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-08 **Session:** 209
Source: Sessions 204-208 standalone module integration **Calculator:** EtVsKEssenceScherrerModelContrastCalc (CP4 #484) **CVW:** v2.0.0 compliant

Abstract

Comparison of UQFF E(t) with k-essence Scherrer model dark energy. k-Essence uses non-canonical kinetic Lagrangian $F(X) = -A + BX^n$ with $X = (1/2)(\partial\phi)^2$. Derives $\rho = 2XF_X - F$, $p = F$, $w = F/(2XF_X - F)$, and sound speed $c_s^2 = F_X/(F_X + 2XF_{XX})$. 10-row contrast table covering field content, Lagrangian, EOS, sound speed, free parameters, lab testability, vacuum, GW impact, fine-tuning, and origin.

1. Core Equations

$$\begin{aligned} F(X) &= -A + BX^n \\ w &= F/(2XF_X - F) \\ c_s^2 &= F_X/(F_X + 2XF_{XX}) \end{aligned}$$

2. Parameters

Parameter	Default	Description
A_kess	1e-47 J/m3	k-Essence constant A
B_kess	1e-47 J/m3	k-Essence constant B
n_kess	1.0	k-Essence power index
X_kinetic	1e-50	Kinetic term $X = (1/2)(d\phi)^2$

3. Key Results

Aspect	k-Essence/Scherrer	UQFF E(t)
Lagrangian	$F(X) = -A + BX^n$	$E_{\text{net}} V S_{26}$
EOS	$w = F/(2XF_X - F)$	$w(t)$ from R
Sound speed	$c_s^2 = F_X/(F_X + 2XF_{XX})$	Not applicable
Free params	A, B, n (3+)	kappa, [SSq] (2)
Kinetic term	Non-canonical	Standard exp
Lab test	No direct	THz phonon, GW
Fine-tuning	A must match ρ_{obs}	None

4. Physical Interpretation

k-Essence uses a non-canonical kinetic Lagrangian $F(X) = -A + BX^n$ with $X = (1/2)(d\phi)^2$. Energy density $\rho = 2XF_X - F$, pressure $p = F$, equation of state $w = F/(2XF_X - F)$, and sound speed $c_s^2 = F_X/(F_X + 2XF_{XX})$. The Scherrer model (n=1) gives purely kinetic dark energy. 10-row contrast table shows UQFF advantages in testability and parameter economy.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

Significance: k-Essence/Scherrer is the most sophisticated competitor to UQFF dark energy — it uses a non-canonical kinetic term rather than a potential. The comparison reveals that while k-essence can match observational $w(t)$ curves, it requires more free parameters and lacks UQFF's lab-testable predictions (GW damping, LENR phonon resonance).

6. SCm Superconductivity Axiom (Session 208)

The k-essence contrast framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair (f_{UA} , f_{SCm}) governing all interactions.

Axiom Connection

The standalone module `et_{phonon\_resonance}.py` implements this in:

- **Engine 2 (26-State Progression):** dark energy comparison at each quantum state n
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four U_g forces)
- **Engine 4 (Lagrangian):** dark-energy sector couples to the UQFF variational principle

Standalone Calculator

```
python et_{phonon\_resonance}.py          # Full report
python et_{phonon\_resonance}.py -json    # Machine-readable
```

7. Source Data

- **File:** Sessions 204-208 standalone module integration
 - **Session:** 208 (integrated Session 209)
 - **VDS/DVP/BSH:** PRESENT (dark energy comparison with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)
-
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i}	Variational EOM (PAPER_1065)
	buoyancy	
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $\text{[SSq]} = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $\text{[SSq]} \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **dark-energy sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.4 (transition regime), placing it in the zone where VDS condensate profile shows moderate gradient. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 89, \quad n_{\text{channel}} = 23/26$$

Since $p_{\text{DVP}} = 89$ is **super-threshold** (threshold at $p > 26$), the system exhibits resonant UQFF coupling with enhanced vacuum topology encoding. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^10 yr** (k-essence/Scherrer contrast):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH, sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b, \text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.4	PASS Threshold-consistent
DVP prime	$p_k \in \{2, 3, \dots, 113\}$	$p_{\text{DVP}} = 89$	PASS Super-threshold
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical

Framework	Canonical Value	This Paper	Status
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SSM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPparameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

References

1. PAPER_889 – LCDM Contrast
2. PAPER_895 – Quintessence Contrast
3. Scherrer, R.J. – Purely Kinetic k-Essence as Unified Dark Matter (2004)
4. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
5. UQFF Calibration: $\kappa=0.0005/\text{day}$, [SSq]=0.57, $\beta_{i\sim 0.603}$

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1076	SCm Dark Energy with Phonon Linewidth Gamma-Modulation
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \text{Gamma}2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	<code>hy_26([SSq])</code> via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{-26}(z) = Li_{-26}(z) = \eta_{-26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2\{1-26\})} * Li_{-26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: $-f_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \text{Sum}_{\{n=1\}^{\{26\}}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{-26}(n) / C_{-26}$ where $W_{-26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} s^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_ScM	0.99	SCm manifold completeness
rho_ScM	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_ScM	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).