

Black Hole Phonon Ergosphere Superradiance

Daniel T. Murphy

2026-04-11

PAPER_924: Black Hole Phonon Ergosphere Superradiance

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-11 **Session:** 211 **Source:** SCm phonon gap implementation (bh_{phonon_interaction}.py) **Calculator:** BH-PhononErgosphereSuperradianceCalc (CP4 #508) **CVW:** v2.0.0 compliant

Abstract

Extends Kerr black hole superradiance with phonon-vacuum coupling: $\Gamma_{SR} = \Phi_{1.25\text{THz}} (m\Omega_H - \omega) * \alpha_{BH}$, where Ω_H is the horizon angular velocity, $\alpha_{BH} = (r_g/r)^{(2l+2)}$ is the BH coupling factor, and Φ is the phonon modulation. The phonon enhancement amplifies the superradiant instability for rotating BHs, creating a new energy extraction channel alongside Penrose process and BZ mechanism. Additionally derives phonon-modified Hawking temperature $T_H^{\text{phonon}} = T_H * (1 + \Phi S_{26}[SSq]/N)$, QPO accretion disk phonon coupling, and phonon-corrected BH entropy.

1. Core Equations

Section A: Lagrangian

$$\begin{aligned}\Gamma_{SR} &= \Phi_{1.25\text{THz}}(\omega) * (m * \Omega_H - \omega) * \alpha_{BH} \\ \Omega_H &= a * c / (2 * r_+) \\ r_+ &= r_g * (1 + \sqrt{1 - a^2}) \\ \alpha_{BH} &= (r_g/r)^{(2 * \ell + 2)}\end{aligned}$$

Section B: VDS/DVP/BH Number Systems

$$\begin{aligned}T_H^{\text{phonon}} &= T_H * (1 + \Phi * S_{26} * [SSq]/N) \\ T_H &= \hbar * c^3 / (8 * \pi * G * M * k_B) \\ S_B^{\text{phonon}} &= S_B * (1 + \text{correction})^2\end{aligned}$$

Section SM: SM Anchors

$$G = 6.6743e - 11 m^3/kg/s^2$$

$$c = 2.998e8 m/s$$

$$\hbar = 1.055e - 34 J * s$$

$$k_B = 1.381e - 23 J/K$$

2. Parameters

Parameter	Default	Description
M_bh	10 M_sun	BH mass
a_spin	0.9	Kerr spin parameter
m_mode	1	Azimuthal mode number
omega_field	omega_SCm	Field frequency
Phi_0	10^20	Peak phonon amplitude
ell	1	Angular momentum quantum number

3. Key Results

Spin	Gamma_SR	Superradiant?	T_H^phonon
a = 0.1	< 0	No	~T_H
a = 0.9	> 0	Yes	» T_H
a = 0.998	» 0	Yes (maximal)	» T_H

4. Physical Interpretation

Phonon-vacuum coupling amplifies the Kerr BH superradiant instability by providing an additional channel for angular momentum extraction. The condition $m \cdot \Omega_H > \omega$ is the standard superradiance threshold; the phonon factor Φ multiplies the gain rate, making superradiance observable at lower spins than GR predicts. The modified Hawking temperature T_H^{phonon} is enhanced by 26-layer phonon coupling, potentially observable in BH analog experiments (sonic horizons in BEC).

5. References

- PAPER_910: Phonon-modulated Hawking temperature (Session 210)
 - PAPER_911: QPO accretion disk phonon coupling
 - bh_{phonon_interaction}.py: 4-class standalone module
-

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert

Sector	Domain	Late-Corpus Result
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	$F_{\{\text{U_Bi_i}\}}$ buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

Calibration Constants

Constant	Symbol	Value	Validation Domain
UQFF damping rate	κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	Magnetar spin-down
String sector coupling	$[SSq]$	0.57	BH dynamics
Buoyancy coupling	β_i	0.603	Multi-system
SCm completeness	H_{SCm}	≈ 0.99	Heaviside threshold
SCm phonon frequency	ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	Phonon resonance
SCm vacuum density	ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	Fundamental

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Phonon frequency ω_{SCm}	$2\pi \times 1.25 \text{ THz}$ (Pd-D lattice)	Measured Pd-D phonon spectrum	Fukai (2005)	Mapped to SCm
Vacuum energy ρ_{vac}	$7.09 \times 10^{-37} \text{ kg/m}^3$	$\rho_{vac} \sim 10^{-29} \text{ g/cm}^3$	Planck 2018	Novel SCm scale
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: SCm-phonon (lattice resonance)

§A.2 Lagrangian Density

$$\mathcal{L}_{SCm_phonon} = \sum_{i=1}^{26} [U_{g,i} + U_{m,i} + U_{A,i} - U_{b,i}] \cdot S_{26}([SSq]) \cdot \Phi_{1.25\text{THz}}(\omega, \Gamma)$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\partial \mathcal{L}}{\partial \phi} - \partial_m u \frac{\partial \mathcal{L}}{\partial (\partial_m u \phi)} = 0 \implies F_{U, Bi_i} = -\nabla U_{\text{eff}} + \Phi \cdot S_{26} \cdot E_{\text{net}}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 axioms $\rightarrow$ SCm vacuum $\rightarrow$ phonon ω_{SCm} $\rightarrow$ lattice resonance $\rightarrow F_{U,Bi_i}$ unified force
 $\rightarrow$ observational prediction

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

10 cross-reference(s) identified.