

GW190425 Phonon-Suppressed Gravitational Wave Strain

Daniel T. Murphy

2026-04-11

PAPER_927: GW190425 Phonon-Suppressed Gravitational Wave Strain

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-11 **Session:** 211 **Source:** SCm phonon gap implementation (ns_{phonon_gw190425_wstp}.py) **Calculator:** GW190425PhononSuppressedStrainCalc (CP4 #511) **CVW:** v2.0.0 compliant

Abstract

Derives the UQFF phonon-suppressed gravitational wave strain for the GW190425 binary neutron star merger: $h_UQFF(t) = h_GR(t) * D_total * \exp([SSq]t/26)$, where $D_total = 0.530$ represents a 47% strain damping via phonon-vacuum coupling at 1.25 THz. The suppression factor arises from the 26-layer polylog structure redistributing gravitational wave energy into phonon modes. Time evolution through $\exp([SSq]t/26)$ provides dynamical strain modification during the inspiral. GW190425's mass-gap nature ($M_chirp \sim 1.44 M_sun$) makes it the ideal testbed for phonon effects at the NS-BH boundary.

1. Core Equations

Section A: Lagrangian

$$\begin{aligned} h_U QFF(t) &= h_G R(t) * D_{total} * \exp([SSq] * t/26) \\ D_{total} &= 0.530(UQFFphononsuppressionfactor) \\ h_G R &= 3.0e - 22(GRstrainatd_L \ 159Mpc) \\ [SSq] &= 0.57(calibratedcouplingconstant) \end{aligned}$$

Section B: VDS/DVP/BH Number Systems

$$\begin{aligned} VDS : D_{total} &= Product_{k=1}^{26} (1 - [SSq] * Phi_k / (26 * Phi_0)) \\ DVP : h_n &= h_G R * Product_{k=1}^n D_k(layer - by - layersuppression) \\ BH : Lambda_{idal}^{Phonon} &= Lambda_G R * (1 + Phi * S_26 * [SSq]/N) \end{aligned}$$

Section SM: SM Anchors

$$M1 = 1.7M_{sun}, M2 = 1.5M_{sun}(GW190425componentmasses)$$

$$M_{chirp} = (M1 * M2)^{(3/5)} / (M1 + M2)^{(1/5)} \ 1.44M_{sun}$$

$$d_L \ 159Mpc(luminositydistance)$$

$$f_{GW} = 20 - 300Hz(LIGOband)$$

2. Parameters

Parameter	Default	Description
h_GR	3.0e-22	GR strain amplitude
D_total	0.530	Suppression factor
t	0 s	Observation time
f_GW	300 Hz	GW frequency

3. Key Results

Configuration	h_UQFF	Suppression
D_total = 0.530	1.59e-22	47.0%
D_total = 0.333	1.00e-22	66.7%
D_total = 0.667	2.00e-22	33.3%

4. Physical Interpretation

The 47% strain suppression for GW190425 implies that nearly half the gravitational wave energy is redistributed into phonon vacuum modes during propagation through the 26-layer UQFF structure. This is consistent with the GW170817 result (66.7% suppression, PAPER_916) when accounting for the different chirp masses and distances. The mass-gap nature of GW190425 (total mass 3.2 M_{sun} , above typical NS-NS but below confident BH formation) may reflect phonon-mediated stability at the NS-BH transition, where vacuum buoyancy provides additional pressure support.

5. References

- PAPER_916: GW190425 mass-gap phonon suppression (Session 210b)
 - PAPER_917: Exponential strain phonon evolution (Session 210c)
 - ns_{phonon_gw190425_wstp}.py: 5-class standalone module
 - WSTP expression #27: h_UQFF(t) GW190425
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n / 26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Yang-Mills BCS Phonon Mass Gap

Upgrade from PAPER_1005 (Yang-Mills Mass Gap via SCm BCS Phonon) and PAPER_1070 (Yang-Mills Mass Gap VDS Bridge). See also PAPER_1004 (QGP Vacuum Density), PAPER_1007 (Deconfinement Phase Diagram), PAPER_1059 (CGC BK Saturation), PAPER_1064 (Resummation BFKL/Sudakov).

The late-corpus analysis derives the Yang-Mills mass gap via a BCS-like phonon pairing mechanism in the SCm vacuum:

$$\Delta_{\text{YM}} = \Lambda_{\text{QCD}} \cdot \exp\left(-\frac{1}{\alpha_s(T) \cdot N_c}\right) \cdot S_{26}^{(3)}$$

where the running coupling evolves as:

$$\alpha_s(T) = \frac{\alpha_{s,0}}{1 + \alpha_{s,0} \cdot b_0 \cdot \ln(T/T_c)}, \quad b_0 = \frac{11N_c - 2N_f}{12\pi}$$

Physical mechanism: The SCm phonon field ($\omega_{\text{SCm}} = 1.25$ THz) provides a pairing interaction analogous to the BCS electron-phonon coupling in superconductors. Gluons acquire an effective mass through condensate formation in the SCm-modified vacuum, yielding a non-perturbative gap $\Delta_{\text{YM}} \approx 5970$ GeV at the 9-sector Lagrangian closure (PAPER_1066, §2).

VDS bridge (PAPER_1070): The vacuum density series links the gap to the 26-level hierarchy: $\Delta \propto \rho_{\text{VDS}}^{1/4} \cdot (1 + [\text{SSq}] \cdot n/26)$ where the VDS sub-ratio 0.108 places confinement in the sub-threshold regime.

QGP transition (PAPER_1004/1007): At $T > T_c \approx 170$ MeV, the phonon coupling weakens ($\alpha_s \rightarrow 0$) and the gap closes, reproducing the deconfinement phase transition observed at ALICE/LHC.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i}	Variational EOM (PAPER_1065)
	buoyancy	
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2}$. $W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

Calibration Constants

Constant	Symbol	Value	Validation Domain
UQFF damping rate	κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	Magnetar spin-down
String sector coupling	$[\text{SSq}]$	0.57	BH dynamics
Buoyancy coupling	β_i	0.603	Multi-system
SCm completeness	H_{SCm}	≈ 0.99	Heaviside threshold
SCm phonon frequency	ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	Phonon resonance
SCm vacuum density	ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	Fundamental

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GW strain h	UQFF predicts phonon suppression $D_{\text{phonon}} \approx 0.47\text{--}0.67$	LIGO/Virgo $h \sim 10^{-22}$	LIGO O3 (2020)	Within detector band

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Phase evolution $\delta\phi$	200–400 extra cycles from S_{26} coupling	GR template bank	Abbott et al. (2021)	Testable with LISA
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: GW-radiation (gravitational-wave chirp)

§A.2 Lagrangian Density

$$\mathcal{L}_{GW_radiation} = \sum_{i=1}^{26} [U_{g,i} + U_{m,i} + U_{A,i} - U_{b,i}] \cdot S_{26}([SSq]) \cdot \Phi_{1.25\text{THz}}(\omega, \Gamma)$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\partial \mathcal{L}}{\partial \phi} - \partial_m u \frac{\partial \mathcal{L}}{\partial (\partial_m u \phi)} = 0 \implies F_{U,Bi_i} = -\nabla U_{\text{eff}} + \Phi \cdot S_{26} \cdot E_{\text{net}}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 axioms $\rightarrow$ SCm vacuum $\rightarrow$ phonon ω_{SCm} $\rightarrow$ gravitational-wave chirp $\rightarrow F_{U,Bi_i}$
unified force $\rightarrow$ observational prediction

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)

Paper	Title
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1005	Yang-Mills Mass Gap via SCm BCS Phonon Coupling
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1035	Kilonova Buoyancy Light Curve r-Process
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1080	Ramanujan Binomial Expansion Proof $R_n^{\{(26,3)\}}$
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

18 cross-reference(s) identified.