

PAPER_1130: UQFF 26D Geometric Folding — Wolfram-Parallel Hypergraph Derivation

UQFF Classification: CP4 Entry #631 | Category: Quantum Geometry / Wolfram Physics

Framework Version: CVW v2.0.0 | G6 SM Anchor Gate

Date: April 2026

Author: Daniel T. Murphy | Star-Magic UQFF v5.26

Abstract

The UQFF 26D compactification defines a geometric folding operator $\mathcal{F}_{26}$ that maps target-space coordinates into the phonon-compressed SCm layer structure. This folding is shown to be parallel to the Wolfram hypergraph rewriting system: each of the 26 quantum layers corresponds to a node in a causal hypergraph, and phonon resonances define the rewriting edges. The 26D folding metric, folding Lagrangian variation, Wolfram-equivalent rewriting rules, and numerical folding scales are fully derived. All variables are defined, variable equations are given in long form, and the WSTP Mathematica symbolic forms are exported for live computation.

1. The 26D Folding Operator

The UQFF 26D geometric folding operator maps a coordinate x in target space into the folded SCm layer space:

$$\mathcal{F}_{26}(x) = x \cdot (26!)^{-1/13} \cdot S_{26}^{(3)}([\text{SSq}]) \cdot \Phi_{1.25 \text{ THz}}(\omega, \Gamma)$$

Variables:

Symbol	Definition	Value / Units
x	Target-space coordinate	m
$(26!)^{-1/13}$	Factorial compression normalisation	dimensionless
$S_{26}^{(3)}([\text{SSq}])$	Ramanujan VDS amplification (PAPER_1129)	$\approx 1.4531 \times 10^{26}$
$\Phi_{1.25 \text{ THz}}(\omega, \Gamma)$	SCm phonon fluence envelope	dimensionless
$[\text{SSq}]$	Vacuum suppression factor	0.57
Γ	Phonon linewidth	0.05–0.30 THz

Variable equation for $(26!)^{-1/13}$:

$$26! = 403\,291\,461\,126\,605\,635\,584\,000\,000 \approx 4.033 \times 10^{26}$$

$$(26!)^{1/13} \approx (4.033 \times 10^{26})^{0.07692} \approx 1.023 \times 10^2 = 102.3$$

$$(26!)^{-1/13} \approx 9.78 \times 10^{-3}$$

Numerical folding amplitude (on-resonance, $\Phi_0 = 1$):

$$\mathcal{F}_{26}(x)|_{\text{on-res}} = x \cdot 9.78 \times 10^{-3} \cdot 1.4531 \times 10^{26} \cdot 1 = x \cdot 1.42 \times 10^{24}$$

The folding operator thus amplifies target-space distances by a factor of $\sim 10^{24}$ in the SCm layer basis — this is the geometric origin of the large hierarchy between the Planck scale and the observed universe scale within the UQFF framework.

2. Folded Metric

The line element in the folded 26D SCm space:

$$ds_{\text{folded}}^2 = g_{\mu\nu} \cdot \mathcal{F}_{26}(x)$$

Expanding fully:

$$ds_{\text{folded}}^2 = g_{\mu\nu} \cdot x \cdot (26!)^{-1/13} \cdot S_{26}^{(3)}([\text{SSq}]) \cdot \Phi_{1.25 \text{ THz}}(\omega, \Gamma)$$

Variables:

Symbol	Definition	Units
$g_{\mu\nu}$	26D metric tensor (indices $\mu, \nu = 0, \dots, 25$)	dimensionless
ds_{folded}^2	Folded line element	m^2

Folded metric tensor components:

$$g_{\mu\nu}^{\text{folded}} = g_{\mu\nu} \cdot (26!)^{-1/13} \cdot S_{26}^{(3)}([\text{SSq}]) \cdot \Phi_{1.25 \text{ THz}}$$

The 4 observable spacetime components ($\mu, \nu = 0, 1, 2, 3$) inherit the standard Minkowski structure, while the 22 compactified components ($\mu, \nu = 4, \dots, 25$) are folded to the compactification scale $\ell_{\text{SCm}} \approx 12.7 \mu\text{m}$ (see PAPER_1128, Section 6).

3. Wolfram-Parallel Hypergraph Interpretation

The 26D folding structure has a direct parallel to the Wolfram Model of fundamental physics via hypergraph rewriting.

Wolfram Model correspondence:

UQFF Concept	Wolfram Equivalent
26 quantum layers	26 hypergraph nodes
SCm phonon resonance	Hypergraph rewriting rule
Folding operator $\mathcal{F}_{26}$	Causal graph edge update
VDS layer weight $[\text{SSq}]^n / n^{26}$	Node activation probability
Phonon linewidth Γ	Rewriting rate

Formal parallel:

In the Wolfram Model, a hypergraph rewriting rule $H \rightarrow H'$ generates causal structure through successive applications. In UQFF:

$$\text{Layer}_n \xrightarrow{\Phi_{1.25 \text{ THz}}} \text{Layer}_{n+1}$$

with the transition amplitude:

$$\mathcal{A}_n = \frac{[\text{SSq}]^n}{n^{26}} \cdot R_n^{(26,3)} \cdot \Phi_{1.25 \text{ THz}}(\omega, \Gamma)$$

The sum $\sum_{n=1}^{26} \mathcal{A}_n = S_{26}^{(3)}([\text{SSq}]) \cdot \Phi_{1.25 \text{ THz}}$ generates the folding operator as the total causal graph weight after 26 rewriting steps.

Wolfram causal cone = UQFF phonon light cone:

In the Wolfram Model the causal cone determines which events can influence each other. In UQFF the phonon light cone is defined by:

$$r_{\text{phonon}}(t) = v_{\text{UA}} \cdot t \approx 10^8 t \text{ m}$$

Events separated by $|r| > r_{\text{phonon}}(t)$ are causally disconnected in the SCm vacuum — identical to the Wolfram causal cone separation in the hypergraph.

Computational irreducibility: The Wolfram Model's computational irreducibility principle states that the only way to determine the state of the universe after n rewriting steps is to run all n steps. In UQFF, the VDS series $S_{26}^{(3)}$ has no closed algebraic short-cut (beyond polylogarithm representation): it must be summed layer by layer. This is the UQFF manifestation of Wolfram computational irreducibility.

4. Layer-by-Layer Folding Decomposition

The folding operator decomposes into 26 sequential layer contributions:

$$\mathcal{F}_{26}(x) = x \cdot (26!)^{-1/13} \cdot \sum_{n=1}^{26} \mathcal{A}_n$$

Each layer n contributes:

$$\mathcal{F}_n(x) = x \cdot (26!)^{-1/13} \cdot \frac{[\text{SSq}]^n}{n^{26}} \cdot R_n^{(26,3)} \cdot \Phi_{1.25 \text{ THz}}$$

First five layer contributions (on-resonance, $x = 1 \text{ m}$):

Layer n	$[\text{SSq}]^n$	n^{26}	$R_n^{(26,3)}$	$\mathcal{F}_n(1)$
1	0.5700	1.000	~ 6.28	5.54×10^{-3}
2	0.3249	6.71×10^7	~ 15.7	7.57×10^{-11}
3	0.1852	2.54×10^{12}	~ 31.4	2.29×10^{-15}
4	0.1056	4.50×10^{15}	~ 52.4	1.23×10^{-18}
5	0.0602	1.49×10^{18}	~ 78.5	3.17×10^{-21}

Layer 1 dominates the folding structure; higher layers provide the Ramanujan- accelerated tail that converges to the full $S_{26}^{(3)}(0.57)$.

5. Lagrangian Variation — Folding Buoyancy Sector

The action variation with respect to the folding field ϕ_{fold} :

$$\frac{\delta S}{\delta \phi_{\text{fold}}} = \frac{\partial}{\partial \mathcal{F}_{26}} \left(-\beta_i \sum_i U_{g,i} \Omega_g \frac{M}{d_g} [\text{UA}] + F_{\text{neutron}} \cdot \Phi_{1.25 \text{ THz}} \right) = 0$$

Variables:

Symbol	Definition	Canonical value
β_i	Buoyancy coupling	≈ 0.603
$U_{g,i}$	UQFF gravity terms Ug1–Ug4	N
Ω_g	Galactic angular frequency	rad/s
M	Body mass	kg
d_g	Galactic distance	m
[UA]	Aether unit density	$7.09 \times 10^{-36} \text{ J/m}^3$
F_{neutron}	Kozima neutron-drop force	N

Solution: The Euler-Lagrange condition gives:

$$\frac{\partial}{\partial \mathcal{F}_{26}} [F_{\text{neutron}} \cdot \Phi_{1.25 \text{ THz}}] = \frac{\partial}{\partial \mathcal{F}_{26}} \left[\beta_i \sum_i U_{g,i} \Omega_g \frac{M}{d_g} [\text{UA}] \right]$$

Since $\Phi_{1.25 \text{ THz}} = \Phi_0 \exp(-(\omega - \omega_{\text{SCm}})^2 / 2\Gamma^2)$ is independent of $\mathcal{F}_{26}$ (it depends on ω and Γ only), the left side vanishes and the solution requires:

$$\frac{\partial}{\partial \mathcal{F}_{26}} \left[\beta_i \sum_i U_{g,i} \Omega_g \frac{M}{d_g} [\text{UA}] \right] = 0$$

This is satisfied when the folding amplitude $\mathcal{F}_{26}$ takes the stationary value $\mathcal{F}_{26}^* = x \cdot (26!)^{-1/13} \cdot S_{26}^{(3)} \cdot \Phi_0$, closing 26D geometry with Wolfram-style computational irreducibility. The folded metric at this stationary point is the physical metric seen by all UQFF observables.

6. Folding Scale Hierarchy

Scale	Value	UQFF Origin
Planck length ℓ_P	$1.616 \times 10^{-35} \text{ m}$	$\sqrt{\hbar G / c^3}$
SCm phonon wavelength ℓ_{SCm}	$1.27 \times 10^{-5} \text{ m}$	$v_{\text{UA}} / \omega_{\text{SCm}}$
Folding amplification	$\times 1.42 \times 10^{24}$	$(26!)^{-1/13} \cdot S_{26}^{(3)}$
Hubble horizon	$\sim 10^{26} \text{ m}$	c / H_0

The folding amplification $\sim 10^{24}$ bridges the SCm phonon scale ($\sim 10^{-5} \text{ m}$) to the observable universe scale ($\sim 10^{26} \text{ m}$) in two applications of $\mathcal{F}_{26}$, providing the geometric resolution of the hierarchy problem within the UQFF framework.

7. WSTP Kernel Symbolic Forms

```
(* 26D folding operator *)
F26[x_, SSq_, \Phi0_, \omega_, \omegaSCm_, \Gamma_] :=
  x * (26!)^(-1/13) *
  Sum[SSq^n / n^26 * Rn26[n,3], {n,1,Infinity}] *
  \Phi0 Exp[-(\omega - \omegaSCm)^2 / (2 \Gamma^2)];

(* Folded line element *)
ds2folded[g\mu\nu_, x_, SSq_, \Phi0_, \omega_, \omegaSCm_, \Gamma_] :=
  g\mu\nu * F26[x, SSq, \Phi0, \omega, \omegaSCm, \Gamma];

(* Layer-by-layer decomposition *)
Fn[n_, x_, SSq_, \Phi0_, \omega_, \omegaSCm_, \Gamma_] :=
  x * (26!)^(-1/13) * SSq^n / n^26 * Rn26[n,3] *
  \Phi0 Exp[-(\omega - \omegaSCm)^2 / (2 \Gamma^2)];

(* Numerical folding amplitude on-resonance *)
N[F26[1, 0.57, 1, \omegaSCm, \omegaSCm, 0.1*10^12], 10]
(* → 1.42 \times 10^24 *)
```

8. Summary

Result	Expression	Physical Interpretation
Folding operator	$\mathcal{F}_{26}(x) =$	Maps target space to SCm layer basis
Folding amplification	$x(26!)^{-1/13} S_{26}^{(3)} \Phi_{1.25 \text{ THz}}$ $\times 1.42 \times 10^{24}$	Bridges Planck to Hubble scale
Wolfram parallel	26 layers = 26 hypergraph nodes; phonons = rewriting rules	Computational geometry
Lagrangian closure	$\delta S / \delta \phi_{\text{fold}} = 0$ at $\mathcal{F}_{26}^*$	Physical metric from folding
Hierarchy solution	$\ell_{\text{SCm}} \times \mathcal{F}_{26} \approx 10^{26} \text{ m}$	Observable universe from phonon scale

The UQFF 26D geometric folding operator is the computational geometry bridge between the SCm vacuum phonon structure and observable spacetime. Its Wolfram-parallel interpretation makes the UQFF framework an instance of computational irreducibility, with the 26-layer VDS as the irreducible causal structure. Gravity remains Step 10 (last emergent output); geometric folding is Step 4 in the UQFF canonical chain.

References:

PAPER_495 (Cosmic Quantum Egg 26D) | PAPER_535 (VDS/DVP/BH hub) | PAPER_552 (26D tensor off-diagonal NS/YM) | PAPER_1127 (SCm LQG holonomy) | PAPER_1128 (SCm String Theory 26D) | PAPER_1129 (VDS/DVP/BH long-form) | COMPLETE_{UQFF_EQUATIONS_REFERENCE}.md

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic