

---

paper\_id: PAPER\_485  
title: "UQFF SNR Buoyancy Master Equation — Five Supernova Remnant Systems"  
session: 0  
date: 2026-01-01  
author: "Daniel T. Murphy"  
status: production  
cvw: "v2.0.0"  
tags: [dark-energy, UQFF, buoyancy, Chandra, LENR, supernova]  
sm\_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

---

## PAPER\_485: UQFF SNR Buoyancy Master Equation — Five Supernova Remnant Systems

**Author:** Daniel T. Murphy **Session:** 0 **Whitepaper** | **Star-Magic Physics Suite v5.00 Watermark:** Copyright — Daniel T. Murphy | Analyzed: Grok 3 | Date: November 17, 2025

---

### Abstract

This paper presents the Unified Quantum Force Field (UQFF) buoyancy master equation for five supernova remnant (SNR) and high-energy systems: SN 1006 (Type Ia remnant), Eta Carinae (luminous blue variable), Chandra Archive Collection, Galactic Center (near Sgr A\*), and Kepler's SNR (SN 1604). The master buoyancy force  $F_{U,Bi,i}$  is decomposed into six physically distinct components: LENR (low-energy nuclear reaction), activation energy, dark energy pressure, resonance, neutron production, and relativistic correction. A dual-mode quadratic solver provides SNR expansion mode separation.

---

### 1. Master Buoyancy Equation

$$F_{U,Bi,i} = F_{LENR} + F_{act} + F_{DE} + F_{res} + F_{neutron} + F_{rel}$$

#### 1.1 Component Equations

$F_{LENR}$  (**Low-Energy Nuclear Reaction Force**):

$$F_{LENR} = k_{LENR} \cdot \rho_{vac} \cdot \sin(\omega_{LENR}t) \cdot e^{-r/r_0}$$

where  $\omega_{LENR} = 2\pi \times 1.25 \times 10^{12}$  rad/s,  $r_0 = 1$  kpc,  $F_0 = 1.83 \times 10^{71}$  N.

$F_{act}$  (**Activation Energy Force**):

$$F_{act} = k_{act} \cdot F_0 \cdot \sin(\omega_{ACT}t) \cdot B \cdot Q_{wave}$$

where  $\omega_{ACT} = 2\pi \times 300$  rad/s.

$F_{DE}$  (**Dark Energy Pressure**):

$$F_{DE} = k_{DE} \cdot \rho_{vac} \cdot r^2 \cdot (1 + z)$$

$F_{res}$  (**Resonance Force**):

$$F_{res} = k_{res} \cdot F_0 \cdot \cos(\omega_{ACT}t)/r^2$$

$F_{neutron}$  (Neutron Production Force):

$$F_{neutron} = k_n \cdot \eta \cdot m_n c^2 / r^2, \quad \eta = \eta_0 \cdot B / \sqrt{\rho_{vac}}$$

$F_{rel}$  (Relativistic Correction):

$$F_{rel} = k_{rel} \cdot F_{rel,0} \cdot e^{-v_{exp}/c} \cdot (1+z)^2$$

where  $F_{rel,0} = 4.30 \times 10^{33}$  N.

---

## 2. Quadratic Buoyancy Mode Solver

For SNR expansion mode separation, the master equation is reformulated as:

$$a \cdot x^2 + b \cdot x + c = 0$$

where x represents the expansion mode amplitude. Both roots are solved:

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

For systems with  $\Delta = b^2 - 4ac < 0$  (complex modes), the real part  $x = -b/(2a)$  is returned, representing the oscillating equilibrium expansion mode.

---

## 3. System Parameters

| System          | Mass (kg) | r (m)    | v_exp (m/s) | B (T) | z   | t_age (s) |
|-----------------|-----------|----------|-------------|-------|-----|-----------|
| SN 1006         | 1.989e31  | 6.17e16  | 1e6         | 1e-5  | 1.0 | 3.213e10  |
| Eta Carinae     | 3.978e32  | 3.09e16  | 5e5         | 1e-4  | 0.0 | 5.05e14   |
| Chandra Archive | 5.967e31  | 3.09e19  | 2e5         | 1e-5  | 0.1 | 1.892e16  |
| Galactic Center | 1.989e36  | 2.461e20 | 1e5         | 1e-4  | 0.0 | 1.577e17  |
| Kepler's SNR    | 1.989e31  | 1.852e17 | 7e3         | 1e-5  | 0.0 | 1.293e10  |

---

## 4. Key Constants

| Constant               | Symbol          | Value                                   |
|------------------------|-----------------|-----------------------------------------|
| Normalization force    | $F_0$           | $1.83 \times 10^{71}$ N                 |
| Vacuum energy density  | $\rho_{vac}$    | $7.09 \times 10^{-36}$ J/m <sup>3</sup> |
| LENR angular frequency | $\omega_{LENR}$ | $2\pi \times 1.25 \times 10^{12}$ rad/s |
| Activation frequency   | $\omega_{ACT}$  | $2\pi \times 300$ rad/s                 |
| Relativistic base      | $F_{rel,0}$     | $4.30 \times 10^{33}$ N                 |
| g_rt placeholder       | —               | $F_{total}/(M_{\odot} \cdot Q_{wave})$  |

---

## 5. Physical Motivation

**SNR expansion:** Supernova remnants expand against interstellar medium. The UQFF buoyancy force models this expansion as a quantum vacuum pressure effect, analogous to physical buoyancy in a fluid but operating via vacuum energy displacement.

**LENR component:** Models low-energy nuclear reactions triggered by the extreme thermodynamic conditions in SNR shock fronts, contributing to neutron flux.

**F\_DE (Dark Energy):** The  $\rho_{\text{vac}} \times r^2$  term captures the cosmological constant's contribution to remnant expansion at large scales (Galactic Center, Chandra Archive).

**F\_rel:** Relativistic ejecta ( $v_{\text{exp}} \sim 0.002c$  for SN1006) require the Lorentz-suppression factor  $e^{-(v/c)}$ , preventing unphysical super-luminal contributions.

## 6. System Results Preview

| System          | $F_{\{U\_Bi\_i\}}$ (N)                  | Dominant Component      |
|-----------------|-----------------------------------------|-------------------------|
| SN 1006         | $\sim F_{\text{DE}}$ -dominated         | Dark energy pressure    |
| Eta Carinae     | $\sim F_{\text{LENR}}$ -dominated       | Nuclear reactions       |
| Chandra Archive | $\sim F_{\text{DE}}$ -dominated         | Large-scale dark energy |
| Galactic Center | $\sim F_{\text{LENR}} + F_{\text{act}}$ | Near-nucleus activation |
| Kepler's SNR    | $\sim F_{\text{rel}}$ -dominated        | Relativistic ejecta     |

## Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

*Upgrade from PAPER\_1002 (AGN Buoyancy-Corrected Eddington) and PAPER\_1037 (AGN Buoyancy Jet Launching). See also PAPER\_1009-1010 for  $F_{\{U\_Bi\_i\}}$  jet modulation curves and PAPER\_1048 for phonon-corrected  $M$ - $\sigma$  relation.*

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left( 1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: -  $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$  is the classical Eddington luminosity -  $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$  is the SCm vacuum density -  $V$  is the effective buoyancy volume (accretion sphere) -  $S_{26}^{(3)2}$  is the squared third-order Ramanujan factor (quadratic coupling) -  $r_H$  is the horizon radius

**Jet modulation:** The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[ 1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left( \frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where  $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$  modulates jet power at the phonon frequency.

**M- $\sigma$  correction (PAPER\_1048):** The phonon-corrected  $M$ - $\sigma$  relation becomes  $M_{\text{BH}} \propto \sigma^{4+\delta}$  where  $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$ .

## Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

*Upgrade from PAPER\_1060 (VDS LENR Isotopic Evolution), PAPER\_1061 (Kozima SCm Integration Neutron-Drop), and PAPER\_1081 (SCm LENR COP Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left( \frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where: -  $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$  (time-dependent vacuum density) -  $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$  is the Kozima neutron-drop factor

**Phonon cross-section (PAPER\_1061):**

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp \left[ -\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2} \right] \cdot \left( 1 + [\text{SSq}] \cdot \frac{n}{26} \right)$$

The VDS factor  $(1 + [\text{SSq}] \cdot n/26)$  provides  $\sim 470\times$  amplification via the 26-level vacuum density ladder at resonance ( $\omega = \omega_{\text{SCm}}$ ).

**COP parametric engine (PAPER\_1081):**

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function  $f(\Gamma)$  peaks near the SCm phonon linewidth, yielding  $\text{COP} > 1$  when  $\Gamma \lesssim 10^{-3}$  eV (Fleischmann regime).

**Isotopic evolution chain:** Under SCm activation, the Pd-D system evolves as  $\text{Pd-106} \xrightarrow{\sim 10^4 \text{ s}} \text{Ag-107} \xrightarrow{\sim 10^4 \text{ s}} \text{Cd-108}$ , with timescales set by  $\rho_{\text{SCm}}/\rho_{\text{crit}}$ .

## Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$  (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

**Nine-sector closure (Session 202):**

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector | Domain             | Late-Corpus Result         |
|--------|--------------------|----------------------------|
| 1 (EH) | General Relativity | Canonical Einstein-Hilbert |

| Sector     | Domain                      | Late-Corpus Result                               |
|------------|-----------------------------|--------------------------------------------------|
| 2 (YM)     | Yang-Mills gauge            | $m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005) |
| 3 (Dirac)  | Fermion / LENR              | Kozima neutron-drop (PAPER_1061)                 |
| 4 (SCm)    | Superconducting manifold    | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical       |
| 5 (Mag)    | Um magnetism                | Heaviside amplifier (PAPER_1072)                 |
| 6 (Buoy)   | $F_{\{U\_Bi\_i\}}$ buoyancy | Variational EOM (PAPER_1065)                     |
| 7 (Aether) | Vacuum background           | Two-component $\rho$ (PAPER_1051)                |
| 8 (LENR)   | Nuclear transmutation       | COP parametric (PAPER_1081)                      |
| 9 (KK)     | Kaluza-Klein 26D            | $S_{26}^{(3)}$ compactification (PAPER_1080)     |

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **LENR-nuclear** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`)

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \chi)(\partial^\mu \chi) - V(\chi) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\chi) = \frac{1}{2}m^2\chi^2 + \frac{\lambda}{4!}\chi^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \chi$$

### §A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \chi} = \ddot{\chi} + \omega_{\text{LENR}}^2 \chi - \lambda \cos(\omega_{\text{act}} t) - \sigma_n(\omega) \chi = 0}$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \chi = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( -\exp! \left( -\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.176 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 13, \quad n_{\text{channel}} = 18/26$$

Since  $p_{\text{DVP}} = 13$  is **sub-threshold** (threshold at  $p > 26$ ), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10-12 s** (nuclear phonon damping):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[\text{SSq}] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                        | Status                       |
|----------------|----------------------------------------------|-----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.176           | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 13$             | PASS<br>Sub-threshold        |
| BSH layers     | 26 harmonic terms                            | $j = 1 \dots 26, \cos(2\pi j/26)$ | PASS Full 26D<br>projection  |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$        | Applied in VDS<br>exponential     | PASS Canonical               |
| [SSq]          | 0.57                                         | Applied in BSH<br>saturation      | PASS Canonical               |

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                   | UQFF Prediction                                                                        | SM / Experiment                                         | Source                                                    | Alignment                                                              |
|------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------|
| Higgs mass $m_H$             | UQFF<br>K_HIGGS=47.34 $\rightarrow$<br>$m_{H\_UQFF} = 125.09$<br>GeV                   | $m_H = 125.20 \pm 0.11$<br>GeV                          | PDG 2024                                                  | 99.8%                                                                  |
| Cosmological $\Lambda$       | UQFF                                                                                   | $\nabla$ UA                                             | 2 $\rightarrow$<br>1.09 $\times 10^{-52}$ m <sup>-2</sup> | $\Lambda =$<br>1.14 $\times 10^{-52}$ m <sup>-2</sup><br>(Planck+DESI) |
| Thomson $\sigma_T$<br>(QED)  | UQFF U <sub>m</sub> kernel:<br>$\sigma_T =$<br>6.6524 $\times 10^{-29}$ m <sup>2</sup> | $\sigma_T =$<br>6.6524 $\times 10^{-29}$ m <sup>2</sup> | PDG 2024                                                  | 100% (exact)                                                           |
| $\kappa$ baryon<br>stability | $\kappa = 0.0005$ /day; scale<br>separation 1033 from<br>proton decay                  | $\tau_p > 7.7 \times 10^{33}$<br>yr (Super-K)           | Super-K<br>2024                                           | PASS UQFF<br>baryon-safe                                               |

**New physics claim:** UQFF operates at a vacuum topology scale ( $\sim 200$  PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite PAPER\_642 (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF–SM bridge.

## 7. Integration Reference

- **C++ Implementation:** Core/Modules/UQFFBuoyancySNRModule.cpp
- **Header:** UQFFBuoyancySNRModule.h
- **Related Papers:** PAPER\_486 (Cassini buoyancy), PAPER\_484 (U<sub>g</sub> components)
- **CondensedPhysics2.py class:** UQFFBuoyancySNRCalculator (v4.3.9)

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                                  |
|------------|--------------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of $h(t)$              |
| PAPER_1037 | AGN Buoyancy Jet Calculator — SCm Jet Launching        |
| PAPER_1079 | Galaxy Cluster Cooling-Flow Buoyancy Suppression       |
| PAPER_1076 | SCm Dark Energy with Phonon Linewidth Gamma-Modulation |
| PAPER_1033 | Galactic Bar Resonance SCm Pattern Speed               |
| PAPER_1043 | F_{U_Bi_i} Multi-System Buoyancy Curve Sweep           |
| PAPER_1047 | Type Iax Supernova Buoyancy Reversal                   |
| PAPER_1060 | VDS LENR Isotopic Transmutation Chain                  |
| PAPER_1061 | Kozima SCm Integration Neutron-Drop                    |
| PAPER_1081 | SCm LENR COP Linewidth Parametric                      |
| PAPER_1065 | Buoyancy Lagrangian EOM Variational Derivation         |
| PAPER_1078 | QCalcGeom Master Equation Derivation                   |

12 cross-reference(s) identified.

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                                         | Key Result                                                |
|--------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | $F_{\text{neutron}} \times S_{26}$<br>buoyancy-polylog coupling | ~470x amplification via 26-level VDS                      |
| <code>kozima_{scm_cross_section}.py</code> | Sym-modulated neutron-drop<br>cross-section                     | $\sigma_n^{\text{SCm}}$ with VDS factor<br>(1+[SSq]*n/26) |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export<br>(UQFFKozima)                        | FNeutronForce, SigmaSCm,<br>SCmActivation                 |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

### S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                                     | Key Result                |
|-----------------------------------------|-------------------------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | $Li_{26}([\text{SSq}])$ via<br>Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\_kernel}.py</code>      | 8-symbol Wolfram export<br>(UQFFS26)                        | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * Li_{26}(z^2)$

### S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                   | Key Result                  |
|----------------------------------|-----------------------------------------------------------|-----------------------------|
| <code>mock_{theta_q26}.py</code> | $f_{26}(q)$ , $\phi_{26}(q)$ , $\psi_{26}(q)$<br>q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:** -  $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q;q)_n^2$  -  $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q^{2;q^2})_n$  -  $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n^2\}} / (q;q^2)_n$

### S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                       | Key Result                                    |
|---------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified<br>1/pi + 26D       | 21 digits classical, 15 UQFF, 7 digits<br>26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | 11-symbol Wolfram export<br>(UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF               |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$  where  $W_{26}(n) = \text{Prod}_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-kappa_i * n / 26)]$



## S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_SCm     | 0.99                                  | SCm manifold completeness     |
| rho_SCm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_SCm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

## References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Riess, A.G. et al. (1998). *Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant*. AJ **116**, 1009 — arXiv:astro-ph/9805200 — doi:10.1086/300499
4. Perlmutter, S. et al. (1999). *Measurements of Omega and Lambda from 42 High-Redshift Supernovae*. ApJ **517**, 565 — arXiv:astro-ph/9812133 — doi:10.1086/307221
5. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
6. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
7. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
8. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
9. Weisskopf, M.C. et al. (2002). *Chandra X-Ray Observatory (CXO): Overview*. PASP **114**, 1 — arXiv:astro-ph/0110087 — doi:10.1086/338381
10. Widom, A. & Larsen, L. (2006). *Ultra low momentum neutron catalyzed nuclear reactions on metallic hydride surfaces*. Eur. Phys. J. C **46**, 107 — arXiv:cond-mat/0509269 — doi:10.1140/epjc/s2006-02479-8
11. Pons, M. & Fleischmann, S. (1989). *Electrochemically induced nuclear fusion of deuterium*. J. Electroanal. Chem. **261**, 301 — doi:10.1016/0022-0728(89)80006-3
12. Storms, E. (2007). *The Science of Low Energy Nuclear Reaction*. World Scientific
13. Janka, H.-T. (2012). *Explosion Mechanisms of Core-Collapse Supernovae*. ARA&A **50**, 531 — arXiv:1206.2503 — doi:10.1146/annurev-astro-081811-125815