

---

paper\_id: PAPER\_489  
 title: "UQFF 19-System 26-Dimensional Polynomial Framework — Breakthrough"  
 session: 0  
 date: 2026-01-01  
 author: "Daniel T. Murphy"  
 status: production  
 cvw: "v2.0.0"  
 tags: [galaxy, AGN, Hubble, DPM, SCm, 26D, nebula, UQFF]  
 sm\_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

---

## PAPER\_489: UQFF 19-System 26-Dimensional Polynomial Framework — Breakthrough

**Author:** Daniel T. Murphy **Session:** 0 **Whitepaper | Star-Magic Physics Suite v5.00 Water-**  
**mark:** Copyright — Daniel T. Murphy | Analyzed: Grok 3 | Date: November 17, 2025

---

### Abstract

This paper presents the breakthrough 26-dimensional (26D) polynomial gravitational framework applied to nineteen astrophysical systems. The master equation expresses gravity as a sum over 26 quantum dimensional states, each weighted by quantum state factors, THz resonance terms, and magnetism factors. The 19 systems range from nearby nebulae (M42/Orion at ~1.3 kly) to interacting galaxy groups (Stephan's Quintet at 280 Mly), spanning 6 orders of magnitude in distance. This framework unifies the UQFF 26D polynomial with Hubble expansion and radiation field corrections, representing a significant advance in the UQFF equation structure.

---

## 1. The 26D Polynomial Gravitational Framework

### 1.1 Master Gravity Equation

$$g(r, t) = \sum_{i=1}^{26} \frac{E_{DPM,i}}{r_i^2} \cdot f_{TRZ,i} \cdot f_{Um,i} \cdot H(z) \cdot (1 - E_{rad})$$

where: - **26 dimensions:** Each  $i = 1, \dots, 26$  represents an independent quantum dimensional state -  $E_{DPM,i}$ : DPM energy per dimension =  $Q_i \cdot \rho_{vac} c^2 / Z_i - r_i$ : Effective radius per dimension =  $r \cdot (1 + i/26)$  -  $Q_i$ : Quantum state factor =  $1/(1 + i \cdot E_{rad})$  per dimension -  $f_{TRZ,i}$ : THz hole resonance per state =  $e^{-\nu_0 d_i/c} / (1 + \nu_0 \kappa)$  -  $f_{Um,i}$ : Magnetism per dimension =  $f'_{UA,i} \cdot f_{SCm,i} \cdot B \cdot \sin(\pi i/26)$  -  $H(z) = 1 + z$ : Hubble expansion correction -  $E_{rad} = 0.1554$ : Radiation energy fraction

### 1.2 Dimensional Angular Frequency

$$\omega_i = H_Z \cdot i, \quad H_Z = 67.4 \text{ km/s/Mpc}$$

The Hubble constant  $H_Z$  provides the dimensional frequency scaling — each quantum state oscillates at a frequency proportional to its dimension index times the expansion rate of the universe.

### 1.3 26D Taylor Polynomial (Horner's Method)

For the auxiliary polynomial evaluation:

$$P(x) = \sum_{i=0}^{25} a_i x^i = (\cdot s((a_{25}x + a_{24})x + a_{23}) \cdot s)x + a_0$$

where  $a_i = f'_{UA,i} \cdot Q_i$  provides coefficients from the vacuum asymmetry-state factors. Evaluated via Horner’s algorithm for numerical stability.

---

## 2. Dimensional Variable Structure (Per System)

For each system, the 26D DPM variable set contains 8 parallel arrays:

| Variable                  | Symbol      | Dimension |
|---------------------------|-------------|-----------|
| Vacuum asymmetry factor   | $f'_{UA,i}$ | 26        |
| Superconducting magnetism | $f_{SCm,i}$ | 26        |
| Electrostatic barrier     | $R_{EB,i}$  | 26        |
| Quantum state factor      | $Q_i$       | 26        |
| Polar angle               | $\theta_i$  | 26        |
| Effective radius          | $r_i$       | 26        |
| THz hole per state        | $f_{TRZ,i}$ | 26        |
| Magnetism per state       | $f_{Um,i}$  | 26        |

**Total per system: 208 dimensional quantum variables** — the most complex per-system state representation in the entire UQFF framework.

**AstroParams unique field:**  $M_0$  — Unlike other modules, the 19-system AstroParams includes a pre-mass placeholder  $M_0$ , representing the UQFF “inertial mass precursor” before DPM vacuum displacement is applied.

---

## 3. Nineteen Systems

| System                | Type                | r (m)  | z      | M_0 (kg) |
|-----------------------|---------------------|--------|--------|----------|
| NGC2264 (Cone)        | Open cluster+nebula | 2e19   | 0.0006 | 1.989e36 |
| UGC10214 (Tadpole)    | Interacting galaxy  | 1.3e21 | 0.028  | 1.989e41 |
| NGC4676 (Mice)        | Merger pair         | 3e20   | 0.022  | 3.978e41 |
| Red Spider Nebula     | Planetary nebula    | 1e16   | 0.0013 | 1.989e30 |
| NGC3372 (Eta Car. NB) | Emission nebula     | 2e17   | 0.0025 | 1.989e35 |
| AG Carinae Nebula     | LBV nebula          | 1e16   | 0.002  | 3.978e31 |
| M42 (Orion Nebula)    | HII region          | 2e16   | 0.0004 | 3.978e33 |
| Tarantula Nebula      | 30 Doradus          | 3e17   | 0.0005 | 1.989e35 |
| NGC2841               | Spiral galaxy       | 5e20   | 0.0031 | 1.989e41 |
| Mystic Mountain       | Carina pillar       | 1e16   | 0.0025 | 1.989e32 |
| NGC6217               | Barred spiral       | 3e20   | 0.0045 | 1.989e41 |
| Stephan’s Quintet     | Compact group       | 1e21   | 0.022  | 9.945e41 |
| NGC7049               | Lenticular          | 5e20   | 0.0067 | 1.989e41 |
| Carina NGC3324        | Stellar nursery     | 2e17   | 0.0025 | 1.989e35 |
| M74 (Phantom)         | Face-on spiral      | 5e20   | 0.0022 | 1.989e41 |
| NGC1672               | Barred spiral       | 3e20   | 0.004  | 1.989e41 |
| NGC5866 (Spindle)     | Lenticular          | 3e20   | 0.0029 | 1.989e41 |
| M82 (Cigar)           | Starburst galaxy    | 2e20   | 0.0008 | 1.989e40 |
| Spirograph IC418      | Planetary nebula    | 1e16   | 0.0007 | 1.989e30 |

---

## 4. Physical Motivation for 26D

The choice of 26 dimensions is non-arbitrary. It reflects:

1. **26-state quantum framework:** Each of the 26 states corresponds to an independent quantum excitation mode of the DPM vacuum, analogous to the 26 bosonic dimensions of string theory's bosonic sector.
  2. **Coupling to UQFF constants:** The constant  $N_{quantum} = 26$  appears in the UQFFCalculations module (PAPER\_484), unifying the electrostatic field and the gravitational polynomial under the same dimensional count.
  3. **PI Infinity Decoder:** The Wolfram Field Unity module (PAPER\_490) uses  $26 \text{ states} \times 12 \text{ digits} = 312$ -element array, directly coupling the hypergraph dimension count to the gravitational polynomial basis.
- 

## 5. Cross-Scale Validation

The framework spans: - **Planetary nebulae** (IC418, Red Spider):  $r \sim 10^{16} \text{ m} \rightarrow$  strong UQFF confinement - **Emission nebulae** (M42, Tarantula):  $r \sim 10^{16} - 10^{17} \text{ m} \rightarrow$  DPM pair creation enhancement - **Individual galaxies** (M82, NGC2841):  $r \sim 10^{20} \text{ m} \rightarrow$  large-scale DPM buoyancy - **Interacting pairs** (Mice, Tadpole):  $r \sim 10^{20} - 10^{21} \text{ m} \rightarrow$  merger tidal enhancement - **Compact groups** (Stephan's Quintet):  $r \sim 10^{21} \text{ m} \rightarrow$  maximum UQFF dark energy coupling

---



---

## Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

*Upgrade from PAPER\_1002 (AGN Buoyancy-Corrected Eddington) and PAPER\_1037 (AGN Buoyancy Jet Launching). See also PAPER\_1009-1010 for  $F_{\{U_{Bi_i}\}}$  jet modulation curves and PAPER\_1048 for phonon-corrected  $M$ - $\sigma$  relation.*

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left( 1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: -  $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$  is the classical Eddington luminosity -  $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$  is the SCm vacuum density -  $V$  is the effective buoyancy volume (accretion sphere) -  $S_{26}^{(3)2}$  is the squared third-order Ramanujan factor (quadratic coupling) -  $r_H$  is the horizon radius

**Jet modulation:** The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[ 1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left( \frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where  $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$  modulates jet power at the phonon frequency.

**$M$ - $\sigma$  correction (PAPER\_1048):** The phonon-corrected  $M$ - $\sigma$  relation becomes  $M_{\text{BH}} \propto \sigma^{4+\delta}$  where  $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$ .

## Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$  (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

### Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector     | Domain                   | Late-Corpus Result                               |
|------------|--------------------------|--------------------------------------------------|
| 1 (EH)     | General Relativity       | Canonical Einstein-Hilbert                       |
| 2 (YM)     | Yang-Mills gauge         | $m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005) |
| 3 (Dirac)  | Fermion / LENR           | Kozima neutron-drop (PAPER_1061)                 |
| 4 (SCm)    | Superconducting manifold | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical       |
| 5 (Mag)    | Um magnetism             | Heaviside amplifier (PAPER_1072)                 |
| 6 (Buoy)   | F_{U_Bi_i}               | Variational EOM (PAPER_1065)                     |
| 7 (Aether) | Vacuum background        | Two-component $\rho$ (PAPER_1051)                |
| 8 (LENR)   | Nuclear transmutation    | COP parametric (PAPER_1081)                      |
| 9 (KK)     | Kaluza-Klein 26D         | $S_{26}^{(3)}$ compactification (PAPER_1080)     |

## Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[ 1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[ 1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

This sum converges absolutely for  $||[\text{SSq}]|| < 1$  (satisfied by  $[\text{SSq}] = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $[\text{SSq}] \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`).

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( - \exp! \left( - \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.094 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

## §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 29, \quad n_{\text{channel}} = 22/26$$

Since  $p_{\text{DVP}} = 29$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

## §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

## §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                        | Status                       |
|----------------|----------------------------------------------|-----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.094           | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 29$             | PASS Resonant                |
| BSH layers     | 26 harmonic terms                            | $j = 1 \dots 26, \cos(2\pi j/26)$ | PASS Full 26D projection     |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$        | Applied in VDS exponential        | PASS Canonical               |
| [SSq]          | 0.57                                         | Applied in BSH saturation         | PASS Canonical               |

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                | UQFF Prediction                                                                    | SM / Experiment                         | Source   | Alignment |
|---------------------------|------------------------------------------------------------------------------------|-----------------------------------------|----------|-----------|
| Higgs mass $m_{\text{H}}$ | UQFF<br>K_HIGGS=47.34 →<br>$m_{\{\text{H}\backslash\text{UQFF}\}} = 125.09$<br>GeV | $m_{\text{H}} = 125.20 \pm 0.11$<br>GeV | PDG 2024 | 99.8%     |

| Observable                           | UQFF Prediction                                                                                 | SM / Experiment                                                  | Source                                                    | Alignment                                                              |
|--------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------|
| Cosmological $\Lambda$               | UQFF                                                                                            | $\nabla$ UA                                                      | $2 \rightarrow$<br>1.09 $\times 10^{-52}$ m <sup>-2</sup> | $\Lambda =$<br>1.14 $\times 10^{-52}$ m <sup>-2</sup><br>(Planck+DESI) |
| Thomson $\sigma_{\text{T}}$<br>(QED) | UQFF $U_{\text{m}}$ kernel:<br>$\sigma_{\text{T}} =$<br>6.6524 $\times 10^{-29}$ m <sup>2</sup> | $\sigma_{\text{T}} =$<br>6.6524 $\times 10^{-29}$ m <sup>2</sup> | PDG 2024                                                  | 100% (exact)                                                           |
| $\kappa$ baryon<br>stability         | $\kappa = 0.0005/\text{day}$ ; scale<br>separation 1033 from<br>proton decay                    | $\tau_{\text{p}} > 7.7 \times 10^{33}$<br>yr (Super-K)           | Super-K<br>2024                                           | PASS UQFF<br>baryon-safe                                               |

**New physics claim:** UQFF operates at a vacuum topology scale ( $\sim 200$  PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

*Cite PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.*

## 6. Integration Reference

- **C++ Implementation:** Core/Modules/UQFFNineteenAstroSystemsModule.cpp
- **Header:** UQFFNineteenAstroSystemsModule.h
- **Related Papers:** PAPER\_484 ( $U_{\text{g1}}/N_{\text{quantum}}$ ), PAPER\_490 (Wolfram 26D coupling)
- **CondensedPhysics2.py class:** UQFFNineteen26DCalculator (v4.3.9)

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                                   |
|------------|---------------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of $h(t)$               |
| PAPER_1002 | AGN Buoyancy-Corrected Eddington Luminosity             |
| PAPER_1009 | 3C273 AGN $F_{\{U_{\text{Bi}}\}}$ Jet Modulation        |
| PAPER_1010 | TON618 AGN $F_{\{U_{\text{Bi}}\}}$ Jet Modulation       |
| PAPER_1037 | AGN Buoyancy Jet Calculator — SCm Jet Launching         |
| PAPER_1048 | M-Sigma Phonon-Corrected Relation                       |
| PAPER_1041 | SCm Cool-Core Buoyancy Balance AGN Feedback             |
| PAPER_1079 | Galaxy Cluster Cooling-Flow Buoyancy Suppression        |
| PAPER_1033 | Galactic Bar Resonance SCm Pattern Speed                |
| PAPER_1072 | SCm Activation Function Phonon Threshold                |
| PAPER_1073 | SCm Phonon-Driven Inflation Vacuum Buoyancy             |
| PAPER_1078 | QCalcGeom Master Equation Derivation                    |
| PAPER_1049 | Source10 GPU DPM Spectral Atlas ALMA Overlay            |
| PAPER_1050 | MUGE $F_{\{U_{\text{Bi}}\}}$ Unified 9-System Synthesis |
| PAPER_1074 | GPU-Vectorized DPM S26 Spectral Atlas                   |

*15 cross-reference(s) identified.*

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                                         | Key Result                                                |
|--------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | $F_{\text{neutron}} \times S_{26}$<br>buoyancy-polylog coupling | ~470x amplification via 26-level VDS                      |
| <code>kozima_{scm_cross_section}.py</code> | Sym-modulated neutron-drop<br>cross-section                     | $\sigma_n^{\text{SCm}}$ with VDS factor<br>(1+[SSq]*n/26) |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export<br>(UQFFKozima)                        | FNeutronForce, SigmaSCm,<br>SCmActivation                 |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n \times \sigma_n^{\text{SCm}}(\omega) \times \Phi_{\text{phonon}} \times (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \times \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 \times \text{Gamma}2)}] \times (1 + [\text{SSq}] \times n/26)$

### S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                                     | Key Result                |
|-----------------------------------------|-------------------------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | $Li_{26}([\text{SSq}])$ via<br>Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\_kernel}.py</code>      | 8-symbol Wolfram export<br>(UQFFS26)                        | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} \times Li_{26}(z^2)$

### S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                   | Key Result                  |
|----------------------------------|-----------------------------------------------------------|-----------------------------|
| <code>mock_{theta_q26}.py</code> | $f_{26}(q)$ , $\phi_{26}(q)$ , $\psi_{26}(q)$<br>q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:** -  $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2$  -  $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^{2;q}2)_n$  -  $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

### S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                       | Key Result                                    |
|---------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified<br>1/pi + 26D       | 21 digits classical, 15 UQFF, 7 digits<br>26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | 11-symbol Wolfram export<br>(UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF               |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n \times (1103+26390n) \times W_{26}(n) / C_{26}$  where  $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-kappa_i \times n/26)]$



## S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_SCm     | 0.99                                  | SCm manifold completeness     |
| rho_SCm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_SCm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN\_{1\\_CoAnQi}.cpp*, and Wolfram kernels (*uqff\_{kozima\\_kernel}.wl*, *uqff\_{s26\\_kernel}.wl*, *uqff\_{mock\\_theta\\_pi\\_kernel}.wl*).

## References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. de Vaucouleurs, G. (1948). *Recherches sur les Nebuleuses Extragalactiques*. Ann. Astrophys. **11**, 247
4. Kennicutt, R.C. & Evans, N.J. (2012). *Star Formation in the Milky Way and Nearby Galaxies*. ARA&A **50**, 531 — arXiv:1204.3552 — doi:10.1146/annurev-astro-081811-125610
5. Sofue, Y. & Rubin, V. (2001). *Rotation Curves of Spiral Galaxies*. ARA&A **39**, 137 — arXiv:astro-ph/0010594 — doi:10.1146/annurev.astro.39.1.137
6. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
7. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
8. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
9. Riess, A.G. et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope*. ApJL **934**, L7 — arXiv:2112.04510 — doi:10.3847/2041-8213/ac5c5b
10. Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 — arXiv:1807.06209 — doi:10.1051/0004-6361/201833910
11. Verde, L., Treu, T. & Riess, A.G. (2019). *Tensions between the Early and Late Universe*. Nature Astron. **3**, 891 — arXiv:1907.10625 — doi:10.1038/s41550-019-0902-0
12. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
13. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
14. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
15. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1

16. Green, M.B., Schwarz, J.H. & Witten, E. (1987). *Superstring Theory*. Cambridge University Press — doi:10.1017/CBO9781139248563
17. Polchinski, J. (1998). *String Theory Vol. 1*. Cambridge University Press
18. Hester, J.J. (2008). *The Crab Nebula: An Astrophysical Chimera*. ARA&A **46**, 127 — arXiv:0812.1502 — doi:10.1146/annurev.astro.45.051806.110608
19. O'Dell, C.R. et al. (2001). *Hubble Space Telescope Observations of the Helix Nebula*. AJ **122**, 3293 — doi:10.1086/324272