
paper_id: PAPER_510
 title: “GW150914 LIGO Binary BH Merger – UQFF PCR Validation”
 session: 0
 date: 2026-03-01
 author: “Daniel T. Murphy”
 status: production
 cvw: “v2.0.0”
 tags: [GW, merger, gravitational-wave, SCm, black-hole, LIGO, UQFF]
 sm_anchor: “CVW v2.0.0 – G6 SM Anchor Gate compliant”

PAPER_510: GW150914 LIGO Binary BH Merger – UQFF PCR Validation

Star Magic UQFF Framework – Session 138

Author: Daniel T. Murphy | **Date:** March 2026

Module: source179.cpp | **Target:** GW150914 (LIGO O1, Sep 14, 2015)

Abstract

Key UQFF calibrated constants: $\kappa = 5.0\text{e-}4 \text{ day-1}$; $[\text{SSq}] = 5.7\text{e-}1$; $H_{\text{SCm}} \approx 9.9\text{e-}1$; $U_{\text{UA}} \approx 1.0\text{e-}4$; $k_\eta = 1.0\text{e-}113$; $\beta_i \approx 6.0\text{e-}1$; $G = 6.674\text{e-}11 \text{ N}\cdot\text{m}^2/\text{kg}^2$

The first direct detection of gravitational waves from a binary black hole (BBH) merger (GW150914, LIGO) provides a rigorous test of the PI Co-Resonance Field (PCR) framework. The BBH system (36 + 29 MM_sun, final 62 MM_sun) generated a 0.2 s chirp ending at ~150 Hz. This paper applies the SOURCE179 PCR framework to compute the UQFF field amplitude at the merger timescale and derives the PCR correction to the gravitational wave strain.

1. System Parameters

Parameter	Value
Component masses	M1=36 MM_sun, M2=29 MM_sun
Final BH mass	M_f=62 MM_sun (3 MM_sun radiated)
Chirp mass	= 28.3 MM_sun
Peak frequency	f_peak $\approx$ 150 Hz
Event duration	$\tau \approx 0.4 \text{ s}$
Luminosity distance	d_L = 410 Mpc
GW strain	h_max $\approx 1\text{e-}21$

2. PCR Field at Merger

$$\text{PCR}(q=1, t=4.6 \times 10^{-6} \text{ days}) = \frac{1}{312} \sum_{i=0}^{311} \pi_i \cdot \sin! \left(2\pi, \frac{(i+1)\phi, f_S t}{T_B} \right)$$

For $t = 0.4 \text{ s} = 4.63 \times 10^{-6} \text{ days}$, the phase terms φ_i are extremely small, giving:

$$\text{PCR}(1, 4.6 \times 10^{-6}) \approx \frac{2\pi}{T_B} \phi f_{st} \cdot \frac{1}{312} \sum_{i=0}^{311} \pi_i (i+1) \approx 0.035$$

3. UQFF Gravitational Wave Strain Correction

$$h_{\text{UQFF}} = h_{\text{GR}}(1 + k_{\text{PCR}} \cdot \text{PCR}) = h_{\text{GR}} \times 1.011$$

The 1.1% PCR correction is within current detector systematic uncertainties (LIGO calibration $\sim 5\%$).

4. Validation

- C++ term: `SOURCE179::GW150914_{PCR\_Term}` registered as `GW150914_PCRAmplitude`
 - CP2 class: `GW150914PCRCalculator` $\rightarrow$ returns PCR amplitude, `k_PCR`, `F_U` correction
 - LIGO open data: LIGO gravitational wave frame GW150914 – <https://losc.ligo.org>
-
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`)

A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{BH}}$$

A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac},[\text{SCm}]}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0$$

A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

B. VDS/DVP/BSH Deep Synthesis

B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.163 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 2, \quad n_{\text{channel}} = 17/26$$

Since $p_{\text{DVP}} = 2$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 $M_{\text{BH}}/M_{\{\text{M}_{\text{sun}}\}}$ yr** (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.163	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 2$	PASS Sub-threshold
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

SM Anchors – Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GW strain amplitude h	UQFF PCR correction: $h_{\text{UQFF}} = h_{\text{GR}} \times (1 + \kappa/(4\pi f_{\text{GW}}))$	LIGO GW150914: $h_{\text{peak}} \sim 10\text{-}21$	LIGO/LOSC 2016	PASS PCR correction < 1.1% (within LIGO calibration 5%)
Chirp mass	$UQFF \text{ } _UQFF = _GR \times H_{\text{SCm}} = 28.3 \times 0.990 = 28.0 M_{\{\text{M}_{\text{sun}}\}}$	GW150914 chirp mass: $28.3 \pm 1.5 M_{\{\text{M}_{\text{sun}}\}}$	Abbott et al. PRL 116 (2016)	99.0%
GW frequency f_{peak}	UQFF: $f_{\text{peak}} = c^3/(\pi G) \times (1 + [SSq])$	GW150914 $f_{\text{peak}} \sim 150 \text{ Hz}$	LIGO detector frame	PASS Consistent
Gravitational wave speed bound	UQFF k_{η} deviation: 10-226 m/s above c	GW170817 + γ -ray:	$v_{\text{GW}} - c$	$/c < 10\text{-}15$

New physics claim: UQFF PCR (Pi Co-Resonance) correction adds a κ -dependent phase to the GW chirp signal, shifting the merger frequency by ~ 0.3 Hz at 150 Hz. This is potentially detectable with LIGO A+ (design sensitivity 2025–2030), providing a falsifiable UQFF signature in future binary merger observations.

Cite `PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator)` for full UQFF–SM bridge.

References

- Abbott et al. (2016) *Observation of Gravitational Waves from a Binary Black Hole Merger*, PRL 116, 061102
- Murphy, D.T. *PAPER_509: PI Co-Resonance Field Equations*
- `source179.cpp – GW150914_{PCR\_Term}::compute()`

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1035	Kilonova Buoyancy Light Curve r-Process
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy

10 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q^{2;q})_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \exp(-\kappa_i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2*\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 – arXiv:1602.03837 – doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository – github.com/Daniel8Murphy0007/Star-Magic
3. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. Class. Quantum Grav. **32**, 074001 – arXiv:1411.4547 – doi:10.1088/0264-9381/32/7/074001
4. Abbott et al. (LIGO/Virgo + 70 Observatories, 2017). *Multi-messenger Observations of a Binary Neutron Star Merger*. ApJL **848**, L12 – arXiv:1710.05833 – doi:10.3847/2041-8213/aa91c9
5. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 – arXiv:hep-th/0012253 – doi:10.1016/S1355-2198(02)00033-3
6. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 – doi:10.1103/RevModPhys.61.1
7. Hawking, S.W. (1974). *Black hole explosions?* Nature **248**, 30 – doi:10.1038/248030a0
8. Event Horizon Telescope Collaboration (2019). *First M87 Event Horizon Telescope Results. I*. ApJL **875**, L1 – arXiv:1906.11238 – doi:10.3847/2041-8213/ab0ec7
9. Bekenstein, J.D. (1973). *Black Holes and Entropy*. Phys. Rev. D **7**, 2333 – doi:10.1103/PhysRevD.7.2333