

Aspect	Quintessence	UQFF E(t)
Free params	M, lambda (2+)	kappa, [SSq] (2)
Lab test	No direct	THz phonon, GW damping
Fine-tuning	Same as LCDM for M	None (calibrated)

4. Physical Interpretation

Quintessence uses a slow-rolling scalar field ϕ with potential $V(\phi) = M^4 \exp(-\lambda \phi/M_{Pl})$ and equation of state $w_{\text{quint}} = (KE - V)/(KE + V)$ near -1. UQFF's E(t) engine uses $S_{26} \times \exp(\kappa t)$ with 2 calibrated parameters. The 10-row contrast covers: field content, potential, EOS, sound speed, free parameters, lab testability, vacuum, GW impact, fine-tuning, and origin.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

Significance: Quintessence is the closest competitor to UQFF's dark energy mechanism — both feature time-evolving equations of state. The key differentiator is testability: quintessence requires cosmological-scale observations to constrain its potential, while UQFF's 2-parameter E(t) makes lab-testable predictions (GW damping, LENR).

6. SCm Superconductivity Axiom (Session 207)

The quintessence contrast framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair (f_{UA} , f_{SCm}) governing all interactions.

Axiom Connection

The standalone module `et_{scm\_vacuum}.py` implements this in:

- **Engine 2 (26-State Progression):** dark energy comparison at each quantum state n
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four U_g forces)
- **Engine 4 (Lagrangian):** dark-energy sector couples to the UQFF variational principle

Standalone Calculator

```
python et_{scm\_vacuum}.py          # Full report
python et_{scm\_vacuum}.py -json    # Machine-readable
```

7. Source Data

- **File:** Sessions 204-208 standalone module integration
- **Session:** 207 (integrated Session 209)
- **VDS/DVP/BSH:** PRESENT (dark energy comparison with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: SCm-Modified NFW Dark Matter Profile

Upgrade from PAPER_1015 (SCm Dark Matter Halos NFW) and PAPER_1019 (Dark Matter Phonon Buoyancy NFW Coupling).

The late-corpus analysis shows that the SCm phonon field modifies the NFW density profile at all radii via a buoyancy-coupled power-law term:

$$\rho_{\text{UQFF}}(r) = \frac{\rho_s}{\left(\frac{r}{r_s}\right) \left(1 + \frac{r}{r_s}\right)^2} \times \left[1 + H_{\text{SCm}} \cdot \beta_i \cdot S_{26}^{(3)} \cdot \left(\frac{r_s}{r}\right)^{\alpha_{\text{phonon}}} \right]$$

where: - $\alpha_{\text{phonon}} = 0.3$ governs the radial decay of phonon coupling - $\beta_i = 0.603$ is the universal buoyancy coefficient - $S_{26}^{(3)}$ is the third-order Ramanujan summation - $H_{\text{SCm}} = 0.99$ is the manifold completeness factor

Rotation curve flattening: The phonon enhancement produces flatter rotation curves with flatness ratio $f = v_c(10 r_s)/v_{\text{peak}} = 0.891$, compared to pure NFW $f \approx 0.75$. Peak circular velocity $v_{\text{peak}} \approx 204 \text{ km/s}$ for $M_{\text{halo}} = 10^{12} M_{\odot}$, $c = 10$.

Halo stabilization: The effective buoyancy pressure $P_{\text{SCm}} = \rho_{\text{SCm}} \cdot v_{\text{SCm}}^2 \cdot \beta_i$ prevents cusp-core divergence, providing a physical mechanism for observed cored profiles without invoking SIDM cross-sections.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $||[\text{SSq}]|| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **dark-energy sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.35 (transition regime), placing it in the zone where VDS condensate profile shows moderate gradient. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 67, \quad n_{\text{channel}} = 18/26$$

Since $p_{\text{DVP}} = 67$ is **super-threshold** (threshold at $p > 26$), the system exhibits resonant UQFF coupling with enhanced vacuum topology encoding. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^10 yr** (quintessence contrast):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}} \right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.35	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 67$	PASS Super-threshold
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p suppression}}$	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\text{U_Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\text{U_Bi_i}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. PAPER_889 – LCDM Contrast (static counterpart)
2. PAPER_900 – K-Essence/Scherrer Contrast
3. Caldwell, Dave, Steinhardt – Cosmological Imprint of an Energy Component (1998)
4. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
5. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\beta_{\text{i}} \sim 0.603$

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1076	SCm Dark Energy with Phonon Linewidth Gamma-Modulation
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \cdot \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}} \cdot (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 \cdot \Gamma^2)] \cdot (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} \cdot \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_n$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-\kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima_kernel}.wl`, `uqff_{s26_kernel}.wl`, `uqff_{mock_theta_pi_kernel}.wl`).

Key References with arXiv/DOI Identifiers

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. Class. Quantum Grav. **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001
- Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
- Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1

6. Riess, A.G. et al. (1998). *Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant*. AJ **116**, 1009 — arXiv:astro-ph/9805200 — doi:10.1086/300499
7. Perlmutter, S. et al. (1999). *Measurements of Omega and Lambda from 42 High-Redshift Supernovae*. ApJ **517**, 565 — arXiv:astro-ph/9812133 — doi:10.1086/307221
8. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
9. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
10. Feynman, R.P. (1982). *Simulating Physics with Computers*. Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179
11. Blanchet, L. (2014). *Gravitational Radiation from Post-Newtonian Sources and Inspiralling Compact Binaries*. Living Rev. Relativ. **17**, 2 — arXiv:1310.1528 — doi:10.12942/lrr-2014-2