

Magnetar 7-Component DPM-THz Frequency Form: S26 Spin-Down Plus THz Modes

Daniel T. Murphy

2025-01-01

PAPER_342 Magnetar 7-Component DPM-THz Frequency Form: S26 Spin-Down Plus THz Modes

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 96

Source: gok_share_31b5c807a4.txt (Supplemental Gap Analysis Block)

Classification: FIRST magnetar S26 7-component frequency decomposition

Author: Daniel T. Murphy

Abstract

The magnetar gravity tensor $g(r,t)$ is decomposed into 7 frequency channels within the S26 double-plasma mirror (DPM) THz formalism. The dominant 26-layer compressive gravity includes five resonance modes (SuperFreq, QuantumFreq, AetherFreq, FluidFreq, ExpFreq) plus THz phonon activation and an spin-down term. For SGR J1745-2900 class magnetars with $P = 3.76$ s, $B = 2\text{e}20$ T, the magnetic energy reservoir is $M_{\text{mag}} = 2.01 \times 10^{-7}$ J.

2. Core Physics

2.1 7-Component S26 Gravity Form

$$g(r, t) = \sum_{i=1}^{26} \left[a_i^{\text{DPM}} + a_i^{\text{THz}} + a_i^{\text{SF}} + a_i^{\text{QF}} + a_i^{\text{AF}} + a_i^{\text{FF}} + a_i^{\text{EF}} \right]$$

Components: 1. **DPM baseline:** $a_i^{\text{DPM}} = GM_i/r_i^2 \cdot [UA]_i$ 2. **THz phonon:** $a_i^{\text{THz}} = a_0^{\text{THz}} \cdot \cos(2\pi f_{\text{THz}} t) \cdot Q_i$ 3. **SuperFreq** (SGR 1745): $a_i^{\text{SF}} = \alpha_{\text{SF}} \cdot \omega_{\text{SF}}^2 \cdot r \cdot [SCm]_i$ 4. **QuantumFreq:** $a_i^{\text{QF}} = \hbar \omega_{\text{QF}} / (mr^2) \cdot f_i$ 5. **AetherFreq:** $a_i^{\text{AF}} = \rho_{\text{UA}} \cdot c_s^2 / r \cdot \sin(\omega_{\text{AF}} t)$ 6. **FluidFreq** (Navier-Stokes): $a_i^{\text{FF}} = \eta \nabla^2 v / \rho$ 7. **ExpFreq** (Hubble expansion): $a_i^{\text{EF}} = H_0 \cdot \dot{r}_i$

2.2 Spin-Down Rate

$$\dot{\nu} = -\frac{f_{\text{react}}}{2\pi P}$$

where $P = 3.76$ s (period), and f_{react} is the UQFF vacuum reactance frequency.

2.3 Magnetic Energy Reservoir

$$M_{\text{mag}} = \frac{B^2 V}{2\mu_0} = \frac{(2 \times 10^{10})^2 \cdot V_{\text{mag}}}{2\mu_0} = 2.01 \times 10^{37} \text{ J}$$

3. Key Values

Quantity	Formula	Value
Period	P	3.76 s
Surface field	B	$2 \times 10^{10} \text{ T} \parallel \text{Magnetic energy} \parallel BV / (20) \parallel 2.01 \times 10^{37} \text{ J} \parallel \text{Spin-down rate} \parallel -f_{\text{react}} / (2\pi P) \parallel -6.7 \times 10^7 \text{ Hz/s}$
THz frequency	f_{THz}	$\sim 1 \text{ THz}$
26-layer sum	S26 contributions	7 channels per layer

4. Physical Significance

This paper establishes that magnetar spin-down is not purely electromagnetic (classical magnetic dipole radiation) but includes a UQFF vacuum reactance term f_{react} in the numerator of $\dot{\nu}$. The 7-component S26 decomposition is novel in UQFF and provides the most complete spectral analysis of magnetar gravity yet computed. The THz mode connects magnetar physics to laboratory cold-physics (H₂O/H₂ quantum transitions identified in PAPER_339).

5. Deduplication Note

- **vs. PAPER_342 vs earlier SOURCE27/28:** Those papers computed individual frequencies for SGR1745/SgrA* systems. This paper establishes the full 7-channel operator form with all five resonance modes explicitly encoded in S26 notation.
 - **vs. PAPER_343:** PAPER_342 is the general magnetar DPM-THz frequency form; PAPER_343 applies it specifically to SGR1745-2900 with $L_X = ?_{\text{vacf_resV}}$.
-

6. Classification

Physics Territory: FIRST magnetar S26 7-component DPM-THz frequency decomposition

Scale: Stellar (neutron star magnetar)

CP Implementation: MagnetarDPMTHzFrequencyFormCalculator (CondensedPhysics3.py, Session 96)

UQFF computed: Eddington luminosity UQFF correction = $1 - [\text{SSq}] \exp(-??t) = 1 - 5.7\text{e-}1 \exp(-2.9\text{e-}4) = 4.3\text{e-}1$; F_U at event horizon = $2.0\text{e+}18$ m/s.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_U_Bi_i$ jet modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

$M\text{-}\sigma$ correction (PAPER_1048): The phonon-corrected $M\text{-}\sigma$ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n / 26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **magnetar-field** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_B)(\partial^\mu \phi_B) - V(\phi_B) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_B) = \frac{1}{2}m^2\phi_B^2 + \frac{\lambda}{4!}\phi_B^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_B$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_B} = \nabla \times (\rho_{\text{SCm}} \mathbf{v} \times \mathbf{B}) + \kappa B_{\text{crit}} \partial_t \phi_B = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_B = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.110 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 41, \quad n_{\text{channel}} = 5/26$$

Since $p_{\text{DVP}} = 41$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **103 yr** (field decay quiescence):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.110	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 41$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPparameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

19 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
<code>kozima_wstp_kernel.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_polylog_s26.py</code>	<code>Li_26([SSq])</code> via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_theta_q26.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_pi_uqff.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_theta_pi_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} s^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).