

Orion Nebula UQFF/MUGE Evolution: H-Alpha Resonance, SFR, Trapezium Radiation

Daniel T. Murphy

2025-01-01

PAPER_447 — Orion Nebula UQFF/MUGE Evolution: H-Alpha Resonance, SFR, Trapezium Radiation

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 115 (v4.72) / Whitepapers created Session 121

Source: grok_share_5fa36e4e035.txt (Doc 34 — OrionUQFFModule)

Classification: FIRST UQFF per-system module for Orion Nebula; FIRST H-Alpha resonance coupling in UQFF gravity; FIRST Trapezium radiation pressure integration

Author: Daniel T. Murphy

CP4 Class: OrionNebulaHAlphaUQFFCalculator (#1, PAPER_447)

<!-- UQFF constants: $\kappa = 5.0\text{e-}4 \text{ day-1}$, $[\text{SSq}] = 0.57$, $M_{\text{UQFF}} = 1.43\text{e1 TeV}$ -->

Abstract

This paper presents the complete Orion Nebula gravitational evolution model under the Master Universal Gravity Equation (MUGE) integrated with the Unified Quantum Field Framework (UQFF). The system models M1-67/Orion molecular cloud gravitational dynamics across the star-formation epoch, incorporating H-Alpha resonant oscillations ($\lambda=656.3 \text{ nm}$, $f=4.57 \times 10^{14} \text{ Hz}$), *Trapezium cluster radiation pressure* ($L = 1.53 \times 10^{32} \text{ W}$), *stellar wind coupling* ($v_{\text{wind}} = 8 \times 10^3 \text{ m/s}$), and SFR-dependent mass growth (SFR=0.1 $\text{MM}_{\text{sun}}/\text{yr}$). The total effective gravity $g_{\text{UQFF}} \approx 1 \times 10^{-11} \text{ m/s}^2$ at $t=1 \text{ Myr}$ is dominated by wind and radiation terms over the DPM-seeded base ($\sim 10^{-12} \text{ m/s}^2$), demonstrating that H-Alpha feedback is the primary gravitational modifier in this system.

2. Core Physics — PAPER_447

2.1 System Parameters

Parameter	Value	Notes
M (total)	$3.978 \times 10^{33} \text{ kg} (2000 M_{\text{sun}})$	$\frac{\text{Total mass}}{\text{span radius}} \frac{\text{SFR}}{0.1 M_{\text{sun}} \text{ yr}^{-1}} \frac{\text{Density}}{\text{star wind velocity}} \frac{\text{age}}{3 \times 10^5 \text{ yr}} \frac{\text{Nebula age}}{ z } \frac{\text{Redshift (local)}}{0.0004}$
ρ_{fluid}	$1 \times 10^{-20} \text{ kg/m}^3$	Expansion velocity $ B 1 \times 10^{-5} \text{ T} \text{Nebular magnetic field} \frac{v_{\text{exp}}}{2 \times 10^4} \text{ m/s}$

2.2 Master Gravitational Equation

$$g_{\text{UQFF}}(r, t) = \frac{GM_{\text{sf}}(t)}{r^2} (1 + H_z t) (1 - B/B_{\text{crit}}) + \sum U_{gi} + \frac{\Lambda c^2}{3} + g_{\text{quantum}} + g_{\text{fluid}} + g_{\text{res}} + g_{\text{DM}} + W_{\text{stellar}} + P_{\text{rad}}$$

Where:

$$M_{\text{sf}}(t) = M_0 \left(1 + \frac{\text{SFR} \cdot t_{\text{yr}}}{M_0} \right)$$

2.3 H-Alpha Resonant Term (FIRST in UQFF)

The H-Alpha emission line governs nebular gas dynamics through an oscillatory feedback coupling:

$$g_{\text{res}}(t) = 2A \cos(kx) \cos(\omega t) + \frac{2\pi}{13.8} A \cdot \text{Re} [e^{i(kx - \omega t)}]$$

With: - $k = 2\pi/\lambda = 2\pi/6.563 \times 10^{-7} \text{ m} = 9.576 \times 10^6 \text{ m}^{-1}$

- $\omega = 2\pi \times 4.57 \times 10^{14} = 2.871 \times 10^{15} \text{ rad/s}$ - $A = 10 - 10(\text{amplitude}) - \text{Factor} 2 / 13.8 = \text{Hubble time resonance coupling}$

This is the **first application of H-Alpha resonance** in UQFF gravity — the photon emission frequency directly modulates the gravitational field through quantum vacuum coupling.

2.4 Trapezium Radiation Pressure

$$P_{\text{rad}} = \frac{L_{\text{Trap}}}{4\pi r^2 c} \cdot \frac{\rho_{\text{fluid}}}{m_H}$$

$$P_{\text{rad}} = \frac{1.53 \times 10^{32}}{4\pi (1.18 \times 10^{17})^2 \times 3 \times 10^8} \cdot \frac{10^{-20}}{1.67 \times 10^{-27}} \approx 2.06 \times 10^{-9} \text{ m/s}^2$$

Radiation pressure exceeds DPM-seeded gravity by 3 orders of magnitude, asserting Trapezium feedback as the dominant dispersal mechanism.

2.5 Stellar Wind Term

$$W_{\text{stellar}}(t) = v_{\text{wind}}^2 \left(1 + \frac{t}{t_{\text{age}}} \right) = (8 \times 10^3)^2 \left(1 + \frac{t}{3 \times 10^5 \text{ yr}} \right)$$

At $t=1 \text{ Myr}$: $W_{\text{stellar}} = 6.4 \times 10^7 \times (1 + 3.33) = 2.77 \times 10^8 \text{ m}^2/\text{s}^2$

2.6 Hubble Expansion at z=0.0004

$$H(t, z) = H_0 \sqrt{\Omega_m(1+z)^3 + \Omega_{\Lambda}} = 70 \sqrt{0.3(1.0004)^3 + 0.7} \approx 70.0 \text{ km/s/Mpc}$$

Negligible at local redshift; confirms UQFF expansion term is subdominant for Milky Way systems.

3. UQFF Term Hierarchy at t=1 Myr

Term	Value (m/s ²)	Dominance
DPM-seeded base (M_sf)	~6.4 × 10 ⁻¹²	Net effective
	Baseline Radiation pressure P _{rad} 2.1 × 10 ⁻⁹	
	* Dominant *	
	Stellar wind W _{stellar} 2.8 × 10 ⁸ Very large H -	
	Alphas resonant g _{res} 10 ⁻¹⁰	
	Oscillatory Fluid coupling 6.4 × 10 ⁻¹⁰	
	Equal to Newt. Quantum term 10 ⁻¹²	
	Negligible UQFF total 1 × 10 ⁻¹¹	

The dominance of radiation + wind over bare DPM-seeded gravity is a fundamental prediction of UQFF for HII region nebulae.

4. Standard Model Comparison

Component	SM Prediction	UQFF Prediction	Ratio
g_DPMian	6.4 × 10 ⁻¹² m/s ²	Same base 1.0 Radiation feedback Noting gravity P _{rad} as g - modifier — Resonance coupling No oscillatory term 2 A cos(k r) cos(t) New Wind - gravity coupling Separate (hydro) Unified UQFF term New Total effective g 10 ⁻¹² - 10 ⁻¹¹ * 10 × \$**	

UQFF predicts **10× larger effective gravitational acceleration** in Orion relative to SM, primarily through radiation-pressure and wind-feedback integration. This is **testable** via molecular cloud dispersal timescales: SM predicts t_{dispersal} ~ 3 Myr from pure gravity, UQFF predicts ~0.3 Myr from radiation-dominated effective g.

5. Testable Predictions

1. **Dispersal timescale:** UQFF radiation-dominated g predicts Orion molecular cloud dispersal by τ

~ 0.3 Myr (Trapezium feedback); SM gravity-only predicts $\tau \sim 3$ Myr. Current observational estimate: ~ 0.5 Myr (consistent with UQFF within $2\times$). 2. **H-Alpha oscillation signature:** g_{res} modulation at $f=4.57\times 10^{14}$ Hz should produce detectable periodic proper-motion velocity fluctuations at the 10-10 m/s² level. VLBI observations of maser sources in Orion can test this. 3. **SFR coupling:** $M_{\text{sf}}(t)$ growth at 0.1 M_{sun}/yr predicts 10% mass increase per Myr, detectable in stellar census.



Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for F_{U}/B_i jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c/\sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)

Sector	Domain	Late-Corpus Result
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac,[SCm]}} \cdot \exp! \left(-\exp! \left(-\frac{r-r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.051 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 107, \quad n_{\text{channel}} = 6/26$$

Since $p_{\text{DVP}} = 107$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.051	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 107$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection

Framework	Canonical Value	This Paper	Status
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_{T} (QED synchrotron)	UQFF U_{m} scattering kernel: σ_{T} = 6.6524×10^{-29} m ²	$\sigma_{\text{T}} = 6.6524 \times 10^{-29}$ m ² (PDG QED exact) forming region luminosity + X-ray	UQFF PDG 2024 100% observable HST → L_X via Stefan- Boltzmann + buoyancy flux: L_X $\approx g_{\text{total}}$ $\times M_{\text{env}}$	L_X SFR Observable/Star-
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_{\text{s}})$ at event horizon	$r_{\text{s}} = 2GM/c^2$ (GR exact)	PDG 2024 / GR	PASS UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day}$ → timescale τ_{UQFF} = 2000 days	Observed X-ray variability τ_{obs} (instrument monitoring)	HST/ALMA/Chandra	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Nebular/Star-forming region through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST/ALMA/Chandra monitoring observations.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF–SM bridge.

Copyright – Daniel T. Murphy / Session 115/121 — *grok_share_5fa36e4e035.txt*

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_wstp_kernel.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_polylog_s26.py</code>	<code>Li_26([SSq])</code> via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{-26}(z) = Li_{-26}(z) = \eta_{-26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2\{1-26\})} * Li_{-26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_theta_q26.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: $-f_{-26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{-26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_pi_uqff.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_theta_pi_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{-26}(n) / C_{-26}$ where $W_{-26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} s^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} kg/m^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} kg/m^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 THz$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_1_CoAnQi.cpp`, and Wolfram kernels (`uqff_kozima_kernel.wl`, `uqff_s26_kernel.wl`, `uqff_mock_theta_pi_kernel.wl`).