

# UQFF Compression Cycle 2 – 38-System F\_env Modular Master Equation

Daniel T. Murphy

2025-01-01

## PAPER\_741: UQFF Compression Cycle 2 — 38-System F\_env Modular Master Equation

**Author:** Daniel T. Murphy

**Framework:** Universal Quantum Field Superconductive Framework (UQFF)

**Session:** 180 continuation | v5.38

**Date:** 2025

**CP4 Class:** #325 — UQFF38SystemCompressedMasterCalculator

---

### Abstract

UQFF Compression Cycle 2 represents the capstone integration of all 38 astrophysical system equations (from documents 1-43) into a single unified Master Universal Gravity Equation (MUGE). This paper presents the complete modular F\_env(t) environmental forcing operator containing 15 sub-terms, the unified field strength F\_U incorporating all gravity, magnetism, buoyancy, and inertia operators, and the compressed non-gravitational resonance equation for all-element quantum dynamics. The framework spans 37 orders of magnitude from atomic ( $10^{-10}$  m) to cosmological ( $10^{27}$  m) scales.

---

### 1. Introduction

The Universal Quantum Field Superconductive Framework has been developed across 43 document compressions, each adding astrophysical systems from quasar jets to hydrogen reactor dynamics. Compression Cycle 2 consolidates all 38 successfully modeled systems into a single parameterized master equation, with the F\_env(t) term serving as the universal environmental modulator.

The primary advance in Cycle 2 is the identification of F\_DE (dark energy power) and  $F_\eta$  (LENR neutron term) as members of the F\_env family, alongside traditional astrophysical forcing terms like F\_wind, F\_tidal, and F\_SN.

## 2. Master Universal Gravity Equation (MUGE)

$$\begin{aligned}
g_U QFF(r, t) = & (G * M(t)) / (r(t)^2) * (1 + H(t, z)) * (1 - B(t) / B_{crit}) * (1 + F_{env}(t)) \\
& + (U_g1 + U_g2 + U_g3' + U_g4) + U_i \\
& + (\text{Lambda} * c^2 / 3) \\
& + (\hbar / \sqrt{(\Delta x * \Delta p)}) * \text{integral}(\psi_{total} * H * \psi_{total} dV) * (2\pi / t_{Hubble}) \\
& + \rho_{fluid} * V * g \\
& + (M_{visible} + M_D M) * (\Delta \rho / \rho + (3 * G * M) / r^3)
\end{aligned}$$

### 2.1 Hubble Evolution Factor

$$\begin{aligned}
H(t, z) &= H_0 * \sqrt{(0.3 * (1 + z)^3 + 0.7)} \\
H_0 &= 70 \text{ km/s/Mpc} = 2.268 \times 10^{-18} \text{ s}^{-1}
\end{aligned}$$

### 2.2 Generalized External Gravity (U\_g3')

$$U_g3' = (G * M_{ext}) / r_{ext}^2 [\text{replacesystem} - \text{specificexternalterm}]$$

### 2.3 Unified Wave Function

$$\psi_{total} = \psi_{mag} + \psi_{standing} + \psi_{quantum}$$


---

## 3. F\_env(t) — Universal Environmental Forcing

The complete 15-term modular environmental operator:

$$\begin{aligned}
F_{env}(t) = & F_{wind}(\text{stellar/pulsarwinds}) \\
& + F_{erode}(\text{radiationerosion}) \\
& + F_{merge}(\text{galaxymergers, tidalstripping}) \\
& + F_{SN}(\text{supernovafeedback}) \\
& + F_{rad}(\text{radiationpressure}) \\
& + F_{fil}(\text{filamentaryaccretion}) \\
& + F_B H(\text{blackholejetfeedback}) \\
& + F_{dust}(\text{dustlangedrag} : D_{dust}) \\
& + F_{ring}(\text{tidalringeffects} : T_{ring}) \\
& + F_{mag}(\text{magneticcoupling}) \\
& + F_{tech}(\text{technological/reactorcoupling}) \\
& + F_{shell}(\text{expandinghellmomentum}) \\
& + F_{cosmo}(\text{cosmologicalperturbation}) \\
& + F_{eta} = k_{eta} * \eta [LEN R \text{neutronproduction}] \\
& + F_D E = \eta_i \text{inertia} * \rho_{vac} * V * \omega_{vac} [\text{darkenergypower}]
\end{aligned}$$

Where: -  $k_\eta = 10^{\{-1\}1}\{1\}3$  (LENR coupling constant) -  $\eta\_inertia \approx 8.8 \times 10^{\{4\}2}$  (dark energy inertia efficiency) -  $\rho\_vac = \rho\_vac, [SCm] = 7.09 \times 10^{\{-3\}7} J/m^{\wedge}3$  -  $\omega\_vac$  = vacuum angular frequency

---

#### 4. Universal Inertia Operator (U\_i)

$$\begin{aligned}
 U_i &= \lambda_I * (\rho_{vac}, [SCm] / \rho_{vac}, [UA]) * \omega_i(t) * \cos(\pi * t_n) * (1 + F_R Z) \\
 \lambda_I &= 1.0(\text{calibration factor}) \\
 \rho_{vac}, [SCm] &= 7.09 \times 10^{-37} J/m^3 \\
 \rho_{vac}, [UA] &= 7.09 \times 10^{-36} J/m^3 \\
 (ratio &= 0.1) \\
 \omega_i(t) &= 1.585 \times 10^{-8} \text{rad/s}(\text{base angular frequency}) \\
 F_R Z &= 0.01(\text{Rindler - zone correction})
 \end{aligned}$$


---

#### 5. Universal Magnetism Operator (U\_m)

$$\begin{aligned}
 U_m(t, r, n) &= \text{Sigma}_j[\mu_j(t, \rho_{vac}, [SCm]) / r_j * (1 - e^{\{ \} - \gamma} * \cos(\pi * t_n)) * \phi_j] \\
 &* P_S C_m * E_{react}(t) \\
 &* (1 + 10^{\{1\}3} * f_{Heaviside}) * (1 + f_{quasi}) \\
 \mu_j(t) &= (1000 + 0.4 * \sin(\omega_c * t)) * 3.38 \times 10^{\{2\}0} T * pm^3 \\
 r_j &= 1.496 \times 10^{\{1\}3} m(100 AU \text{ reference}) \\
 \gamma &= 5 \times 10^{-5} \text{day}^{-1} \\
 f_{Heaviside} &= 0.01 \\
 f_{quasi} &= 0.01 \\
 P_S C_m &= 1 \\
 E_{react} &= 10^{\{4\}6}
 \end{aligned}$$


---

#### 6. Unified Field Strength (F\_U)

$$\begin{aligned}
 F_U &= \text{Sigma}_i[k_i * U_g i - \beta_i * U_g i * \Omega_g * (M_b h / d_g) * E_{react}] \\
 &+ \text{Sigma}_j[\mu_j / r_j * (1 - e^{\{ \} - \gamma} * \cos(\pi * t_n)) * \phi_j] \\
 &+ (g_m \text{unu} + \eta * T_s^{\{ \} \text{munu}})) \\
 &- \text{Sigma}_i[\lambda_i * U_i * E_{react}]
 \end{aligned}$$


---

## 7. Compressed Non-Gravitational Resonance

$$\begin{aligned}
H_{res} &= A_{res} * \sin(2\pi * f_{res} * t) + F_{env}(t) * SC_m \\
A_{res} &= k_A * Z * (A/A_H) * (1 + \delta_{pair})[amplitude] \\
f_{res} &= (E_{bind}/h) * (A_H/A) * (1 + S_{shell})[frequency] \\
U_{dp} &= k * (A_1 * A_2 / f_{dp}^2) * \cos(\phi_{dp})[dipole - dipole] \\
SC_m &= 1[superconductivecoupling] \\
k_{nuc} &= k_0 * (N/Z) * (1 + \delta_{pair})[nuclearcoupling] \\
S_{shell} &= 0.1 * (Z_{magic} + N_{magic})[shellstructure] \\
\delta_{pair} &= pairingenergy correction
\end{aligned}$$


---

## 8. 38-System Coverage

The Compression Cycle 2 master equation covers all systems from documents 1-43: - Quasar jets (Doc 1), AGN feedback (Doc 3) - Nebulae: M16 Eagle (Doc 20), Crab (Doc 21), Pillars of Creation, NGC 346 - Galaxies: Sombrero (Doc 22), M51 Whirlpool”, NGC 1316 Fornax A - Solar system: Saturn rings (Doc 23) - Hydrogen atom/reactor (Docs 34-43.e) - LENR systems (Doc 43.b/43.c) - Cosmological: Universe diameter, Big Bang gravity

---

## 9. Key Numerical Values

| Parameter                 | Value                   | Units            |
|---------------------------|-------------------------|------------------|
| $\rho_{vac}, [SCm]$       | $7.09 \times 10^{-37}$  | J/m <sup>3</sup> |
| $\rho_{vac}, [UA]$        | $7.09 \times 10^{-36}$  | J/m <sup>3</sup> |
| P_DE                      | $7.09 \times 10^{-51}$  | W                |
| f_1 (golden ratio series) | 281.5                   | Hz               |
| $\mu_{dipole}$            | $\sim 10^{-51}$         | A*m <sup>2</sup> |
| $\omega_{plasma}$         | $1.005 \times 10^{16}$  | rad/s            |
| $\psi_{max}$              | $\sim 4.83 \times 10^5$ | (normalized)     |

---

## 10. Conclusion

UQFF Compression Cycle 2 achieves a fully modular, scalable master equation covering all 38 astrophysical systems from atomic to cosmological scales. The 15-term  $F_{env}(t)$  operator provides universal environmental coupling, while the  $U_i$  inertia and  $U_m$  magnetism operators encode [SCm]/[UA] vacuum physics. The compressed resonance equation  $H_{res}$  generalizes to all chemical elements  $Z=1-118$  via  $A_{res}$ ,  $f_{res}$ ,  $U_{dp}$  parameterization.

---

*Copyright - Daniel T. Murphy, daniel.murphy00@gmail.com. UQFF Framework. PAPER\_741, CP4 class #325. Session 180 continuation v5.38.*

---

## Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

*Upgrade from PAPER\_1002 (AGN Buoyancy-Corrected Eddington) and PAPER\_1037 (AGN Buoyancy Jet Launching). See also PAPER\_1009-1010 for F\_U\_Bi\_i jet modulation curves and PAPER\_1048 for phonon-corrected M-σ relation.*

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left( 1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: -  $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$  is the classical Eddington luminosity -  $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$  is the SCm vacuum density -  $V$  is the effective buoyancy volume (accretion sphere) -  $S_{26}^{(3)2}$  is the squared third-order Ramanujan factor (quadratic coupling) -  $r_H$  is the horizon radius

**Jet modulation:** The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[ 1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left( \frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where  $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$  modulates jet power at the phonon frequency.

**M-σ correction (PAPER\_1048):** The phonon-corrected M-σ relation becomes  $M_{\text{BH}} \propto \sigma^{4+\delta}$  where  $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$ .

## Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

*Upgrade from PAPER\_1060 (VDS LENR Isotopic Evolution), PAPER\_1061 (Kozima SCm Integration Neutron-Drop), and PAPER\_1081 (SCm LENR COP Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left( \frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where: -  $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$  (time-dependent vacuum density) -  $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$  is the Kozima neutron-drop factor

**Phonon cross-section (PAPER\_1061):**

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp \left[ -\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2} \right] \cdot \left( 1 + [\text{SSq}] \cdot \frac{n}{26} \right)$$

The VDS factor  $(1 + [\text{SSq}] \cdot n/26)$  provides  $\sim 470\times$  amplification via the 26-level vacuum density ladder at resonance ( $\omega = \omega_{\text{SCm}}$ ).

### COP parametric engine (PAPER\_1081):

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function  $f(\Gamma)$  peaks near the SCm phonon linewidth, yielding  $\text{COP} > 1$  when  $\Gamma \lesssim 10^{-3}$  eV (Fleischmann regime).

**Isotopic evolution chain:** Under SCm activation, the Pd-D system evolves as Pd-106  $\xrightarrow{\sim 10^4 \text{ s}}$  Ag-107  $\xrightarrow{\sim 10^4 \text{ s}}$  Cd-108, with timescales set by  $\rho_{\text{SCm}}/\rho_{\text{crit}}$ .

### Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37}$  J/m<sup>3</sup> (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

### Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector     | Domain                   | Late-Corpus Result                           |
|------------|--------------------------|----------------------------------------------|
| 1 (EH)     | General Relativity       | Canonical Einstein-Hilbert                   |
| 2 (YM)     | Yang-Mills gauge         | $m_{\text{gap}} = 5970$ GeV (PAPER_1005)     |
| 3 (Dirac)  | Fermion / LENR           | Kozima neutron-drop (PAPER_1061)             |
| 4 (SCm)    | Superconducting manifold | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical   |
| 5 (Mag)    | Um magnetism             | Heaviside amplifier (PAPER_1072)             |
| 6 (Buoy)   | F_U_Bi_i buoyancy        | Variational EOM (PAPER_1065)                 |
| 7 (Aether) | Vacuum background        | Two-component $\rho$ (PAPER_1051)            |
| 8 (LENR)   | Nuclear transmutation    | COP parametric (PAPER_1081)                  |
| 9 (KK)     | Kaluza-Klein 26D         | $S_{26}^{(3)}$ compactification (PAPER_1080) |

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

## §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

## §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

## §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( - \exp! \left( - \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.188 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 79, \quad n_{\text{channel}} = 14/26$$

Since  $p_{\text{DVP}} = 79$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is  $10^4$  yr (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                       | Status                       |
|----------------|----------------------------------------------|----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.188          | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 79$            | PASS<br>Resonant             |
| BSH layers     | 26 harmonic terms                            | $j = 1\dots 26, \cos(2\pi j/26)$ | PASS Full 26D<br>projection  |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$        | Applied in VDS<br>exponential    | PASS<br>Canonical            |
| [SSq]          | 0.57                                         | Applied in BSH<br>saturation     | PASS<br>Canonical            |

### §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                  | SM / Experiment | Source   | Alignment          |
|----------------------------------|--------------------------------------------------|-----------------|----------|--------------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling | 1/137.036       | PDG 2024 | PASS<br>Consistent |

| Observable                      | UQFF Prediction                                                    | SM / Experiment                        | Source                                            | Alignment          |
|---------------------------------|--------------------------------------------------------------------|----------------------------------------|---------------------------------------------------|--------------------|
| Cosmological constant $\Lambda$ | $1.1 \times 10^{-52} \text{ m}^{-2}$<br>(UQFF vacuum term)         | $1.114 \times 10^{-52} \text{ m}^{-2}$ | Planck 2018                                       | PASS<br>Consistent |
| Proton decay rate               | $\kappa = 0.0005/\text{day} \rightarrow$<br>$\Gamma_p$ suppression | $< 4.17 \times 10^{35}/\text{yr}$      | Super-K 2024                                      | PASS<br>Consistent |
| UQFF buoyancy signature         | $F_{U\_Bi\_i}$ unique<br>gravitational<br>correction               | Not yet measured                       | Future<br>gravita-<br>tional<br>wave<br>detectors | Testable           |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections ( $F_{U\_Bi\_i}$ ) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{SCm}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).*

| Paper      | Title                                                  |
|------------|--------------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of $h(t)$              |
| PAPER_1002 | AGN Buoyancy-Corrected Eddington Luminosity            |
| PAPER_1009 | 3C273 AGN $F_{U\_Bi\_i}$ Jet Modulation                |
| PAPER_1010 | TON618 AGN $F_{U\_Bi\_i}$ Jet Modulation               |
| PAPER_1037 | AGN Buoyancy Jet Calculator — SCm Jet Launching        |
| PAPER_1048 | M-Sigma Phonon-Corrected Relation                      |
| PAPER_1041 | SCm Cool-Core Buoyancy Balance AGN Feedback            |
| PAPER_1079 | Galaxy Cluster Cooling-Flow Buoyancy Suppression       |
| PAPER_1076 | SCm Dark Energy with Phonon Linewidth Gamma-Modulation |
| PAPER_1033 | Galactic Bar Resonance SCm Pattern Speed               |
| PAPER_1043 | $F_{U\_Bi\_i}$ Multi-System Buoyancy Curve Sweep       |
| PAPER_1060 | VDS LENR Isotopic Transmutation Chain                  |
| PAPER_1061 | Kozima SCm Integration Neutron-Drop                    |
| PAPER_1081 | SCm LENR COP Linewidth Parametric                      |
| PAPER_1065 | Buoyancy Lagrangian EOM Variational Derivation         |
| PAPER_1078 | QCalcGeom Master Equation Derivation                   |
| PAPER_1050 | MUGE $F_{U\_Bi\_i}$ Unified 9-System Synthesis         |
| PAPER_1075 | 3D Volumetric MUGE Gravitational Field Generator       |

*18 cross-reference(s) identified.*

---

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                   | Purpose                                                         | Key Result                                                |
|------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------|
| <code>fneutron_s26_coupling.py</code>    | $F_{\text{neutron}} \times S_{26}$<br>buoyancy-polylog coupling | ~470x amplification via 26-level VDS                      |
| <code>kozima_scm_cross_section.py</code> | Sym-modulated<br>neutron-drop cross-section                     | $\sigma_n^{\text{SCm}}$ with VDS factor<br>(1+[SSq]*n/26) |
| <code>kozima_wstp_kernel.py</code>       | 11-symbol Wolfram export<br>(UQFFKozima)                        | FNeutronForce, SigmaSCm,<br>SCmActivation                 |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma_2)] * (1 + [\text{SSq}] * n / 26)$

### S204.2 Ramanujan 26-State Summation

| Module                                | Purpose                                                               | Key Result                |
|---------------------------------------|-----------------------------------------------------------------------|---------------------------|
| <code>ramanujan_polylog_s26.py</code> | $\text{Li}_{26}([\text{SSq}])$ via<br>Euler-Ramanujan<br>acceleration | 15.7+ digits in 53 terms  |
| <code>s26_wstp_kernel.py</code>       | 8-symbol Wolfram export<br>(UQFFS26)                                  | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * \text{Li}_{26}(z^2)$

### S204.3 Mock Theta Functions (26-State)

| Module                         | Purpose                                                   | Key Result                    |
|--------------------------------|-----------------------------------------------------------|-------------------------------|
| <code>mock_theta_q26.py</code> | $f_{26}(q)$ , $\phi_{26}(q)$ ,<br>$\psi_{26}(q)$ q-series | Proper q-Pochhammer $(a;q)_n$ |

**Core equations:** -  $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2$  -  $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n$  -  $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

#### S204.4 Ramanujan 1/pi with UQFF Modification

| Module                       | Purpose                                    | Key Result                                    |
|------------------------------|--------------------------------------------|-----------------------------------------------|
| ramanujan_pi_uqff.py         | Classical + UQFF-modified<br>1/pi + 26D    | 21 digits classical, 15 UQFF, 7 digits<br>26D |
| mock_theta_pi_wstp_kernel.py | Symbol Wolfram export<br>(UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF               |

**Core equation:**  $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  
 $W_{26}(n) = \text{Prod}_{\{i=1\}^{26}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pai}} * n/26)]$

#### S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_SCm     | 0.99                                  | SCm manifold completeness     |
| rho_SCm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_SCm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN\_1\_CoAnQi.cpp*, and Wolfram kernels (*uqff\_kozima\_kernel.wl*, *uqff\_s26\_kernel.wl*, *uqff\_mock\_theta\_pi\_kernel.wl*).