

# AG Carinae Nebula — UQFF LBV Eruptive Shell Dynamics

Daniel T. Murphy

2026-01-01

## PAPER\_772: AG Carinae Nebula — UQFF LBV Eruptive Shell Dynamics

**Author:** Daniel T. Murphy

**Framework:** UQFF (Universal Quantum Field Superconductive Framework)

**Session:** 181 | v5.41

**Date:** 2026

**CP4 Class:** #356 — AGCarinaeNebulaUQFFCalculator

---

### Abstract

AG Carinae (~6,000 ly) is one of the brightest and most luminous stars in the Milky Way, an LBV surrounded by an ejected nebular shell spanning ~3 ly. The 2022 Hubble 31st anniversary image revealed intricate gaseous structures — clumps, dust lanes, and ionized filaments — driven by AG Car's eruptive mass-loss episodes with terminal wind speeds of ~1,000 km/s. Under UQFF, the LBV eruptive wind Aether correction ( $v = 106$  m/s) yields  $g\_AGCar \approx 1.053 \times 10^{-2}$  m/s<sup>2</sup>, placing AG Carinae in the high-LBV velocity class.

---

### 1. Introduction

AG Carinae (or AG Car) oscillates between hot and cool phases, driving alternating fast-wind and slow-wind episodes that sculpt its surrounding nebula into a layered structure visible in Hubble's UV and optical imagery. The mass of the nebula (~20  $M_{\text{sun}}$ ) is concentrated within ~1 ly, making it one of the densest stellar nebulae known. The current fast-wind phase drives material at ~1,000 km/s into the older slow-wind shell. Under UQFF, the combination of no ongoing star formation (it is a single evolved star), high wind velocity, and moderate B-field places AG Car in the wind-dominated regime.

---

### 2. Master UQFF Gravity Equation

$$g_A GCar(r, t) = (G \times M) / r^2 \times (1 + f_T RZ) + a_E M$$

## 2.1 Parameters

| Parameter          | Symbol | Value                                                                                                                                                                                                                                                       | Source    |
|--------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Nebula + star mass | M      | $20 \text{ MM}_{\text{sun}} = 3.978 \times 10^{31} \text{ kg}$<br>$\times  Hubble   Shellradius  r  1 \times 10^{16} \text{ m} (1.06 \text{ ly})   B  10 - 5T  Nebularfield   Redshift  z  0.002   Distance   f_T RZ  - 0.0000002$<br>$\text{s (3,000 yr)}$ | Shell age |

## 3. Long-Form Derivation

### Step 1: Base Gravitational Term

$$\begin{aligned}
 g_{grav} &= (6.6743e-11 \times 3.978e31) / (1e16)^2 \\
 &= 2.654e21 / 1e32 = 2.654e-11 \text{ m/s}^2
 \end{aligned}$$

### Step 2: Cosmic Expansion (negligible at 3,000 yr)

$$\begin{aligned}
 H(z) &= 2.269e-18 \text{ s}^{-1}; t = 9.468e10 \text{ s} \\
 H(z) \times t &= 2.148e-7 \approx 0 \\
 1 + H(z) \times t &\approx 1.0000002
 \end{aligned}$$

### Step 3: Aether Electromagnetic Correction (LBV Eruptive Wind)

$$\begin{aligned}
 v_{wind} &= 1 \times 10^6 \text{ m/s (fastwindphase)} \\
 B &= 10 - 5T \\
 q \times (v \times B) &= 1.602e-19 \times 1e6 \times 1e-5 = 1.602e-18 \text{ N} \\
 a &= 1.602e-18 / m_p = 1.602e-18 / 1.673e-27 = 9.575e8 \text{ m/s}^2 \\
 a_E M &= 9.575e8 \times 11 \times 1e-12 = 1.053e-2 \text{ m/s}^2
 \end{aligned}$$

### Step 4: Time-Reversal Correction

$$1 + f_T RZ = 1.1$$

### Step 5: Final Solution

$$\begin{aligned}
 g_A GCar &= (2.654e-11) \times (1.1) + 1.053e-2 \\
 &= 2.920e-11 + 1.053e-2 \\
 &\approx 1.053e-2 \text{ m/s}^2
 \end{aligned}$$

## 4. Physical Interpretation

AG Carinae's wind at 1,000 km/s — twice Eta Car's 500 km/s — yields  $g \approx 1.053 \times 10^{-2} \text{ m/s}^2$ , *exactly double the Eta Car result* ( $5.267 \times 10^{-3}$ ). This confirms UQFF's linear velocity sensitivity in the Aether EM term, with  $g \propto v$ . The result places AG Car in the same UQFF class as

NGC 1792 (starburst spirals at SFR-driven EM velocities), but with distinct physical interpretation: AG Car's result reflects pure stellar wind dynamics rather than collective star-forming activity.

---

## 5. UQFF Framework Advancement

- Confirmed UQFF linear velocity scaling:  $v$  doubles from 500  $\rightarrow$  1,000 km/s doubles  $g$
  - Single-star LBV eruptive physics integrated as a limiting case
  - AG Car establishes the evolved-star wind reference point at  $1.053 \times 10^{-2}$  m/s<sup>2</sup>
- 

## 6. Conclusions

UQFF applied to AG Carinae yields  $g_{\text{AGCar}} \approx 1.053 \times 10^{-2}$  m/s<sup>2</sup>, driven by the LBV eruptive wind at 1,000 km/s. The linear velocity mapping (Eta Car 500 km/s  $\rightarrow$   $5.267 \times 10^{-3}$ ; AG Car 1,000 km/s  $\rightarrow$   $1.053 \times 10^{-2}$ ) confirms UQFF's internal consistency. AG Car's position in the UQFF hierarchy differentiates evolved LBV wind systems from both star-forming regions and planetary nebulae with similar mass scales.

PAPER\_772, CP4 class #356. v5.41.

---

## Session 225: Late-Corpus Physics Integration (PAPER\_1000-1081)

*The following physics upgrades incorporate equations, mechanisms, and derivations from the late-corpus papers (Sessions 219-225, PAPER\_1000-1081). These represent body-level integrations of phonon physics, buoyancy formulations, and S26(3) Ramanujan corrections into this paper's domain.*

### Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for  $|\text{[SSq]}| < 1$  (satisfied by  $\text{[SSq]} = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $\text{[SSq]} \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

---

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **nebula-formation** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u\phi_{\text{neb}})(\partial^\mu \phi_{\text{neb}}) - V(\phi_{\text{neb}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{neb}}) = \frac{1}{2}m^2\phi_{\text{neb}}^2 + \frac{\lambda}{4!}\phi_{\text{neb}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{neb}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{neb}}} = \nabla \cdot (\rho_{\text{neb}} \nabla \phi) + \rho_{\text{vac, [SCm]}} \cdot (P_{\text{rad}}/c) = 0}$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{neb}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( -\exp! \left( -\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.126 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 83, \quad n_{\text{channel}} = 19/26$$

Since  $p_{\text{DVP}} = 83$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 yr** (Jeans collapse timescale):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot (1 - e^{-[SSq] \cdot m / M_{\odot}}) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                       | Status                       |
|----------------|----------------------------------------------|----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.126          | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 83$            | PASS<br>Resonant             |
| BSH layers     | 26 harmonic terms                            | $j = 1\dots 26, \cos(2\pi j/26)$ | PASS Full 26D<br>projection  |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$        | Applied in VDS<br>exponential    | PASS<br>Canonical            |
| [SSq]          | 0.57                                         | Applied in BSH<br>saturation     | PASS<br>Canonical            |

---

### §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                                               | SM / Experiment                    | Source                              | Alignment          |
|----------------------------------|-------------------------------------------------------------------------------|------------------------------------|-------------------------------------|--------------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling                              | 1/137.036                          | PDG 2024                            | PASS<br>Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$ | Planck 2018                        | PASS<br>Consistent                  |                    |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression                 | $< 4.17 \times 10^{-35}/\text{yr}$ | Super-K 2024                        | PASS<br>Consistent |
| UQFF buoyancy signature          | F_U_Bi_i unique gravitational correction                                      | Not yet measured                   | Future gravitational wave detectors | Testable           |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections (F\_U\_Bi\_i) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{\text{SCm}}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPparameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

---

### Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).*

| Paper      | Title                                   |
|------------|-----------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of h(t) |

1 cross-reference(s) identified.

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                   | Purpose                                    | Key Result                                                        |
|------------------------------------------|--------------------------------------------|-------------------------------------------------------------------|
| <code>fneutron_s26_coupling.py</code>    | F_neutron x S_26 buoyancy-polylog coupling | ~470x amplification via 26-level VDS                              |
| <code>kozima_scm_cross_section.py</code> | Sym-modulated neutron-drop cross-section   | $\sigma_n^{\text{SCm}}$ with VDS factor $(1 + [\text{SSq}]^n/26)$ |
| <code>kozima_wstp_kernel.py</code>       | 11-symbol Wolfram export (UQFFKozima)      | FNeutronForce, SigmaSCm, SCmActivation                            |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

### S204.2 Ramanujan 26-State Summation

| Module                                | Purpose                                       | Key Result                |
|---------------------------------------|-----------------------------------------------|---------------------------|
| <code>ramanujan_polylog_s26.py</code> | Li_26([SSq]) via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_wstp_kernel.py</code>       | 8-symbol Wolfram export (UQFFS26)             | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2)^{\{1-26\}}} * \text{Li}_{26}(z^2)$

### S204.3 Mock Theta Functions (26-State)

| Module                         | Purpose                                | Key Result                  |
|--------------------------------|----------------------------------------|-----------------------------|
| <code>mock_theta_q26.py</code> | f_26(q), phi_26(q), psi_26(q) q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:**  $-f_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q^2;q^2)_n$  -  $\psi_{26}(q) = \sum_{n=1}^{26} q^{n^2} / (q;q^2)_n$

#### S204.4 Ramanujan 1/pi with UQFF Modification

| Module                       | Purpose                                    | Key Result                                    |
|------------------------------|--------------------------------------------|-----------------------------------------------|
| ramanujan_pi_uqff.py         | Classical + UQFF-modified<br>1/pi + 26D    | 21 digits classical, 15 UQFF, 7 digits<br>26D |
| mock_theta_pi_wstp_kernel.py | Symbol Wolfram export<br>(UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF               |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  
 $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

#### S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_SCm     | 0.99                                  | SCm manifold completeness     |
| rho_SCm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_SCm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN\_1\_CoAnQi.cpp*, and Wolfram kernels (*uqff\_kozima\_kernel.wl*, *uqff\_s26\_kernel.wl*, *uqff\_mock\_theta\_pi\_kernel.wl*).