

Higgs Field UH Vacuum Excitation via UQFF Pseudo-Monopole Density

Daniel T. Murphy

2026-04-04

PAPER_856: Higgs Field UH Vacuum Excitation via UQFF Pseudo-Monopole Density

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-04 **Session:** 199
Source: grok_share_589f6949-6fe9.txt (2404 lines, May 05 — Aug 07, 2025) **Calculator:** HiggsVacuumUHExcitationKHiggsUQFFCalc (CP4 #440) **CVW:** v2.0.0 compliant

Abstract

We present a UQFF derivation of the Higgs field energy density $UH(t,n)$ from pseudo-monopole vacuum excitation. The equation $UH = \lambda_H * \rho_{vac} * \omega_H * \exp(-[SSq]n/26) * \exp(-(\pi - t)) * (1 + f_{quasi})$ yields $UH \sim 1.539e-32 \text{ J/m}^3$ at $n=1, t=0$, corresponding to $E_H \sim 96.25 \text{ eV}$. The scaling factor $k_{Higgs} = 125 \text{ GeV} / E_H \sim 1.79e18$ bridges the UQFF vacuum scale to the observed Higgs boson mass of 125 GeV, identifying the multiplicative vacuum-to-particle amplification mechanism.

1. Core Equations

- $UH(t, n) = \lambda_H * \rho_{vac}, [UA'] : [SCm] (n, t) * \omega_H(t) * \exp(-[SSq]*n/26) * \exp(-(\pi - t)) * (1 + f_{quasi})$
 - $m_H = UH / c^2 \sim 1.711e-49 \text{ kg}$
 - $E_H = m_H * c^2 \sim 1.54e-41 \text{ J} \sim 96.25 \text{ eV}$
 - $k_{Higgs} = 125 \text{ GeV} * 1.602e-19 / E_H \sim 1.79e18$
 - $\omega_H = \omega_c \sim 1.585e-8 \text{ rad/s}, \lambda_H = 1.0, f_{quasi} = 0.01$
-

2. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

3. Source Data

- **File:** grok_share_589f6949-6fe9.txt (2404 lines, May 05 — Aug 07, 2025)
 - **Session:** 199
 - **VDS/DVP/BH:** ABSENT (general vacuum density references only)
-

4. SCm Superconductivity Axiom (Session 204)

The Higgs vacuum excitation UH is derivable from the **SCm Superconductivity Axiom** — where SCm pseudo-monopole density at state n=1 seeds the Higgs field through:

$$UH(t, n) = \lambda_H \cdot \rho_{vac}, [UA'] : [SCm](n, t) \cdot \omega_H(t) \cdot \exp(-[SSq] \cdot n/26) \cdot \exp(-(\pi - t)) \cdot (1 + f_q \text{uasi})$$
$$k_{Higgs} = 125 \text{GeV} / UH[\text{scaling to observed Higgs mass}]$$

The axiom module `scm_superconductivity_axiom.py` Engine 2 (PseudoMonopole26StateProgression) computes UH at state 1 and derives $k_{Higgs} = 7.069\text{e}+26$, connecting the SCm vacuum density to the observed 125 GeV Higgs mass through a single multiplicative scaling.

Connection to Four Engines

Engine	Connection to This Paper
Engine 1 (U_m)	U_m Heaviside amplifier couples to UH during phase transitions
Engine 2 (26-state)	UH derived from $\rho_{vac}(n=1, t)$ pseudo-monopole density
Engine 3 (Cosmogenesis)	Higgs field emerges after ACP Stage 4 (capacitance cracking)
Engine 4 (Lagrangian)	Sector 4 (Scalar-Higgs-Vacuum): $L_\phi =$

Standalone Calculator

```
python scm_superconductivity_axiom.py          # Full report (includes Higgs UH)
python scm_superconductivity_axiom.py -json    # Machine-readable
```

Sector mapping: Sector 4 (Scalar-Higgs-Vacuum) — Higgs doublet + UQFF vacuum scalar \$ \$4 yield Ug4 and F_dark.

Session 225: Late-Corpus Physics Integration (PAPER_1000-1081)

The following physics upgrades incorporate equations, mechanisms, and derivations from the late-corpus papers (Sessions 219-225, PAPER_1000-1081). These represent body-level integrations of phonon physics, buoyancy formulations, and S26(3) Ramanujan corrections into this paper's domain.

Session 225 Phonon-Physics Upgrade: Yang-Mills BCS Phonon Mass Gap

Upgrade from PAPER_1005 (Yang-Mills Mass Gap via SCm BCS Phonon) and PAPER_1070 (Yang-Mills Mass Gap VDS Bridge). See also PAPER_1004 (QGP Vacuum Density), PAPER_1007 (Deconfinement Phase Diagram), PAPER_1059 (CGC BK Saturation), PAPER_1064 (Resummation BFKL/Sudakov).

The late-corpus analysis derives the Yang-Mills mass gap via a BCS-like phonon pairing mechanism in the SCm vacuum:

$$\Delta_{\text{YM}} = \Lambda_{\text{QCD}} \cdot \exp\left(-\frac{1}{\alpha_s(T) \cdot N_c}\right) \cdot S_{26}^{(3)}$$

where the running coupling evolves as:

$$\alpha_s(T) = \frac{\alpha_{s,0}}{1 + \alpha_{s,0} \cdot b_0 \cdot \ln(T/T_c)}, \quad b_0 = \frac{11N_c - 2N_f}{12\pi}$$

Physical mechanism: The SCm phonon field ($\omega_{\text{SCm}} = 1.25$ THz) provides a pairing interaction analogous to the BCS electron-phonon coupling in superconductors. Gluons acquire an effective mass through condensate formation in the SCm-modified vacuum, yielding a non-perturbative gap $\Delta_{\text{YM}} \approx 5970$ GeV at the 9-sector Lagrangian closure (PAPER_1066, §2).

VDS bridge (PAPER_1070): The vacuum density series links the gap to the 26-level hierarchy: $\Delta \propto \rho_{\text{VDS}}^{1/4} \cdot (1 + [\text{SSq}] \cdot n/26)$ where the VDS sub-ratio 0.108 places confinement in the sub-threshold regime.

QGP transition (PAPER_1004/1007): At $T > T_c \approx 170$ MeV, the phonon coupling weakens ($\alpha_s \rightarrow 0$) and the gap closes, reproducing the deconfinement phase transition observed at ALICE/LHC.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component rho (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.083 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 59, \quad n_{\text{channel}} = 25/26$$

Since $p_{\text{DVP}} = 59$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.083	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 59$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2}$ $2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
2. Srivastava, Y.N., Widom, A., Larsen, L. – Electroweak neutron production (LENR)
3. Kepler Mission DR25 – 4,034 candidates, 2,335 confirmed planets
4. Hubble Heritage Team / A. Nota (ESA/STScI) – Westerlund 2 / NGC 346 imaging
5. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[SSq]=0.57$, $\beta_i \sim 0.603$
6. scm_superconductivity_axiom.py – SCm Superconductivity Axiom Module (Session 204)

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1003	Spectral Ladder Merger 26-State Hierarchy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

6 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_wstp_kernel.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U, Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2/(2 * \Gamma^2)] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_polylog_s26.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_theta_q26.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_n$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q; q)_n^2 - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2; q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q; q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_pi_uqff.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_theta_pi_wstp_kernel.py</code>	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where
 $W_{26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_1_CoAnQi.cpp*, and Wolfram kernels (*uqff_kozima_kernel.wl*, *uqff_s26_kernel.wl*, *uqff_mock_theta_pi_kernel.wl*).