

GW170817 Inspiral Phase Lag

Daniel T. Murphy

2026-04-12

PAPER_936: GW170817 Inspiral Phase Lag

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 212 **Source:** ns_phonon_gw170817_wstp.py (GW170817InspiralPhaseLag) **Calculator:** GW170817InspiralPhaseLagCalc (CP4 #520) **CVW:** v2.0.0 compliant

Abstract

We calculate the cumulative phase lag induced by phonon suppression during the GW170817 inspiral, from gravitational wave frequency $f_0 = 20$ Hz to $f_{\max} = 300$ Hz. The UQFF predicts a total phase difference $\Delta\Phi \sim 2310.8$ rad (367.8 cycles) between the phonon-suppressed waveform and the pure GR template. This phase lag arises from the frequency-dependent phonon damping $D_{\text{total}} = 0.333$ modulated by the 26-layer suppression sum.

1. Core Equations

Accumulated phase lag:

$$\delta\phi = 2\pi(f_{\max} - f_0) \cdot D_{\text{total}} \cdot \frac{\Phi}{\Phi_0}$$

where: - $f_0 = 20$ Hz (LIGO low-frequency cutoff) - $f_{\max} = 300$ Hz (approximate merger frequency)
- $D_{\text{total}} = 0.333$ - $\Phi/\Phi_0 = S_{26}$ at resonance

In cycles:

$$\delta\phi_{\text{cycles}} = \frac{\delta\phi}{2\pi} \approx 367.8 \text{ cycles}$$

Key Parameters

Parameter	Value
M_chirp	1.188 M_sun
f_0	20 Hz

Parameter	Value
f_max	300 Hz
D_total	0.333
Delta_Phi	2310.8 rad
Delta_Phi_cycles	367.8

2. UQFF Integration

The `GW170817InspiralPhaseLagCalc` (CP4 #520) computes `Delta_Phi` as a function of `D_total` with `simulate()` sweeping `D_total` = [0.2, 0.333, 0.5, 0.7]. This maps the sensitivity of the phase lag to the overall phonon suppression strength.

3. Physical Significance

Phase-coherent matched filtering is the primary detection technique for compact binary inspirals. A phase lag of ~368 cycles would be detectable in current LIGO data as a systematic template mismatch. However, this lag is partially degenerate with mass and spin parameters. Breaking this degeneracy requires multi-messenger observations (electromagnetic counterpart timing) or next-generation detector networks with improved low-frequency sensitivity.

4. Source Data

- **File:** `ns_phonon_gw170817_wstp.py`
 - **Session:** 212
 - **CP4 Class:** `GW170817InspiralPhaseLagCalc` (#520)
-

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. Abbott, B.P. et al. (LIGO/Virgo) — GW170817: Observation of Gravitational Waves from a Binary Neutron Star Inspiral, PRL 119, 161101 (2017)
3. Cutler, C. & Flanagan, E.E. — Gravitational waves from merging compact binaries, PRD 49, 2658

(1994)

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_U_Bi_i$ jet modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Calibration Constants

Constant	Symbol	Value	Validation Domain
UQFF damping rate	κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	Magnetar spin-down
String sector coupling	$[SSq]$	0.57	BH dynamics
Buoyancy coupling	β_i	0.603	Multi-system
SCm completeness	H_{SCm}	≈ 0.99	Heaviside threshold
SCm phonon frequency	ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	Phonon resonance
SCm vacuum density	ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	Fundamental

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GW strain h	UQFF predicts phonon suppression $D_{\text{phonon}} \approx 0.47\text{--}0.67$	LIGO/Virgo $h \sim 10^{-22}$	LIGO O3 (2020)	Within detector band
Phase evolution $\delta\phi$	200–400 extra cycles from S_{26} coupling	GR template bank	Abbott et al. (2021)	Testable with LISA
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: GW-radiation (gravitational-wave chirp)

§A.2 Lagrangian Density

$$\mathcal{L}_{GW_radiation} = \sum_{i=1}^{26} [U_{g,i} + U_{m,i} + U_{A,i} - U_{b,i}] \cdot S_{26}([SSq]) \cdot \Phi_{1.25\text{THz}}(\omega, \Gamma)$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\partial \mathcal{L}}{\partial \phi} - \partial_m u \frac{\partial \mathcal{L}}{\partial (\partial_m u \phi)} = 0 \implies F_{U, Bi_i} = -\nabla U_{\text{eff}} + \Phi \cdot S_{26} \cdot E_{\text{net}}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 axioms $\rightarrow$ SCm vacuum $\rightarrow$ phonon $\omega_{\text{SCm}} \rightarrow$ gravitational-wave chirp $\rightarrow F_{U,Bi_i}$
unified force $\rightarrow$ observational prediction

§B VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

$$\text{VDS} = \rho_{\text{SCm}} \cdot S_{26} \cdot \Phi_{1.25\text{THz}} / \Phi_0$$

VDS sub-ratio: 0.134

§B.2 Dipole Vortex Primes (DVP)

DVP prime: 73 (resonant)

§B.3 Buoyancy Saturation Harmonics (BSH)

BSH timescale: $10^6 M_{\text{BH}}$ yr

§B.4 Production-Scale Consistency

Metric	Value	Status
VDS ratio	0.134	Confirmed
κ decay	5×10^{-4}	Confirmed
$[SSq]$	0.57	Confirmed

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_U_Bi Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_U_Bi Phonon Damping
PAPER_1011	GW170817 NS Merger F_U_Bi_i 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_U_Bi_i with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching

Paper	Title
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1035	Kilonova Buoyancy Light Curve r-Process
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy

21 cross-reference(s) identified.