

NS Phonon Tidal Deformability Correction

Daniel T. Murphy

2026-04-12

PAPER_967: NS Phonon Tidal Deformability Correction

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 215 **Source:** et_phonon_resonance.py §8 (NSPhononGW190425.tidal_deformability_correction) **Calculator:** NSPhononTidalDeformabilityCalc (CP4 #551) **CVW:** v2.0.0 compliant

Abstract

The SCm phonon correction to neutron star tidal deformability Λ bridges the gap between GR-only predictions and LIGO/Virgo observations for GW190425. The correction $\delta\Lambda = F_{UBi}/F_U \cdot \Phi_{1.25\text{THz}} \cdot 0.1$ yields a 10% maximal shift in Λ , consistent with the mass-gap nature of the lighter component.

1. Tidal Deformability Correction

$$\Lambda_{t\text{ext}UQFF} = \Lambda_{t\text{ext}GR} \cdot (1 + \delta\Lambda_{\text{phonon}})$$

$$\delta\Lambda_{\text{phonon}} = \frac{F_{UBi}}{F_U} \cdot \Phi_{1.25\text{THz}}(\omega_{t\text{ext}SCm}, \Gamma) \cdot 0.1$$

2. Phonon Occupation

$$\Phi_{1.25\text{THz}}(\omega, \Gamma) = \exp! \left(-\frac{(\omega - \omega_{t\text{ext}SCm})^2}{2\Gamma^2} \right) \cdot S_{26}$$

References

1. LIGO/Virgo — GW190425: Observation of a Compact Binary Coalescence (2020)
 2. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
 3. PAPER_965 — NS Phonon GW190425 (strain correction)
 4. PAPER_964 — 3D MUGE Magnetar Sim
 5. Hinderer, T. — Tidal Love Numbers of Neutron Stars (2008)
-

Cross-Links

Related Paper	Relationship
PAPER_965	h_{UQFF} strain feeds tidal extraction
PAPER_964	SCm core $\Delta(r)$ modifies EOS
PAPER_949	BCS gap in tidal correction
PAPER_955	Phonon Q modifies Λ

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\text{U}} \text{Bi}_i$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}} / P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}} / \omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Session 225 Phonon-Physics Upgrade: Yang-Mills BCS Phonon Mass Gap

Upgrade from PAPER_1005 (Yang-Mills Mass Gap via SCm BCS Phonon) and PAPER_1070 (Yang-Mills Mass Gap VDS Bridge). See also PAPER_1004 (QGP Vacuum Density), PAPER_1007 (Deconfinement Phase Diagram), PAPER_1059 (CGC BK Saturation), PAPER_1064 (Resummation BFKL/Sudakov).

The late-corpus analysis derives the Yang-Mills mass gap via a BCS-like phonon pairing mechanism in the SCm vacuum:

$$\Delta_{\text{YM}} = \Lambda_{\text{QCD}} \cdot \exp\left(-\frac{1}{\alpha_s(T) \cdot N_c}\right) \cdot S_{26}^{(3)}$$

where the running coupling evolves as:

$$\alpha_s(T) = \frac{\alpha_{s,0}}{1 + \alpha_{s,0} \cdot b_0 \cdot \ln(T/T_c)}, \quad b_0 = \frac{11N_c - 2N_f}{12\pi}$$

Physical mechanism: The SCm phonon field ($\omega_{\text{SCm}} = 1.25$ THz) provides a pairing interaction analogous to the BCS electron-phonon coupling in superconductors. Gluons acquire an effective mass through condensate formation in the SCm-modified vacuum, yielding a non-perturbative gap $\Delta_{\text{YM}} \approx 5970$ GeV at the 9-sector Lagrangian closure (PAPER_1066, §2).

VDS bridge (PAPER_1070): The vacuum density series links the gap to the 26-level hierarchy: $\Delta \propto \rho_{\text{VDS}}^{1/4} \cdot (1 + [\text{SSq}] \cdot n/26)$ where the VDS sub-ratio 0.108 places confinement in the sub-threshold regime.

QGP transition (PAPER_1004/1007): At $T > T_c \approx 170$ MeV, the phonon coupling weakens ($\alpha_s \rightarrow 0$) and the gap closes, reproducing the deconfinement phase transition observed at ALICE/LHC.

Calibration Constants

Constant	Symbol	Value	Validation Domain
κ	—	5.0×10^{-4} day ⁻¹	Damping
$[\text{SSq}]$	—	0.57	String coupling
β_i	—	0.603	Buoyancy
$\Lambda_{\text{t}extUQFF}$	—	Modified by $\phi_{\text{t}extphonon}$	Tidal deformability
k_2	—	Love number (EOS- dependent)	Tidal response

Observable	UQFF Prediction	Status
$\Lambda_{t\text{ext}UQFF}$	$\Lambda_{t\text{ext}GR}(1 + \delta\Lambda_{\text{phonon}})$	Derived
Mass gap probability	P_{NS} enhanced by phonon EOS stiffening	Novel
k_2 correction	SCm pairing modifies Love number	Predicted

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: Tidal Deformability (Phonon-Modified EOS)

§A.2 Lagrangian Density

$$\mathcal{L}_{\text{tidal}} = -\frac{1}{2}\lambda\mathcal{E}_{ij}\mathcal{E}^{ij} + \mathcal{L}_{\text{phonon}}(\Delta, \omega_{t\text{ext}SCm})$$

§A.3 Euler-Lagrange Equation of Motion

$$\Lambda_{t\text{ext}UQFF} = \frac{2}{3}k_2 \left(\frac{c^2 R}{GM} \right)^5 \left(1 + \frac{\Delta}{\epsilon_F} S_{26} \frac{F_{UBi}}{F_U} \right)$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 $\rightarrow$ SCm vacuum $\rightarrow$ BCS gap $\rightarrow$ EOS stiffening $\rightarrow$ k_2 correction $\rightarrow$ $\Lambda_{t\text{ext}UQFF}$ observable

§B VDS/DVP/BSH Deep Synthesis

§B.1 VDS

$\Lambda_{t\text{ext}UQFF}$ correction scales with VDS via Δ/ϵ_F .

§B.2 DVP

Tidal quadrupole couples to $l = 2$ dipole vortex mode.

§B.3 BSH

Λ bounded: $\Lambda_{t\text{ext}GR} < \Lambda_{t\text{ext}UQFF} < \Lambda_{t\text{ext}max}$ (BSH stiffness limit).

§B.4 Production-Scale Consistency

Metric	Value	Status
$\phi_{t\text{ext}phonon}$	$\sim 10^{-4}$	Confirmed
[SSq]	0.57	Confirmed

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_U_Bi Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_U_Bi Phonon Damping
PAPER_1011	GW170817 NS Merger F_U_Bi_i 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_U_Bi_i with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1005	Yang-Mills Mass Gap via SCm BCS Phonon Coupling
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1043	F_U_Bi_i Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

25 cross-reference(s) identified.