

# PAPER #90 MUGE Compressed Gravity: Newtonian Base + 9 Corrections

**Title:** MUGE Compressed Gravity: A 10-Term Framework Correcting Newtonian Gravity at Galaxy-to-Cosmological Scales

**Author:** Daniel T. Murphy

**Framework:** MUGE (Multi-Unit Gravity Expression), UQFF Star-Magic

**Date:** March 7, 2026

**Source Data:** `validate_uqff_muge.py`, `source4.cpp` (10 Compressed functions), `compute_compressed_MUGE_SOURCE4`

**Index Slot:** 1.12 UQFF Master Calculators, Paper #90

---

## Abstract

The MUGE Compressed gravity framework extends Newtonian gravity with 9 physics-motivated corrections spanning expansion, magnetic suppression, envelope, Ug-sum, cosmological constant, quantum, fluid, and dark matter perturbation effects. `validate_uqff_muge.py` validates the complete 10-term sum for 5 astrophysical systems (Sgr A\*, M87, Sun, NeutronStar, Magnetar), confirming no NaN/Inf across 8 distinct radial ranges and 5 mass scales.

---

## 1. The 10-Term MUGE Compressed Framework

From `source4.cpp::compute_compressed_MUGE_SOURCE4`:

$$g_{\text{MUGE}}^{\text{Comp}}(r) = g_{\text{Newton}} + \sum_{k=1}^9 \delta_k(r)$$

## Term Definitions

| Term # | Symbol                      | Formula                                          | Physics                             |
|--------|-----------------------------|--------------------------------------------------|-------------------------------------|
| 0      | <code>g_Newton</code>       | $GM/r$                                           | Base Newtonian gravity              |
| 1      | <code>d_Expansion</code>    | $H_0 r/6$                                        | Hubble flow correction              |
| 2      | <code>d_Super</code>        | $-B/(4\pi r)$                                    | Magnetic field suppression          |
| 3      | <code>d_Envelope</code>     | $g_N \cdot \eta_{\text{env}}/\eta_{\text{crit}}$ | Gas envelope contribution           |
| 4      | <code>d_Ug_sum</code>       | $\sum U g_k/(4\pi r)$                            | UQFF Ug1+Ug2+Ug3+Ug4 sum            |
| 5      | <code>d_Cosm</code>         | $\eta_{\text{cr}}/3$                             | Cosmological constant (dark energy) |
| 6      | <code>d_Quantum</code>      | $\eta/(M r^5)$                                   | Quantum gravity correction          |
| 7      | <code>d_Fluid</code>        | $\eta v/(4\pi r)$                                | Navier-Stokes viscosity term        |
| 8      | <code>d_Perturbation</code> | $d_{\text{DM}} g_N$                              | Dark matter perturbation            |

---

## 2. Term-by-Term Magnitudes at Sgr A\* $r_{\text{horizon}} = 1.27 \times 10^6 \text{ m}$

| Term           | Value at r_horizon                              | Relative to g_N        |
|----------------|-------------------------------------------------|------------------------|
| g_Newton       | $2.34 \times 10 \text{ m/s}$                    | 1.000                  |
| d_Expansion    | $7.8 \times 10^{?4} \text{ m/s}$                | $3.3 \times 10^{?6}$   |
| d_Super        | $-1.2 \times 10^{?} \text{ m/s}$                | $-5.1 \times 10^{?5}$  |
| d_Envelope     | $+8.5 \times 10^{-8} \text{ m/s}$               | $+3.6 \times 10^{?}$   |
| d_Ug_sum       | $+1.4 \times 10^{-6} \text{ m/s}$               | $+6.0 \times 10^{??}$  |
| d_Cosm         | $-6.5 \times 10^{?6} \text{ m/s}$               | $-2.8 \times 10^{?8}$  |
| d_Quantum      | $+3.2 \times 10^{-47} \text{ m/s}$              | $+1.4 \times 10^{?4?}$ |
| d_Fluid        | $+7.6 \times 10^{??} \text{ m/s}$               | $+3.2 \times 10^{?}$   |
| d_Perturbation | $+4.7 \times 10^{-4} \text{ m/s}$               | $+2.0 \times 10^{-6}$  |
| <b>g_total</b> | <b><math>2.340 \times 10 \text{ m/s}</math></b> | <b>1.000002</b>        |

**No NaN/Inf - PASS.** Total correction relative to Newton: < 5 ppm at r\_horizon.

### 3. Dominant Corrections by Scale

#### Galactic Scale (r ~ kpc = $3 \times 10^5 \text{ m}$ )

At galactic radius r = 1 kpc from Sgr A\*:

| Dominant corrections | Relative magnitude                     |
|----------------------|----------------------------------------|
| d_DM Perturbation    | ~10 <sup>?</sup> (DM halo)             |
| d_Expansion          | ~10 <sup>5</sup> (sub-dominant at kpc) |
| d_Ug_sum             | ~10 <sup>7</sup>                       |

? Dark matter perturbation dominates at galaxy scales. MUGE compressed reduces to DM+Newton.

#### Cosmological Scale (r ~ Gpc)

| Dominant corrections | Relative magnitude             |
|----------------------|--------------------------------|
| d_Expansion          | ~10 <sup>?</sup> (Hubble flow) |
| d_Cosm               | ~10 <sup>?</sup> (dark energy) |

? Expansion and ? dominate at Gpc. MUGE compressed ? ?CDM-concordant.

### 4. Cross-System Validation (validate\_uqff\_muge.py)

All 5 systems from validator, all 10 MUGE terms verified finite:

| System      | M (kg)             | r_test (m)         | g_MUGE (m/s)     | NaN/Inf |
|-------------|--------------------|--------------------|------------------|---------|
| Sgr A*      | $8.0 \times 10^6$  | $1.27 \times 10$   | 234.3            | None    |
| M87*        | $1.26 \times 10^4$ | $1.95 \times 10$   | $2.21 \times 10$ | None    |
| Sun         | $1.99 \times 10$   | $6.96 \times 10^8$ | 274.3            | None    |
| NeutronStar | $2.8 \times 10$    | $1.2 \times 10^4$  | $1.62 \times 10$ | None    |
| Magnetar    | $3.0 \times 10$    | $1.2 \times 10^4$  | $1.74 \times 10$ | None    |

## 5. Relationship to UQFF\_CompandedCalculator

The UQFF\_CompandedCalculator (Paper #89) wraps the MUGE Compressed result and adds the d\_Ug factor:

$$F_{\text{Comp}}^{\text{UQFF}}(r, t) = g_{\text{MUGE}}^{\text{Comp}}(r) + \delta_{\text{Ug}}(r, t)$$

Where d\_Ug includes all 4 Ugk terms evaluated in the UQFF framework (not just their sum).

### Summary

| Scale              | Dominant correction(s)    | MUGE expansion     |
|--------------------|---------------------------|--------------------|
| Near-horizon       | d_Ug_sum + d_Perturbation | UQFF - GR          |
| Galactic (kpc)     | d_DM (0.1 g_N)            | Dark matter-driven |
| Cosmological (Gpc) | d_Expansion + d_Cosm      | ?CDM-concordant    |
| All scales         | No NaN/Inf (5 systems)    | Numerically stable |

Source: `validate_uqff_muge.py` | `source4.cpp` compute\_compressed\_MUGE\_SOURCE4 | 5 systems 10 terms all finite

See  
also:  
PA-  
PER\_089  
|  
Part  
of  
the  
Star-  
Magic  
UQFF  
Whitepa-  
per  
Se-  
ries.

---

**UQFF**  
**com-**  
**puted:**  
 MUGE  
 buoy-  
 ancy  
 ratio  
 $U_{bi}/F_U$   
 =  
 $[SSq] \cdot r/GM$   
 =  
 $5.7e-$   
 $15.0e-$   
 $4 =$   
 $2.85e-$   
 $4;$   
 com-  
 pressed  
 MUGE  
 base-  
 line  
 $g =$   
 $5.4e-$   
 $7$   
 m/s  
 at  
 $r_{ISCO}.$

---

## Appendix: UQFF Production Framework Reference (v4.75+)

*Added by upgrade\_early\_whitepapers.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.*

### A.1 Calibration Constants

| Symbol                | Value                                 | Description                       |
|-----------------------|---------------------------------------|-----------------------------------|
| $\kappa$              | $5.0 \times 10^{-4} \text{ day}^{-1}$ | UQFF exponential decay rate       |
| $[SSq]$               | 0.57                                  | Universal Quantized Factor        |
| $\beta_i$             | 0.60-0.61                             | Buoyancy coupling coefficient     |
| $k_1$                 | 1.5                                   | Ug1 DPM-dipole coupling           |
| $k_2$                 | 1.2                                   | Ug2 outer-bubble charge coupling  |
| $k_3$                 | 1.8                                   | Ug3 string-rotation coupling      |
| $k_4$                 | 2.0                                   | Ug4 vacuum-concentration coupling |
| $\eta$                | $10^{-22}$                            | Inertia tensor scale              |
| $E_{\text{react}}(0)$ | $10^{46} \text{ J}$                   | Reference reactive energy         |

### A.2 $F_U$ Master Equation (Complete — 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}]$$

| Term                                              | Description                                  | Implementation                      |
|---------------------------------------------------|----------------------------------------------|-------------------------------------|
| Ug1                                               | DPM magnetic dipole                          | compute_Ug1_SOURCE4 / compute_Ug1() |
| Ug2                                               | Outer-field bubble<br>(charge-reactivity)    | compute_Ug2_SOURCE4 / compute_Ug2() |
| Ug3                                               | Magnetic string rotation                     | compute_Ug3_SOURCE4 / compute_Ug3() |
| Ug4                                               | Vacuum concentration<br>(star-BH)            | compute_Ug4_SOURCE4 / compute_Ug4() |
| Ubi                                               | Buoyancy force                               | compute_Ubi_SOURCE4 / compute_Ubi() |
| Um                                                | Universal Magnetism<br>(Heaviside-amplified) | compute_Um_SOURCE4 / compute_Um()   |
| $-\Sigma\lambda_i\cdot U_i\cdot E_{\text{react}}$ | 4th dissipation term<br>(PAPER_420)          | compute_FU_SOURCE4 / full pipeline  |

#### 4th dissipation term parameters (PAPER\_420):

$\lambda_1=10^{-10}$ ,  $\lambda_2=10^{-12}$ ,  $\lambda_3=10^{-11}$ ,  $\lambda_4=10^{-13}$  (free parameters, not yet empirically calibrated)

#### A.3 Um Heaviside Phase-Transition Amplifier (PAPER\_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times (1 + 10^{13} \Theta(\rho_{\text{SCm}} - \rho_c)) \times (1 + A_q \cos(\Delta\omega t))$$

| Symbol         | Value                                    | Description                            |
|----------------|------------------------------------------|----------------------------------------|
| $\rho_c$       | $10^{15} \text{ kg/m}^3$                 | SCm critical superconducting density   |
| $A_q$          | 0.1                                      | Quasi-periodic beating amplitude (10%) |
| $\Delta\omega$ | $2\pi/(434\cdot 365.25) \text{ rad/day}$ | 434-year Gleisberg supercycle          |

#### A.4 UQFF Four Operational Modes

| Mode                   | Dominant Term                                | Primary Use Case                       |
|------------------------|----------------------------------------------|----------------------------------------|
| <b>Compressed</b>      | Ug_sum + Newtonian base                      | Isolated stellar/BH systems            |
| <b>Resonant</b>        | 5 resonance frequencies<br>(aDPM, aTHz, ...) | Multi-scale field interactions         |
| <b>Buoyant</b>         | $\beta_i \times U_{bi}$                      | Expanding nebulae, stellar winds       |
| <b>Superconductive</b> | $U_m \times (1 + 10^{13} \cdot f_H)$         | Magnetars, SCm critical-density regime |

Implementation status: all 4 modes operational in MAIN\_1\_CoAnQi.cpp, Condensed-Physics.py, and CondensedPhysics2.py.