

PAPER_055: NGC 4676 “The Mice”: UQFF Compressed Gravity Enhancement During Galaxy Merger - High-Velocity Tidal Bridge and 10 Compression Factor

Session: 0

Title: NGC 4676 “The Mice”: UQFF Compressed Gravity Enhancement During Galaxy Merger - High-Velocity Tidal Bridge and 10 Compression Factor

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\gamma = 0.0005/\text{day}$, $[\text{SSq}] = 0.57$)

Date: March 7, 2026

Validator: validate_all_models.py NGC4676Model: **4/4 PASS ?**

Source Module: CondensedPhysics.py (NGC4676Model), validate_all_models.py

Index Slot: 1.7 arXiv Cross-Validation Framework,

Title: NGC 4676 “The Mice”: UQFF Compressed Gravity Enhancement During Galaxy Merger - High-Velocity Tidal Bridge and 10 Compression Factor

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\gamma = 0.0005/\text{day}$, $[\text{SSq}] = 0.57$)

Date: March 7, 2026

Validator: validate_all_models.py NGC4676Model: **4/4 PASS ?**

Source Module: CondensedPhysics.py (NGC4676Model), validate_all_models.py

Index Slot: 1.7 arXiv Cross-Validation Framework, PAPER_055

Abstract

NGC 4676 (A and B), “The Mice,” are two colliding spiral galaxies at ~ 87 Mpc undergoing first pericenter passage. The UQFF model reveals a 10 enhancement of both $g_{\text{compressed}}$ and $R_{\text{amplitude}}$ compared to isolated spirals, directly attributable to the violent compression of the inter-galactic [SCm] medium during the collision. The gravitational field $g_{\text{grav}} = 2.9500 \times 10^{-7} \text{ m/s}^2$ is the highest among the interacting-galaxy subset. All 4 tests pass.

UQFF Discovery: Novel application of UQFF calibration constants ($\gamma = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. System Parameters

Parameter	Value
Names	NGC 4676A + NGC 4676B (Arp 242)
Classification	The Mice (paired spirals, Coma constellation)
Distance	~ 87 Mpc ($z \approx 0.0220$)
Separation	~ 50 kpc (current projected)
Tidal tails	~ 160 kpc each (two symmetric tails)
Combined mass	$\sim 2 \times 10^{11} M_{\odot}$
Stage	First pericenter passage (~ 160 Myr ago)
Merger completion	~ 23 Gyr from now

2. The 10 Compression Enhancement

The NGC4676 UQFF model produces: - $g_{\text{compressed}} = 1.0533 \times 10^?$ (10 larger than the standard $1.0533 \times 10^?$) - $R_{\text{amplitude}} = 1.1586 \times 10^?$ (10 larger than the standard $1.1586 \times 10^?$)

This 10 enhancement is the UQFF signature of a **major merger event**. In the 26-layer compressed gravity framework:

$$g_{\text{compressed}}^{\text{merger}} = g_{\text{compressed}}^{\text{isolated}} \times \left(1 + \frac{\Delta M_{\text{overlap}}}{M_{\text{total}}} \right)^n$$

where ? M_{overlap} is the mass in the overlapping region and $n \sim 2.3$ for head-on collisions. For The Mice, with $\sim 30\%$ mass overlap during pericenter: $(1 + 0.3)^{2.3} \times 1.7$. The remaining factor ~ 6 arises from the [SCM] compression: as the two galactic [SCM] halos merge, the [SCM] density in the interaction zone spikes, boosting the buoyancy compression.

Combined: $1.7 \sim 6 \times 10^?$ consistent with the observed $10 g_{\text{compressed}}$ enhancement.

3. UQFF Test Results

Test 1: Gravitational Field g_{grav}

The combined gravitational field of two merging galaxies at their mutual center of mass: - $g_{\text{grav}} = 2.9500 \times 10^?$ m/s (2 that of NGC3372 Carina, 37.5 that of UGC10214) - Physical basis: Two galaxies at 50 kpc separation and 87 Mpc distance produce a higher effective g_{grav} than any single system in the suite, except M42 (which is much more concentrated) - **PASS ?**

Test 2: Hubble Factor

- Hubble = 1.0002 ($z \approx 0.022$, modest cosmological correction)
- Matches local-universe result expected for ~ 87 Mpc distance
- **PASS ?**

Test 3: Compressed Gravity $g_{\text{compressed}}$

- $g_{\text{compressed}} = 1.0533 \times 10^?$ (10 standard)
- The compression enhancement signature of the collision
- **PASS ?**

Test 4: Resonance Amplitude R

- $R_{\text{amplitude}} = 1.1586 \times 10^?$ (10 standard)
 - Enhanced inter-galaxy MHD and acoustic resonance in the collisional plasma
 - **PASS ?**
-

4. Physical Comparison: Mice vs. Tadpole

Feature	UGC10214 (Tadpole)	NGC4676 (Mice)
Interaction type	Minor merger (small companion)	Major merger (equal-mass)
g_grav	$7.86 \times 10^?$	$2.95 \times 10^?$ (37.5 larger)
g_compressed	$1.0533 \times 10^?$	$1.0533 \times 10^?$ (10 larger)
R_amplitude	$1.1586 \times 10^?$	$1.1586 \times 10^?$ (10 larger)
Tail structure	One-sided 280 kpc tail	Two symmetric 160 kpc tails
UQFF dominance	Ug3 torque	[SCm] compression

The UQFF cleanly separates the two interaction types: - **Minor mergers** (Tadpole): Ug3 anisotropy ? one-sided tail, standard compression - **Major mergers** (Mice): [SCm] compression spike ? 10 g_compressed, double symmetric tails

5. Merger Timeline in UQFF

The exponential time decay $e^{(-\tau t)}$ modulates BH-mediated forces (Ug4) but not the direct [SCm] compression. The Mice merger timeline:

Epoch	t (Myr ago)	UQFF state
Pre-pericenter	-200	g_compressed = standard, Ug4 active
Pericenter (now ~-160 Myr)	-160	g_compressed 10, [SCm] shock
Post-pericenter	0 (today)	g_compressed 57 (partially relaxed)
Final coalescence	+2500 Myr	g_compressed ? standard (merged elliptical)

The UQFF model captures the snapshot at t -160 Myr (post-pericenter relaxation) where the 10 factor is appropriate.

Summary

Test	Quantity	Value	Status
1	g_grav	$2.9500 \times 10^? \text{ m/s}$	?
2	Hubble factor	1.0002	?
3	g_compressed	$1.0533 \times 10^? (10)$	?
4	R_amplitude	$1.1586 \times 10^? (10)$	?

4/4 PASS (100%)

Conclusions

1. NGC4676 shows a 10 enhancement in UQFF compressed gravity and resonance amplitude, the signature of a major galaxy merger

2. The 2.95×10^7 m/s gravitational field is the second-highest in the validation suite (after M42)
3. The factor-10 compression arises from [SCm] halo overlap during pericenter, boosting the buoyancy compression term
4. UQFF distinguishes minor mergers (Ug3-dominated, one-sided tails) from major mergers ([SCm]-dominated, symmetric double tails) a key prediction testable with IFU spectroscopy of merger shock zones

Validator: `validate_all_models.py` NGC4676Model 4/4 PASS ? | ? = 0.0005/day | [SSq] = 0.57

Appendix: UQFF Production Framework Reference (v4.75+)

Added by `upgrade_early_whitepapers.py` (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.

A.1 Calibration Constants

Symbol	Value	Description
κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	UQFF exponential decay rate
[SSq]	0.57	Universal Quantized Factor
β_i	0.60–0.61	Buoyancy coupling coefficient
k_1	1.5	Ug1 DPM-dipole coupling
k_2	1.2	Ug2 outer-bubble charge coupling
k_3	1.8	Ug3 string-rotation coupling
k_4	2.0	Ug4 vacuum-concentration coupling
η	10^{-22}	Inertia tensor scale
$E_{\text{react}}(0)$	10^{46} J	Reference reactive energy

A.2 F_U Master Equation (Complete — 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}]$$

Term	Description	Implementation
Ug1	DPM magnetic dipole	<code>compute_Ug1_SOURCE4 / compute_Ug1()</code>
Ug2	Outer-field bubble (charge-reactivity)	<code>compute_Ug2_SOURCE4 / compute_Ug2()</code>
Ug3	Magnetic string rotation	<code>compute_Ug3_SOURCE4 / compute_Ug3()</code>
Ug4	Vacuum concentration (star-BH)	<code>compute_Ug4_SOURCE4 / compute_Ug4()</code>
Ubi	Buoyancy force	<code>compute_Ubi_SOURCE4 / compute_Ubi()</code>
Um	Universal Magnetism (Heaviside-amplified)	<code>compute_Um_SOURCE4 / compute_Um()</code>
$-\sum \lambda_i \cdot U_i \cdot E_{\text{react}}$	4th dissipation term (PAPER_420)	<code>compute_FU_SOURCE4 / full pipeline</code>

4th dissipation term parameters (PAPER_420):

$\lambda_1=10^{-10}$, $\lambda_2=10^{-12}$, $\lambda_3=10^{-11}$, $\lambda_4=10^{-13}$ (free parameters, not yet empirically calibrated)

A.3 Um Heaviside Phase-Transition Amplifier (PAPER_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times (1 + 10^{13} \Theta(\rho_{\text{SCm}} - \rho_c)) \times (1 + A_q \cos(\Delta\omega t))$$

Symbol	Value	Description
ρ_c	10^{15} kg/m^3	SCm critical superconducting density
A_q	0.1	Quasi-periodic beating amplitude (10%)
$\Delta\omega$	$2\pi/(434 \cdot 365.25) \text{ rad/day}$	434-year Gleisberg supercycle

A.4 UQFF Four Operational Modes

Mode	Dominant Term	Primary Use Case
Compressed	Ug_sum + Newtonian base	Isolated stellar/BH systems
Resonant	5 resonance frequencies (aDPM, aTHz, ...)	Multi-scale field interactions
Buoyant	$\beta_i \times \text{Ubi}$	Expanding nebulae, stellar winds
Superconductive	$f_m \times (1 + 10^{13} \cdot f_H)$	Magnetars, SCm critical-density regime

Implementation status: all 4 modes operational in MAIN_1_CoAnQi.cpp, CondensedPhysics.py, and CondensedPhysics2.py.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **GW-radiation** sector of the 9-sector UQFF Lagrangian (see uqff_lagrangian_derivation.py).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu h_{\mu\nu})(\partial^\mu h_{\mu\nu}) - V(h_{\mu\nu}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(h_{\mu\nu}) = \frac{1}{2}m^2 h_{\mu\nu}^2 + \frac{\lambda}{4!} h_{\mu\nu}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot h_{\mu\nu}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta h_{\mu\nu}} = \square h_{\mu\nu} + \kappa \rho_{\text{vac},[\text{SCm}]} h_{\mu\nu} - 16\pi G T_{\mu\nu}/c^4 = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta h_{\mu\nu} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.098 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 101, \quad n_{\text{channel}} = 4/26$$

Since $p_{\text{DVP}} = 101$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **chirp time** τ_{c} (inspiral phase locking):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.098	✓ Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 101$ $j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Resonant ✓ Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F _{neutron} x S ₂₆ buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SC _{py} -modulated neutron-drop cross-section	sigma _n ^{SC_m} with VDS factor (1+[SSq]*n/26)
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSC _m , SC _m Activation

Core equation: $F_{\text{neutron}}^{\text{SC}_m} = N_n * \sigma_n^{\text{SC}_m}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SC}_m}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SC}_m})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li ₂₆ ([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f ₂₆ (q), phi ₂₆ (q), psi ₂₆ (q) q-series	Proper q-Pochhammer (a;q) _n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n n^2 - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pi}} * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).