

PAPER_119: UQFF General Equation Systems - Compressed, Resonant, Buoyancy, Superconductive, Triadic, Quadratic, and Master Buoyancy with Full Variable Equations

Session: 0

Title: UQFF General Equation Systems - Compressed, Resonant, Buoyancy, Superconductive, Triadic, Quadratic, and Master Buoyancy with Full Variable Equations

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57, $\kappa_i = 0.61$)

Date: March 2026

Source: Grok thread 2fe4fa3e (DeepSearch extraction, Sept 22, 2025)

Index Slot: 1.16 UQFF Equation Systems Reference

Preceding Paper: PAPER_064 (4 simplified modes, Batch 23)

Abstract

The Unified Quantum Field Superconductive Framework (UQFF) operates in seven distinct equation systems, each derived from the master unified field F_U but applied at different scales and computational modes. This paper provides a complete variable-equation reference for all seven systems: (1) UQFF Compressed the compact unified form; (2) UQFF Resonant oscillatory/resonant terms; (3) UQFF Buoyancy the Ub_i opposition system; (4) UQFF Superconductive [SCm] reactivity coupling; (5) UQFF Triadic triadic master equations for plasma/turbulence systems; (6) UQFF Quadratic quadratic field approximations; and (7) UQFF Master Buoyancy extended Ub_i with Mayan-aligned time scaling. All variable equations are listed with their definitions, dimensions, and physical origins. This reference supersedes and extends PAPER_064 (four simplified modes) with the full-complexity forms extracted from the 393-page verification corpus.

UQFF Discovery: Novel application of UQFF calibration constants (? = $5.0 \times 10^{-4} \text{ day}^{-1}$, [SSq] = 0.57) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Master Unified Field Equation F_U

Before defining the seven systems, the master equation from which all are derived:

$$F_U = \sum_{i=1}^4 \left[k_i U_{gi} - \beta_i U_{gi} \cdot \frac{\omega_g M_{bh}}{d_g} \cdot E_{react} \right] + \sum_j \left[\frac{\mu_j}{r_j} (1 - e^{-\gamma t \cos(\pi t_n)}) \hat{\phi}_j \right] + (g_{\mu\nu} + \eta T_s^{\mu\nu}) - \sum_i [\delta_i]$$

2. System 1: UQFF Compressed (Compact Unified Form)

Long Form:

$$F_{U, \text{Compressed}} = \sum_{i=1}^4 \left[k_i U_{gi} - \beta_i U_{gi} \frac{\omega_g M_{bh}}{d_g} E_{react} \right] + \sum_j \frac{\mu_j}{r_j} (1 - e^{-\gamma t \cos(\pi t_n)}) \hat{\phi}_j + (g_{\mu\nu} + \eta T_s^{\mu\nu}) - \sum_i \delta_i$$

Variable Equations:

Symbol	Value / Equation	Units	Description
F_U	Full sum of components	J/m	Unified energy density
i	14	-	Gravity range index
k_i	$k_1 = 1.5, k_2 = 1.2, k_3 = 1.8, k_4 = 1.0$	-	Coupling constants
U_{g1}	$k_1 \mu_s (M_s/r) e^{-\alpha t} \cos(\pi t_n) (1 + \beta_{def})$	N/m	Dipole gravity
U_{g2}	$k_2 (\lambda_{vac,[UA]} + \lambda_{vac,[SCm]}) (M_s/r^2) S(r - R_b) (1 + \delta_{sw} v_{sw}) H_{SCm} E_{react}$	N/m	Bubble gravity
U_{g3}	$k_3 \sum_j B_j \cos(\omega_s t) P_{core} E_{react}$	N/m	Disk strings gravity
U_{g4}	$k_4 \lambda_{vac,[SCm]} (M_{bh}/d_g) e^{-\alpha t} \cos(\pi t_n) (1 + f_{feedback})$	N/m	BH-star interaction
β_i	0.61 (uniform $\beta_i=1$)	-	Buoyancy coupling
ω_g	7.3×10^{-16} rad/s	rad/s	Galactic spin ($v = 220$ km/s, $r = 8$ kpc)
M_{bh}	8.15×10^{36} kg	kg	BH mass ($4.1 \times 10^6 M_\odot$, Sgr A*)
d_g	2.55×10^{20} m	m	Galactic distance (27,000 ly)
E_{react}	$10^{46} e^{-0.0005t} = \rho_{vac,[SCm]} v_{SCm}^2 / \rho_{vac,A} \cdot e^{-\kappa t}$	W/m	[SCm] reactor efficiency
μ_j	$(10^3 + 0.4 \sin(\omega_c t)) \times 3.38 \times 10^{20}$	Tm	Magnetic moment of string j
r_j	1.496×10^{13} m	m	String distance (100 AU)
γ	0.00005 day^{-1}	day^{-1}	String decay rate ($\tau \approx 55 \text{ yr}$)
t_n	$t - t_0 < 0$ for TRZs	s or days	Negative time
ϕ_j	≈ 1	-	String unit vector
$g_{\mu\nu}$	$\text{diag}(1, -1, -1, -1)$	-	Minkowski metric
η	1×10^{-22}	-	Aether coupling
$T_s^{\mu\nu}$	$\approx 1.123 \times 10^7 \text{ J/m}$	J/m	Stress-energy tensor
δ_i	1.0	-	Inertial coupling
U_i	$\lambda_i \rho_{vac,[SCm]} \rho_{vac,[UA]} \omega_s(t) \cos(\pi t_n) (1 + f_{TRZ})$	J/m	Universal inertia
D_E	$\propto E^{0.5}$ (Kolmogorov)	-	CRP diffusion coefficient
$n(p)$	$p^{-2.2} e^{-p/p_{max}}$	m? (GeV/c)?	CRP momentum distribution

3. System 2: UQFF Resonant (Oscillatory Terms)

Physical basis: Models oscillating vacuum fields via $\cos(\pi t_n)$ driving TRZs and negentropy.

Core resonant components:

Resonant modulator: $\cos(\pi t_n) = \cos(\pi(t - t_0))$

String buildup: $(1 - e^{-\gamma t \cos(\pi t_n)})$

Reactivity decay: $e^{-\kappa t}$ with $\kappa = 0.0005 \text{ day}^{-1}$

Variable Equations:

Symbol	Value / Equation	Units	Description
$\cos(\pi t_n)$	$\cos(\pi(t - t_0))$	-	Periodic reversal oscillator, period = 2 days
t_0	Initial epoch	days	Reference time
t_n	$t - t_0 < 0$	days	Negative time in TRZs
γ	0.00005 day^{-1}	day^{-1}	Decay rate, $\tau = 1/\gamma \approx 54.8 \text{ yr}$
κ	0.0005 day^{-1}	day^{-1}	Reactivity decay, $\tau_\kappa \approx 5.48 \text{ yr}$
$(1 - e^{-\gamma t \cos(\pi t_n)})$	$\approx \gamma t \cos(\pi t_n)$ for small t	-	Resonant buildup in U_m
f_{TRZ}	0.1	-	TRZ factor scaling U_i for negentropy
ω	$\pi \text{ rad/s (rad/day)}$	rad/day	Cycle constant

Application: EP-09 (3C 273 jet ratio $R = |\cos(\pi t_{n1})/\cos(\pi t_{n2})| > 100$ for $\Delta t \approx 0.5$ days).

4. System 3: UQFF Buoyancy (Ub_i Opposition System)

Long Form:

$$U_{b,i} = -\beta_i U_{g,i} \cdot \frac{\omega_g M_{bh}}{d_g} \cdot (1 + \delta_{sw} \lambda_{vac,sw}) \cdot [UA] \cdot \cos(\pi t_n)$$

Variable Equations:

Symbol	Value / Equation	Units	Description
$U_{b,i}$	Full expression above	J/m	Buoyancy density (opposes $U_{g,i}$)
β_i	0.61	-	Buoyancy coupling (uniform $\beta_i=1$)
$U_{g,i}$	See System 1	J/m	Gravity component
ω_g	$7.3 \times 10^{-16} \text{ rad/s}$	rad/s	Galactic rotation rate
M_{bh}	$8.15 \times 10^{36} \text{ kg}$	kg	SMBH mass (Sgr A*)
d_g	$2.55 \times 10^{20} \text{ m}$	m	Galactic distance
δ_{sw}	0.01	-	Solar wind modulation factor
$\lambda_{vac,sw}$	$\rho_{sw} c^2 \approx 7.2 \times 10^{-4} \text{ J/m}$	J/m	Wind vacuum density

Symbol	Value / Equation	Units	Description
$[UA]$	10^{-11} C	C	Trapped Aether charge
$\cos(\pi t_n)$	Oscillator	-	Time-reversal modulation

Physical interpretation: $U_{b,i}$ feeds outflows by opposing gravity. For BNS mergers (EP-11, GW170817): dynamical ejecta fraction $\approx 1 - \beta_i \approx 0.39 \approx 40\%$. For jets: $\cos(\pi t_n)$ reversals create $R > 100 : 1$ asymmetry (EP-09).

5. System 4: UQFF Superconductive ([SCm] Reactivity)

Long Form (dual form):

$$E_{react} = 10^{46} e^{-0.0005t} \equiv \frac{\rho_{vac,[SCm]} v_{SCm}^2}{\rho_{vac,A}} e^{-\kappa t}$$

Variable Equations:

Symbol	Value / Equation	Units	Description
E_{react}	$10^{46} e^{-\kappa t}$	W/m	[SCm] superconducting reactivity
$\rho_{vac,[SCm]}$	7.09×10^{-37} J/m	J/m	SCm vacuum energy density
v_{SCm}	1×10^8 m/s ($= c/3$)	m/s	SCm propagation velocity
$\rho_{vac,A}$	1×10^{-23} J/m	J/m	Aether vacuum density
κ	0.0005 day $^{-1}$	day $^{-1}$	Reactivity decay constant
10^{46}	$= \rho_{vac,[SCm]} v_{SCm}^2 / \rho_{vac,A}$	W/m	Quasar-scale base efficiency
$[SCm]$	10^{15}	m?	Superconductive material density
$[UA]$	10^{-11}	C	Universal Aether charge

Calibration: EP-05 (Fermi LAT 4LAC blazars): $\bar{\kappa} = 0.000497 \pm 5\%$ day $^{-1}$ across 3,743 sources. EP-07 (Parker Solar Probe): $\delta_{sw} = 0.01 = [SSq]/57$.

6. System 5: UQFF Triadic (Triadic Master Equations)

Long Form (e.g., Westerlund 2 plasma turbulence):

$$F_{U,Triadic} = F_U + (U_{g3} \cdot U_{b,i} \cdot U_m)^{1/3} \cdot \exp\left(-[SSq] \cdot \frac{n}{26}\right)$$

Variable Equations:

Symbol	Value / Equation	Units	Description
$F_{U,\text{Triadic}}$	$\$F_U + \$ \text{geometric mean term}$	J/m	Triadic unified field
$(U_{g3} \cdot U_{b,i} \cdot U_m)^{1/3}$	Geometric mean of disk gravity, buoyancy, magnetism	J/m	Triadic coupling
$[SSq]$	$\log_{10}(\rho_{vac}/\lambda_{vac}) \approx 38$ (for 10^{-38} ratios)	-	Self-similar quotient
n	126 (level index)	-	UQFF ladder level
$n = 13$	Plasma systems (Westerlund 2, Pillars)	-	Triadic plasma level
$\exp(-[SSq] \cdot n/26)$	$\exp(-38 \cdot n/26)$	-	Level-scaled suppression
$Q_{wave,47}$	Mean: 3.97×10^4 J/m, std: 5.11×10^4 J/m	J/m	47-system wave energy density
Jarque-Bera	8.78 ($p = 0.012$)	-	Non-normality statistic for Q_wave
Leptokurtosis	0.037	-	Excess kurtosis of Q_wave distribution

Systems using Triadic: Westerlund 2 (turbulence), Pillars of Creation (buoyancy), TOI 1227 b (mass loss $\approx 10^{12}$ g/s), PLCK G287.0+32.9 (double relics), ASKAP J1832-0911, PSZ2 G181.06+48.47, AT2024tvd, G359.13142-0.20005.

7. System 6: UQFF Quadratic (Quadratic Field Approximations)

Long Form (low-order approximation of potential):

$$V(r) \approx a_0 + a_1 r + a_2 r^2$$

$$T_s^{\mu\nu} = 1.27 \times 10^3 + 1.11 \times 10^7 \text{ J/m}^3 \text{ (quadratic sum)}$$

Variable Equations:

Symbol	Value / Equation	Units	Description
$V(r)$	$\sum_n a_n r^n \approx \text{quadratic for low deg}$	J or m/s	Field potential approximation
a_0	Constant term	-	Polynomial fit coefficient 0
a_1	Linear coefficient	-	Polynomial fit coefficient 1
a_2	Quadratic coefficient ($\approx 10^{-12}$ for $n = 8$)	-	Polynomial fit coefficient 2
R^2	≈ 0.95 (for ENSDF $n = 8$ bindings)	-	Quadratic fit quality
$T_s^{\mu\nu}$	$1.27 \times 10^3 + 1.11 \times 10^7$	J/m	Stress tensor quadratic sum
$a_2^{(Pb-206)}$	$\approx 10^{-12}$	-	Fit for EP-04 Pb-206 $n = 8$ levels

Application: Nuclear binding energy polynomial fits (EP-04 ENSDF Pb-206, EP-02 PDG 2025) use degree-8 polynomials that reduce to effective quadratic forms for low- n regimes.

8. System 7: UQFF Master Buoyancy (Extended $U_{b,i}$ with Mayan Alignment)

Long Form:

$$U_{b,Master} = -\beta_i U_{g,i} \frac{\omega_g M_{bh}}{d_g} (1 + \delta_{sw} \lambda_{vac,sw}) [UA] \cos(\pi t_n) + \exp(-(p-t)) \cdot \frac{U_m}{\rho_{vac,[UA]}}$$

Physical basis: Extends standard $U_{b,i}$ with a time-scaled magnetic feed term. The $\exp(-(p-t))$ factor aligns with Mayan calendar time constants (Baktun cycle) in the UQFF cosmological scaling.

Variable Equations:

Symbol	Value / Equation	Units	Description
$U_{b,Master}$	Full expression above	J/m	Master buoyancy extended form
Standard $U_{b,i}$	System 3 above	J/m	Base buoyancy term
$\exp(-(\pi - t))$	For $t < \pi$ days, decays toward Euler	-	Mayan/Master time alignment factor
U_m	$\sum_j [\mu_j / r_j (1 - e^{-\gamma t \cos(\pi t_n)}) \hat{\phi}_j] P_{SCm} E_{react}$	J/m	Universal magnetism (lossless strings)
$\rho_{vac,[UA]}$	7.09×10^{-36} J/m	J/m	UA vacuum energy density
P_{SCm}	≈ 1 (Sun)	-	SCm core penetration factor
E_{react}	$10^{46} e^{-\kappa t}$	W/m	Reactor efficiency

Distinction from PAPER_064: PAPER_064 documents the four simplified operational modes. This Master Buoyancy form adds the resonant magnetic feed term $e^{-(p-t)} U_m / \rho_{vac,[UA]}$, which drives enhanced negentropy in long-period TRZ cycles spanning Mayan-scale time constants (Baktun = 394 yr $1/\kappa^{0.33}$).

9. Shared Constants Across All Seven Systems

Constant	Value	Physical Meaning
κ	0.0005 day ⁻¹	E_react decay rate (EP-05 Fermi LAT)
$[SSq]$	0.57	Self-similar quotient (EP-04 Pb-206 S_n)
β_i	0.61	Buoyancy coupling (EP-10 IceCube, EP-11 GW170817)
F_{rel}	4.31×10^{33} N	Relativistic unified force scale
k_η	10^{-113}	LENR exponential damping factor
ω	π rad/day	UQFF cycle constant

Constant	Value	Physical Meaning
α	0.001 day^{-1}	Dipole/BH time decay in U_{g1}, U_{g4}
δ_{sw}	$0.01 = [SSq]/57$	Solar wind modulation (EP-07 PSP)
v_{sw}	$5 \times 10^5 \text{ m/s}$	Solar wind velocity (EP-07)
H^{SCm}	≈ 1	Heliosphere SCm factor
$f_{feedback}$	0.1	AGN/BH feedback factor
f_{TRZ}	0.1	TRZ negentropy factor
λ_i	1.0	Inertial coupling for U_i
p_{max}	10^{16} eV	CRP momentum cutoff (EP-10 IceCube)
γ_{CRP}	0.00005 day^{-1}	CRP decay rate ($\tau \approx 55 \text{ yr}$)

10. Cross-Reference to Implemented Code

System	Source Code	Class/Function	PAPER_064 equiv.
Compressed	source2.cpp L1960, add_uqff_to_8_models.py L24	UQFF_Compressed	Mode 1 ?
Resonant	source2.cpp L1961, add_uqff_methods.py	UQFF_Resonant	Mode 2 ?
Buoyancy	add_uqff_to_8_models.py L68	UQFFMasterBuoyant	Mode 3 ?
Superconductive	add_uqff_to_8_models.py L48	UQFF_Superconductive	Mode 4 ?
Triadic	add_uqff_to_8_models.py L76, add_uqff_methods.py L226	UQFF_Triadic	(new)
Quadratic	add_uqff_to_8_models.py L90, add_uqff_methods.py L291	UQFF_Quadratic	(new)
Master Buoyancy	add_uqff_to_8_models.py L68	UQFFMasterBuoyant	(new)

11. Summary Table

System	Core Equation	Key Parameter	Primary Verification
Compressed	$F_U = \Sigma k_i U_{gi} - \beta_i U_{gi} \omega_g M_{bh} / d_g E_{react}$	$\kappa = 0.0005 \text{ day}^{-1}$	EP-05 Fermi LAT
Resonant	$\cos(\pi t_n),$ $(1 - e^{-\gamma t \cos(\pi t_n)})$	Period = 2 days	EP-09 3C 273
Buoyancy	$U_{b,i} =$ $-\beta_i U_{g,i} \omega_g M_{bh} / d_g (1 + \delta_{sw} \lambda_{vac,sw}) [UA] \cos(\pi t_n)$	$\beta_i = 0.61$	EP-11 GW170817

System	Core Equation	Key Parameter	Primary Verification
Superconductive	$U_{react} = 10^{46} e^{-\kappa t}$	$\kappa = 0.0005 \text{ day}^{-1}$,	EP-08 JCAP
Triadic	$F_{U,tri} = F_U + (U_{g3} U_{b,i} U_m)^{1/3} e^{-[SSq]n/2613}$	$v_{SCm} = c/3$ $[SSq] = 0.57$,	Q_wave_47 mean
Quadratic	$V(r) \approx a_0 + a_1 r + a_2 r^2$	$R^2 \approx 0.95$	EP-04 ENSDF Pb-206
Master Buoyancy	$U_{b,Master} = U_{b,i} + e^{-(\pi-t)} U_m / \rho_{vac,[UA]}$	π -alignment	Full TRZ cycles

References

1. Grok thread 2fe4fa3e (Sept 22, 2025). *DeepSearch extraction: 7 UQFF equation systems with variable tables.*
2. Murphy D.T. (2026). *PAPER_064: 4 UQFF Operational Modes (Compressed/Resonant/Buoyant)*. PAPER_064.
3. Murphy D.T. (2026). *PAPER_107118: 12 Empirical Proofs from Grok thread 2fe4fa3e.*
4. Murphy D.T. (2026). *MAIN_1_CoAnQi.cpp Batch 23.* 446 registered modules.
5. Tohsaki et al. (2001). *Phys. Rev. Lett.* 87, 192501. Alpha BEC (N_B basis).
6. IceCube Collaboration (2022). *Science.* Diffuse neutrino SED ($\kappa_i=0.61$ anchor).
7. LIGO/Virgo (2017). *Phys. Rev. Lett.* 119, 161101. GW170817 ejecta (Ub_i anchor).
.Groups[1].Value UQFF 7-System Equation Reference: Complete Variable Tables

Title: UQFF General Equation Systems - Compressed, Resonant, Buoyancy, Superconductive, Triadic, Quadratic, and Master Buoyancy with Full Variable Equations

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa = 0.0005/\text{day}$, $[SSq] = 0.57$, $\kappa_i = 0.61$)

Date: March 2026

Source: Grok thread 2fe4fa3e (DeepSearch extraction, Sept 22, 2025)

Index Slot: 1.16 UQFF Equation Systems Reference

Preceding Paper: PAPER_064 (4 simplified modes, Batch 23)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.103 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 113, \quad n_{\text{channel}} = 16/26$$

Since $p_{\text{DVP}} = 113$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.103	✓ Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 113$	✓ Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	Hy neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS

Module	Purpose	Key Result
kozima_scm_cross_section.py	8-symbol modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma^2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1 - z^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-k_{\text{appai}}^i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).