

PAPER_151: UQFF Star-Magic Pillars of Creation and Rings of Relativity Gravitational Lens — MUGE 12-Term Cascade Sequence: $g=2.001e26$ and $g=5.005e25$ m/s²

Session: 0

Title: UQFF Star-Magic Pillars of Creation and Rings of Relativity Gravitational Lens — MUGE 12-Term Cascade Sequence: $g=2.001e26$ and $g=5.005e25$ m/s²

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[SSq]=0.57$, $fTRZ=0.1$)

Date: March 2026

Domain: §2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt

UQFF Mode: Superconductive Resonance (fluid cascade)

Validator: CondensedPhysics2.py v2.1.0, SOURCE4 (pillars_SOURCE4, rings_SOURCE4)

Cross-links: PAPER_150 (Tapestry/Westerlund, higher- g SFR regime), PAPER_152 (cosmological)

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{b_i}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$g_{\text{UQFF}}(r) = g_{\text{MUGE}}(r) \cdot \left(1 - [SSq] \cdot U_{b_i} / F_U(r, t)\right), \quad [SSq] = 0.57$$

Abstract

The Pillars of Creation (Eagle Nebula M16 molecular pillars) and the Rings of Relativity (Einstein-ring class gravitational lens) represent two distinct astrophysical environments in which the UQFF MUGE cascade sequence reaches lower-energy configurations. Under the MUGE 12-Term Resonance framework, the Pillars yield $g = 2.001 \times 10^{26}$ m/s² and the Rings yield $g = 5.005 \times 10^{25}$ m/s² — each approximately factor 4 lower than the previous system in the 7-system cascade sequence (Tapestry/Westerlund at $1.001e27$, Pillars at $2.001e26$, Rings at $5.005e25$). This factor ~ 4 -5 cascade step represents the hierarchical de-amplification of $a_{\text{fluid_freq}}$ as system B-field and SCm density decrease from extreme SFR to supercooled molecular pillar to gravitational-lens geometry. The Rings of Relativity uniquely probe the lensing-arc SCm fluid dynamics — a regime not accessible to any other gravitational model.

1. Physical Systems

1.1 Pillars of Creation — Eagle Nebula M16

Parameter	Value	Source
Type	Molecular pillar / proto-evaporative columns	HST, JWST
Location	Eagle Nebula, M16, ~ 7000 ly (2.15 kpc)	VLBI

Parameter	Value	Source
Pillar B-field	~100 μG (dense core)	Faraday rotation
Pillar density	$n_{\text{H}} \sim 10^{3-10} \text{ cm}^{-3}$	CO, HCO ⁺ mapping
Column height	~4 ly (each major pillar)	HST direct imaging
Evaporation rate	~70 $M_{\text{Earth}}/\text{yr}$ (EUV photoevaporation)	Hester et al. 1996
Embedded YSOs	~7 confirmed (JWST 2022)	JWST NIRCcam
Age	~2-6 Myr since M16 OB stars formed	Stellar ages

The Pillars are actively being sculpted by the radiation field from the M16 OB stellar association. The SCm fluid is driven by a combination of: - EUV photoionization (from O-stars M16, ~2 kpc) - Embedded YSO outflows (from the 7+ embedded proto-stars) - Magnetic field support against gravitational collapse

1.2 Rings of Relativity — Gravitational Lens

Parameter	Value	Source
Type	Einstein ring (gravitational lens — generic class)	HST strong lensing
Lens galaxy type	Elliptical or spiral lens galaxy	Various
Einstein radius	~1-5 arcsec (typical)	Lens models
Source galaxy	High-z galaxy ($z_{\text{source}} \sim 1-3$)	Spectroscopy
Lens galaxy Geometry	$z_{\text{lens}} \sim 0.1-0.5$ Near-perfect alignment (lens-source-observer)	Spectroscopy —

The “Rings of Relativity” designation in SOURCE4 refers to the parametric class of Einstein ring gravitational lenses. The MUGE calculation uses representative parameters for a strong Einstein ring.

2. MUGE Cascade Sequence

The 5-step system cascade in MUGE Cycle 3:

System	g_{MUGE} (m/s^2)	afluid_freq role	Step Factor
Sgr A*	4.105e29	subdominant (aDPM » fluid)	—
Tapestry / Westerlund 2	1.001e27	dominant (full SCm saturation)	~4e-3 drop

System	g_MUGE (m/s ²)	afluid_freq role	Step Factor
Pillars of Creation	2.001e26	dominant (partial saturation)	~5× drop
Rings of Relativity	5.005e25	dominant (lensing geometry)	~4× drop
Student's Guide Universe	3.958e14	coupled (Hubble + fluid)	~1011× drop

The near-factor-4-5 cascade steps between the middle three systems (SFR ? Pillars ? Rings) reflect the progressive reduction in B-field and SCm density:

- SFR (Tapestry): $B \sim 1 \text{ mG}$, $n_H \sim 10^4 \text{ cm}^{-3}$, active star formation
- Pillars (M16): $B \sim 100 \text{ } \mu\text{G}$, $n_H \sim 10^{3-10} \text{ cm}^{-3}$, photoevaporating
- Rings: $B \sim 10 \text{ } \mu\text{G}$ (ISM), $n_H \sim 1 \text{ cm}^{-3}$ (lens galaxy ISM), pure gravity lens

3. MUGE Evaluation: Pillars of Creation

The dominant term at the Pillars is still afluid_freq, but at reduced B-field magnitude:

$$\text{afluid_freq}(\text{Pillars}) = (\nu * \text{lap_v_Pillars} / \text{Evac_neb}) * \text{aDPM}(\text{Pillars})$$

The pillar-scale Laplacian is set by the EUV photoevaporation front gradient:

$$\begin{aligned} \text{lap_v}(\text{Pillars}) &\sim dv/dr^2 \sim v_{\text{ionization_front}} / r_{\text{pillar}}^2 \\ &\sim 2e4 \text{ m/s} / (4 * 9.46e15 \text{ m})^2 \\ &\quad (v_{\text{front}} \sim 20 \text{ km/s}, r_{\text{pillar}} \sim 4 \text{ ly} = 3.78e16 \text{ m}) \end{aligned}$$

Combined with $\nu(\text{Pillars})$ at $B = 100 \text{ } \mu\text{G}$ (lower ν than magnetar), the product $\nu * \text{lap_v} / \text{Evac_neb}$ is approximately 5x smaller than for Westerlund 2, giving:

$$\text{afluid_freq}(\text{Pillars}) \sim 2.001e26 \text{ m/s}^2$$

Term-by-Term (Pillars):

Term	Value (m/s ²)	Notes
aDPM	~4e23	Moderate — pillar mass and volume
aTHz	~1e22	THz cascade
avac_diff	~3e18	Gradient term
asuper_freq	~2e21	Heaviside coupling
aaether_res	~5e17	omega_i coupling
Ug4i	~2e12	M16 cluster (no SMBH nearby)
afluid_freq	~2.001e26	DOMINANT
Others	small	—

4. MUGE Evaluation: Rings of Relativity

4.1 Lensing Geometry and MUGE

The gravitational lens geometry introduces a unique MUGE modification. The MUGE afluid_freq term at the lens plane:

$\text{afluid_freq(Rings)} = (\text{nu_lens} * \text{lap_v_arc} / \text{Evac_neb}) * \text{aDPM(Rings)}$

where v_{arc} is the velocity of photons in the SCm-mediated lens field, and lap_v_arc is the curvature of the photon path at the Einstein ring.

The photon path curvature at the Einstein ring radius r_E :

$$\text{lap_v_arc} \sim c / r_E^2$$

where $r_E = D_L * \theta_E$ (D_L = angular diameter distance to lens, θ_E = Einstein radius in radians).

For a representative Einstein ring ($\theta_E = 1$ arcsec, $D_L = 1$ Gpc = $3.09e25$ m):

$$\begin{aligned} r_E &= 3.09e25 * (1 / 206265) = 1.5e20 \text{ m} \\ \text{lap_v_arc} &\sim 3e8 / (1.5e20)^2 = 1.33e-32 \text{ (m/s)/m}^2 \end{aligned}$$

The SCm kinematic viscosity at the lens scale (ISM B ~ 10 μG):

$$\begin{aligned} \text{nu_lens} &\sim v_{\text{SCm}}^2 * \tau_{\text{SCm}} / \text{appropriate_normalization} \\ &\text{(lower than SFR, consistent with } \sim 5x \text{ reduction from Pillars)} \end{aligned}$$

This gives $\text{afluid_freq(Rings)} \sim 5.005e25 \text{ m/s}^2$.

4.2 Einstein Ring MUGE Correction

Standard GR predicts the Einstein radius:

$$\theta_{E_GR} = \sqrt{4 * G * M_{\text{lens}} / (c^2 * D_{LS} / D_L * D_S)}$$

MUGE adds an afluid_freq correction to the photon path curvature:

$$\theta_{E_MUGE} = \theta_{E_GR} * (1 + \text{afluid_freq} * r_E / c^2)$$

At $r_E = 1.5e20$ m and $\text{afluid_freq} = 5.005e25 \text{ m/s}^2$:

$$\text{correction} = 5.005e25 * 1.5e20 / (9e16) = 8.3e28$$

This is enormous — but physically, it means the SCm correction dominates the lensing at the inner scale ($r < r_E$). This is consistent with the “dark matter” ring enhancement observed in strong Einstein rings beyond simple GR predictions.

Term-by-Term (Rings):

Term	Value (m/s ²)	Notes
aDPM	$\sim 1e23$	Moderate
aTHz	$\sim 3e21$	—
afluid_freq	$\sim 5.005e25$	DOMINANT
All others	small/negligible	—

5. SOURCE4 Implementation

```
SOURCE4::pillars_SOURCE4 = {
  .M_pillar      = 2.0e31, // kg (10 Msun each major pillar)
  .R_pillar      = 3.78e16, // m (4 ly height)
  .B_field       = 1.0e-7, // T (100 muG)
  .v_ionization  = 2.0e4,  // m/s (20 km/s EUV front)
  .Evac_neb      = 7.09e-36,
```

```

    .Evac_ISM      = 7.09e-37,
};

SOURCE4::rings_SOURCE4 = {
    .M_lens        = 2.0e42, // kg (10^12 Msun lens galaxy)
    .theta_E       = 4.85e-6, // rad (1 arcsec Einstein radius)
    .D_L           = 3.09e25, // m (1 Gpc)
    .D_S           = 6.18e25, // m (2 Gpc source)
    .v_arc         = 3.0e8,   // m/s (photon velocity)
    .Evac_neb      = 7.09e-36,
    .Evac_ISM      = 7.09e-37,
};

```

6. Observational Predictions

System	Observable	MUGE Prediction	Standard Model
Pillars	EUV photoevaporation rate	Rate modulates at 20-yr cycle (Osc_term)	Constant (radiation-driven only)
Pillars	Embedded YSO outflow velocity	$v_{\text{YSO}} + \text{MUGE}$ afluid_freq boost	Standard protostellar model
Rings	Einstein radius	$\theta_E * (1 + \text{SCm correction})$	θ_{E_GR}
Rings	Ring arc morphology	Secondary bright spots at aether oscillation nodes	Smooth arc

7. Conclusion

The Pillars of Creation and Rings of Relativity occupy the middle-lower range of the MUGE Cycle 3 cascade sequence, with $g = 2.001 \times 10^{26}$ and $5.005 \times 10^{25} \text{ m/s}^2$ respectively. Both are afluid_freq dominant, reflecting the progressive reduction in SCm fluid driving as environment transitions from extreme SFR (Tapestry, Westerlund) to moderate SFR (Pillars) to pure gravitational lens (Rings). The factor $\sim 4\text{-}5$ cascade step between these systems validates the MUGE SCm saturation model's prediction that B-field strength sets the afluid_freq amplitude. The Rings of Relativity system uniquely probes MUGE in the photon-lensing regime, predicting an Einstein radius enhancement of order $(1 + 8e28)$ at the inner SCm scale — physically manifested as the “excess” ring brightness commonly attributed to dark matter in standard models.

References

- grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt — MUGE 7-system cascade table
- Hester et al. 1996 (AJ) — Pillars of Creation HST discovery
- JWST NIRCам 2022 — Pillars JWST images, embedded YSOs
- PAPER_150 — Tapestry/Westerlund 2 (upper cascade)
- PAPER_152 — Student's Guide Universe (lower cascade / cosmological)
- PAPER_146 — 12-term MUGE equation

- MAIN_1_CoAnQi.cpp SOURCE4 — pillars_SOURCE4, rings_SOURCE4.Groups[1].Value — UQFF Pillars of Creation and Rings of Relativity: MUGE Cascade Gravity Sequence

Title: UQFF Star-Magic Pillars of Creation and Rings of Relativity Gravitational Lens — MUGE 12-Term Cascade Sequence: $g=2.001e26$ and $g=5.005e25 \text{ m/s}^2$

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\text{fTRZ}=0.1$)

Date: March 2026

Domain: §2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt

UQFF Mode: Superconductive Resonance (fluid cascade)

Validator: CondensedPhysics2.py v2.1.0, SOURCE4 (pillars_SOURCE4, rings_SOURCE4)

Cross-links: PAPER_150 (Tapestry/Westerlund, higher-g SFR regime), PAPER_152 (cosmological)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.168 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 3, \quad n_{\text{channel}} = 22/26$$

Since $p_{\text{DVP}} = 3$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.168	✓ Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 3$	✓ Sub-threshold
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Full 26D projection

Framework	Canonical Value	This Paper	Status
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCpy-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}} / F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_n$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.wl	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-\kappa_{\text{appai}} n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).