

PAPER_242 — Rings of Relativity: Einstein Ring Lensing Amplification in the Full MUGE

Date: October 2025 ## GAL-CLUS-022058s — Static Einstein-Ring Lensing Factor in the Master Universal Gravity Equation

Author: Daniel T. Murphy

Framework: Unified Quantum Field Framework (UQFF) v4.10

Calculator Class: RingsOfRelativityEinsteinLensingMUGECalculator (CP3, Session 60)

Encoded By: Grok (xAI), October 2025 (C++ source); Python CP3 integration March 2026

Version: 1.0 | **Session:** 60 | **PAPER Number:** 242

Abstract

This paper presents the full Master Universal Gravity Equation (MUGE) for the GAL-CLUS-022058s gravitational lens system (“Rings of Relativity”). The key unique mathematical contribution is the **static Einstein ring lensing amplification factor** L_t , derived from the angular diameter distance ratio D_{LS}/D_S and the Schwarzschild radius of the galaxy cluster lens, applied as a multiplicative correction to the base gravitational field.

This is expressly **distinct** from the dynamic lensing modulation $L(t) = L_0 e^{-t/\tau} \cos(\omega t)$ already captured in CP3 class 81 (UQFFLensingModulationRingsCalculator, Session 53). The present paper captures the static, geometry-driven Einstein ring correction.

2. System Parameters

Parameter	Symbol	Value	Units
Lens mass	M	$10^{14} M_{\odot}$	kg
Einstein radius	r	3.086×10^{20}	m (~10 kpc)
Redshift of lens	z_{lens}	0.5	dimensionless
Angular distance ratio	$L_{\text{factor}} = D_{LS}/D_S$	0.67	dimensionless
Magnetic field	B	10^{-5}	T
Gas velocity	v_{gas}	10^5	m/s
Oscillatory amplitude	A_{osc}	10^{-12}	m/s ²

3. The Novel Lensing Amplification Term

3.1 Einstein Ring Lensing Factor

The static gravitational lensing amplification of the measured gravitational field along the line of sight through the Einstein ring geometry:

$$L_t = \frac{GM}{c^2 r} \cdot L_{\text{factor}}, \quad L_{\text{factor}} = \frac{D_{LS}}{D_S} = 0.67$$

$$\text{corr}_L = 1 + L_t$$

where: - GM/c^2r is the dimensionless Schwarzschild-radius-to-Einstein-radius ratio - D_{LS} = angular diameter distance from lens to source - D_S = angular diameter distance from observer to source - The factor D_{LS}/D_S encodes the lensing geometry in the single-lens single-source approximation

3.2 Friedmann Correction at $z = 0.5$

$$H(z = 0.5) = H_0 \sqrt{\Omega_m(1+z)^3 + \Omega_\Lambda} = H_0 \sqrt{0.3 \cdot (1.5)^3 + 0.7}$$

This mid-redshift Friedmann correction is distinct from $z = 0$ (local), $z = 3.5$ (HUDF), or $z = 0.01$ (nearby lenses) used in earlier classes.

4. Full MUGE: All Nine Terms

$$g_{\text{Rings}}(r, t) = \underbrace{T_1}_{\text{base+H+B+L}} + \underbrace{T_2}_{\text{UQFF}} + \underbrace{T_3}_{\Lambda} + \underbrace{T_4}_{\text{EM}} + \underbrace{T_q}_{\text{QM}} + \underbrace{T_{\text{fl}}}_{\text{fluid}} + \underbrace{T_{\text{osc}}}_{\text{2-mode}} + \underbrace{T_{\text{DM}}}_{\text{DM+pert2}} + \underbrace{T_{\text{wind}}}_{\text{stellar wind}}$$

Term 1 — Base gravity with $H(z)$, magnetic, Einstein lensing:

$$T_1 = \frac{GM}{r^2} (1 + H(z)t) (1 - B/B_{\text{crit}}) (1 + L_t)$$

Term 2 — UQFF unified field with time-reversal:

$$T_2 = (U_{g1} + U_{g4}) (1 + f_{TRZ})$$

Term 3 — Cosmological constant:

$$T_3 = \frac{\Lambda c^2}{3}$$

Term 4 — Electromagnetic with vacuum density ratio:

$$T_4 = \frac{qv_{\text{gas}}B}{m_p} \left(1 + \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} \right) \cdot s_{\text{EM}}, \quad \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} = \frac{7.09 \times 10^{-36}}{7.09 \times 10^{-37}} = 10$$

Term 5 — Quantum uncertainty:

$$T_q = \frac{\hbar}{\sqrt{\Delta x \Delta p}} \psi \frac{2\pi}{t_H}$$

Term 6 — Fluid (buoyancy-acceleration):

$$T_{\text{fl}} = \frac{\rho_{\text{fluid}} V g_{\text{base}}}{M}$$

Term 7 — Two-mode oscillation (standing wave + traveling wave):

$$T_{\text{osc}} = 2A \cos(kx) \cos(\omega t) + \frac{2\pi}{t_{\text{Gyr}}} A \cos(kx - \omega t)$$

The first mode is a **standing wave decomposition** ($2 \cos \cos$); the second mode is a **Gyr-scaled traveling wave**. Together they form a beating-mode pair unique to this system.

Term 8 – Dark matter with $\delta_2 = 3GM/r^3$ perturbation:

$$T_{\text{DM}} = \frac{(M + M_{\text{DM}})(\delta\rho/\rho + 3GM/r^3)}{M}$$

The second-order perturbation $3GM/r^3$ is a tidal-force density correction distinct from density-contrast $\delta\rho/\rho$.

Term 9 – Stellar wind feedback:

$$T_{\text{wind}} = \frac{\rho_{\text{wind}} v_{\text{wind}}^2}{\rho_{\text{fluid}}}$$

5. Distinction from Prior Art

Feature	Class 81 (Session 53)	This class (Session 60)
Lensing factor	$L(t) = L_0 e^{-t/\tau} \cos(\omega_{\text{lens}} t)$	$L_t = (GM/c^2 r) \cdot (D_{LS}/D_S)$
Physics	Dynamic lens transit alignment	Static Einstein ring geometry
Time dependence	Yes (decaying oscillation)	No (geometric constant)
Parameter	$L_0 = 0.15, \tau_{\text{lens}}, \omega_{\text{lens}}$	$L_{\text{factor}} = 0.67$ (distance ratio)
Oscillation	None	Two-mode standing + traveling wave
DM pert2	Not present	$3GM/r^3$ tidal correction
Wind term	Not present	$\rho_w v_w^2 / \rho_{\text{fl}}$

6. Numerical Verification

Using default parameters ($M = 1.989 \times 10^{44}$ kg, $r = 3.086 \times 10^{20}$ m, $z = 0.5$):

$$L_t = \frac{(6.6743 \times 10^{-11})(1.989 \times 10^{44})}{(2.998 \times 10^8)^2 (3.086 \times 10^{20})} \times 0.67 \approx 1.6 \times 10^{-3}$$

$$\text{corr}_L \approx 1.0016 \quad (\sim 0.16\% \text{ amplification})$$

$$H(z = 0.5) = H_0 \sqrt{0.3 \times 3.375 + 0.7} \approx 1.27 H_0$$

The lensing correction is small but non-zero and physically motivated by the Einstein ring geometry of GAL-CLUS-022058s ($\theta_E \approx 10''$, confirmed by HST imaging).

7. Integration Into UQFF Pipeline

- **CP3 class:** RingsOfRelativityEinsteinLensingMUGECalculator (112th calculator, Session 60)
 - **Aggregator:** v2.4.0 — registered in CP3_CALCULATORS
 - **Source:** Doc 8 C++ class RingsOfRelativity (Grok/xAI, October 2025)
 - **Complementary classes:**
 - Class 81 UQFFLensingModulationRingsCalculator — dynamic lens transit
 - Class 111 NGC3603FullMUGECavityPressureCalculator — companion new class (PAPER_243)
-

8. References

- Hubble Space Telescope imaging of GAL-CLUS-022058s (Infante et al. 2022)
 - Einstein (1936): Lens-star problem, Science 84, 506
 - Schneider, Ehlers & Falco (1992): Gravitational Lenses, Springer
 - Murphy, D.T. (2025): UQFF Manuscript — Doc 8 (Rings of Relativity MUGE, October 2025)
 - Grok (xAI): C++ class RingsOfRelativity, encoded October 2025
-

PAPER_242 | Session 60 | CP3 class 111 (RingsOfRelativityEinsteinLensingMUGECalculator) | UQFF v4.10

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see uqff_lagrangian_derivation.py).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{BH}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac},[\text{SCm}]}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.109 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 5, \quad n_{\text{channel}} = 9/26$$

Since $p_{\text{DVP}} = 5$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is $10^6 \text{ M_BH/M}_\odot \text{ yr}$ (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_\odot}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.109	✓ Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 5$	✓ Sub-threshold
BSH layers	26 harmonic terms	$j = 1\dots 26$, $\cos(2\pi j/26)$	✓ Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1 - z^{1-26}) + 2^{\{1-26\}/(1-2)} \{1-26\} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_{26}$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_{26}$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_{26}$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).