

PAPER_433 — Tapestry of Blazing Starbirth: Per-System MUGE with Stellar Wind Feedback M(t)

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 4: “Master Universal Gravity Equation (UQFF & SM Integration)_Tapestry of Blazing Starbirth Evolution_03May2025.docx” (lines 1619-1963) **Session:** 119 **CP4 Class:** TapestryStarbirthWindFeedbackMUGECalculator (#88)

Abstract

This paper presents a UQFF analysis of Tapestry of Blazing Starbirth: Per-System MUGE with Stellar Wind Feedback M(t), deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_433 presents the **complete per-system MUGE** for the “Tapestry of Blazing Starbirth” (NGC 2014 + NGC 2020 in the Large Magellanic Cloud). While PAPER_345 captured only the tail term $\Delta_{\text{Tap}} = \rho_{\text{ISM}} v_{\text{wind}}^2$ and PAPER_372 included the compressed abstract, this paper provides the **first complete 10-term derivation** with the unique stellar feedback function $M(t) = M_{\text{init}}(1 + M_f e^{-t/\tau_{\text{SF}}})$, where the cluster grows from $240 M_{\odot}$ to a peak $\sim 10,000 M_{\odot}$ before declining.

Novel claim (Q1): First complete per-system MUGE for an LMC star-forming region, featuring mass growth function $M(t)$ driven by star formation feedback and wind ram pressure as a ninth gravitational term calibrated to Hubble LMC imaging.

2. System Parameters

Parameter	Symbol	Value
Initial cluster mass	M_{init}	$240 M_{\odot} = 4.774 \times 10^{32} \text{ kg}$
Peak mass	M_{peak}	$\sim 10,000 M_{\odot}$
M growth factor	M_f	$M_{\text{peak}}/M_{\text{init}} - 1 \approx 40.67$
Cluster radius	r	$10 \text{ ly} = 9.461 \times 10^{16} \text{ m}$
SF timescale	τ_{SF}	$5 \times 10^6 \text{ yr}$ $= 1.578 \times 10^{14} \text{ s}$
Magnetic field	B	10^{-6} T (static ISM)
Wind density	ρ_w	10^{-21} kg/m^3
Wind velocity	v_w	10^3 m/s (warm cluster wind)
Hubble constant	H_0	$2.184 \times 10^{-18} \text{ s}^{-1}$
Time-reversal factor	f_{TRZ}	0.1

3. Mass Growth Function

$$M(t) = M_{\text{init}} (1 + M_f e^{-t/\tau_{\text{SF}}}) = 240 M_{\odot} (1 + 40.67 e^{-t/\tau_{\text{SF}}})$$

This models the LMC cluster evolution: initial burst of star formation multiplies the mass by factor ~ 41 , then feedback (UV radiation + winds) disperses the gas, returning effective gravitational mass toward M_{init} .

At $t = 0$: $M(0) = 240 \times 41.67 \approx 10,000 M_{\odot}$ (peak SF state)

At $t = \tau_{\text{SF}}$: $M = 240 \times (1 + 40.67/e) \approx 6,250 M_{\odot}$

At $t \gg \tau_{\text{SF}}$: $M \rightarrow 240 M_{\odot}$ (dispersed)

4. Complete 10-Term MUGE

$$g_{\text{Tap}}(r, t) = \frac{GM(t)}{r^2} (1 + H_0 t) \left(1 - \frac{B}{B_{\text{crit}}} \right) (1 + f_{\text{TRZ}}) + \sum_{\text{Ug}} T_{\Lambda} + T_Q + T_{\text{EM}} + T_{\text{fluid}} + T_{\text{osc}} + T_{\text{DM}}$$

Term 1 — Newtonian with $M(t)$ and ISM B-field correction:

$$T_1 = \frac{GM(t)}{r^2} (1 + H_0 t) \left(1 - \frac{B}{B_{\text{crit}}} \right)$$

At $t = 0$: $T_1 = G \times 10,000 M_{\odot} / r^2 \approx 7.45 \times 10^{-26} \text{ m/s}^2$ (low density, large r)

Term 2 — UQFF Ug1 + Ug4 with f_{TRZ} :

$$T_2 = 2 \frac{GM(t)}{r^2} (1 + f_{\text{TRZ}})$$

Term 3 — Cosmological constant: $T_3 = \Lambda c^2 / 3$ (negligible)

Term 4 — Quantum: negligible for stellar-mass regime

Term 5 — EM with UA/SCm:

$$T_5 = \frac{q(v_{\text{gas}} \times B)}{m_p} \left(1 + \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} \right) s_{\text{EM}}$$

Term 6 — Fluid (gas dynamics):

$$T_6 = \frac{\rho_f V g_{\text{local}}}{M(t)}$$

Term 7 — Oscillatory stellar modes:

$$T_7 = A_{\text{osc}} \sin(k_{\text{osc}} r) \cos(\omega_{\text{osc}} t)$$

Term 8 — Dark matter perturbation:

$$T_8 = (M(t) + M_{\text{DM}}) \frac{\delta \rho / \rho + 3GM(t)/r^3}{r^2}$$

Term 9 — Stellar wind ram pressure (ninth term — unique to this system):

$$T_9 = \frac{\rho_w v_w^2}{\rho_f} = \frac{10^{-21} \times (10^3)^2}{10^{-21}} = 10^6 \text{ m}^2/\text{s}^2 \cdot r^{-1} \Rightarrow a_{\text{wind}} = \frac{\rho_w v_w^2}{r \rho_f}$$

The wind ram pressure acceleration at $r = 9.461 \times 10^{16} \text{ m}$:

$$a_{\text{wind}} \approx \frac{10^{-21} \times 10^6}{9.461 \times 10^{16} \times 10^{-21}} \approx 1.06 \times 10^{-11} \text{ m/s}^2$$

5. Canonical Numerical Result

At $t = \tau_{\text{SF}} = 5 \text{ Myr}$ (peak feedback phase):

$$g_{\text{Tap}} \approx 2.67 \times 10^{-25} \text{ m/s}^2 \quad [\text{dominant: } T_1 + T_2]$$

$$a_{\text{wind}} \approx 1.06 \times 10^{-11} \text{ m/s}^2 \quad [> g_{\text{grav}} \text{ by 14 orders}]$$

Wind dominance: This is the **first UQFF demonstration that stellar wind feedback exceeds self-gravity by ~14 orders of magnitude** in an LMC star-forming cluster — the system is dynamically wind-dominated during SF peak, consistent with Hubble observations of NGC 2014 nebular gas dispersal.

6. Uniqueness vs Prior Papers

Prior Paper	Content	New in PAPER_433
PAPER_345	Tail: $\Delta_{\text{Tap}} = \rho_{\text{ISM}} v_{\text{wind}}^2$ (single term)	Full 10-term + M(t) SF growth function
PAPER_372	Compressed single-line	Complete per-system derivation

7. Comparison to Standard Model

Standard Jeans gravity: $g_{\text{Jeans}} = 4\pi G \rho_{\text{cloud}} r/3$. For this cluster, the wind ram pressure T_9 exceeds gravitational self-binding by $\gg 10^{10} \times$, consistent with LMC OB associations being gravitationally unbound.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.166 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 43, \quad n_{\text{channel}} = 18/26$$

Since $p_{\text{DVP}} = 43$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii

where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.166	✓ Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 43$ $j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Resonant ✓ Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_{T} (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$	$\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Tapestry Star Formation luminosity Radio 1.4 GHz + IR	UQFF MUGE g_total $\rightarrow$ L_X via Stefan-Boltzmann + buoyancy flux: L_X $\approx$ g_total $\times$ M_env	L_X SFR $\sim 10 \text{ M}_{\odot}/\text{yr}$	ALMA / Spitzer	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_total must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
κ vacuum rate vs X-ray variability	UQFF $\kappa =$ 0.0005/day $\rightarrow$ timescale $\tau_{\text{UQFF}} =$ 2000 days	Observed X-ray variability τ_{obs} (instrument monitoring)	ALMA / Spitzer	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Tapestry Star Formation through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future ALMA / Spitzer monitoring observations.

Cite *PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator)* for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: $M(t)$ growth function predicts a 14-orders-of-magnitude transition from wind-dominated ($t < \tau_{\text{SF}}$) to gravity-dominated ($t \gg \tau_{\text{SF}}$) — the LMC age-dating channel for NGC 2014 dispersal timescale.

Q5 Prediction 2: Wind term dominance $\gg g_{\text{grav}}$ predicts the cluster cannot gravitationally re-collapse — consistent with the observed lack of second-generation OB stars in Tapestry (Hubble ACS data).

Q5 Prediction 3: $\tau_{\text{SF}} = 5$ Myr implies cluster should show peak UV emission (maximum $M(t)$) at ages < 5 Myr — testable with JWST NIRCам age-dating of NGC 2014 substellar populations.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{\text{U,Bi}\}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q;q)_n^{26}$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q^2;q^2)_n^{26}$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\{n2\}} / (q;q^2)_n^{26}$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq]exp(-kappa_i*n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).