

PAPER_446 — UQFFSource10: First Primary Text Module — 5-Force Framework & 26-Layer Triadic $g(r,t)$

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 19: "Source10_TextModule_cpp_08Oct2025.docx" (lines 5900–7559) **Session:** 119 **CP4 Class:** UQFFSource10_5ForceFramework_TriadicGravity_Calculation (#101)

Abstract

This paper presents a UQFF analysis of UQFFSource10: First Primary Text Module — 5-Force Framework & 26-Layer Triadic $g(r,t)$, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_446 documents the **UQFFSource10** C++ module — the first primary text module in the Star Magic architecture (Source12.cpp main), consolidating all per-system MUGE equations, variables, and solutions from PAPER_430–445 (17 documents) into a single computational catalogue. Source10 serves as the **aggregation hub** for 500+ UQFF source modules through aliased `#include` declarations.

Novel claim (Q1): First UQFF paper fully documenting the **5-Force Framework** — five quantum-gravitational force channels that are catalogued and computed in a single unified class, spanning from lab scale (LENR: 10^{-10} m) to cosmic scale (26-layer triadic $g(r,t)$ summed over 26 dimensional spheres):

1. **Vacuum Repulsion:** $F_{\text{vac_rep}} = k_{\text{vac}} \Delta \rho_{\text{vac}} M v$
2. **THz Shock:** $F_{\text{thz_shock}} = k_{\text{thz}} (\omega_{\text{thz}} / \omega_0)^2 \cdot \eta_n \cdot \xi_c$
3. **Hydrogen Conduit:** $F_{\text{conduit}} = k_{\text{conduit}} (H_{\text{abun}} \cdot w_{\text{state}}) \cdot \eta_n$
4. **Spooky Action:** $F_{\text{spooky}} = k_{\text{spooky}} (\lambda_{\text{sw}} / \omega_0)$
5. **DPM Resonance:** $Q_{\text{DPM}} = (g_H \mu_B B_0) / (\hbar \omega_0) \times 2.82 \times 10^{-56}$

Plus the **26-layer triadic gravity** completing the buoyancy integral $F_{U,Bi,i} = \text{integrand} \times x^2$.

2. Module Architecture

Integration into Source12.cpp (Star Magic)

```
#include "UQFFSource10.h"           // This module
#include "MagnetarSGR0501_4516.h"   // PAPER_430
#include "MagnetarSGR1745_2900.h"   // PAPER_431
#include "SMBHSGrAStar.h"           // PAPER_432
...                                  // All 500+ modules
UQFF::Source10 source10;
source10.setVariable("g_H", 1.252e46);
double f = source10.compute_F_U_Bi_i(t);
```

Source10 installs **all prior modules as C++ using declarations**, making PAPER_430–445 accessible in the main architecture as the first primary text module.

Class Structure

Component	Lines	Purpose
UQFFCore struct	member	$F_{U,Bi,i}$, integrand, x^2
VacuumRepulsion struct	member	$F_{\text{vac_rep}}$ parameters
5 force parameters	private members	$k_{\text{thz}}, k_{\text{conduit}}, k_{\text{spooky}}$, etc.
26-layer vectors	Ug1_vec-Ug4_vec	26 triadic layers
Catalogue variables	private	$g_H, \mu_B, B_0, \hbar, \omega_0$
compute_F_U_Bi_i(t)	method	Buoyancy force
compute_g_UQFF(r,t)	method	26-layer gravity
compute_DPM_resonance()	method	DPM energy density
batch_compute_*	method	Multi-system profiling

3. The 5-Force Framework — Complete Equations

Force 1: Vacuum Repulsion (Analogy to Surface Tension)

$$F_{\text{vac_rep}} = k_{\text{vac}} \cdot \Delta\rho_{\text{vac}} \cdot M \cdot v$$

Parameter	Value	Description
k_{vac}	$6.674 \times 10^{-11} \text{ N}\cdot\text{m}^2/\text{kg}^2$	Gravitational coupling
$\Delta\rho_{\text{vac}}$	variable	Vacuum density perturbation
M	variable	System mass
v	variable	Velocity

Physical meaning: Analogous to surface tension — vacuum density perturbations at the boundary of a collapsing or expanding region create a repulsive pressure that modifies the effective gravitational field. The “spike/drop” behavior mirrors surface tension at fluid interfaces.

Example (Eta Carinae): $F_{\text{vac_rep}} \approx 1.23 \times 10^{45} \text{ N}$ (from catalogue default)

Force 2: THz Shock — Tail Star Formation

$$F_{\text{thz_shock}} = k_{\text{thz}} \left(\frac{\omega_{\text{thz}}}{\omega_0} \right)^2 \cdot \eta_n \cdot \xi_c$$

Parameter	Symbol	Value
Boltzmann constant	k_{thz}	$1.38 \times 10^{-23} \text{ J/K}$
THz frequency	ω_{thz}	$1.2 \times 10^{12} \text{ Hz}$
Base frequency	ω_0	10^{12} Hz
Neutron stability	η_n	1.0 (stable) or 0 (unstable)
Conduit scale	ξ_c	10^{12} (dimensional scale factor)

$$\left(\frac{\omega_{\text{thz}}}{\omega_0}\right)^2 = \left(\frac{1.2 \times 10^{12}}{10^{12}}\right)^2 = 1.44$$

$$F_{\text{thz_shock}} = 1.38 \times 10^{-23} \times 1.44 \times 1.0 \times 10^{12} = 1.987 \times 10^{-11} \text{ J (energy density proxy)}$$

Physical meaning: 26-layer THz communication channels in the U_m field (stellar wind/magnetic layers). Star formation “tail” regions where shockwave communication between layers occurs at THz frequencies — scale factor $\xi_c = 10^{12}$ bridges quantum-level THz to macroscopic astrophysical scales.

Catalogue default: $F_{\text{thz_shock}} \approx 4.56 \times 10^{78}$ (Eta Carinae scale, fully scaled)

Force 3: Hydrogen Conduit (H + H₂O Abundance)

$$F_{\text{conduit}} = k_{\text{conduit}} \cdot (H_{\text{abun}} \times w_{\text{state}}) \cdot \eta_n$$

Parameter	Symbol	Value
Coulomb constant	k_{conduit}	$8.99 \times 10^9 \text{ N}\cdot\text{m}^2/\text{C}^2$
H abundance	H_{abun}	0.74 (cosmological hydrogen fraction)
Water state	w_{state}	1.0 (incompressible/stable)
Neutron stability	η_n	1.0 (stable)

$$F_{\text{conduit}} = 8.99 \times 10^9 \times (0.74 \times 1.0) \times 1.0 = 6.65 \times 10^9 \text{ N}$$

Physical meaning: Hydrogen-water molecular conduit channel — $\text{H} + \text{H}_2\text{O} \rightarrow \text{COx}$ pathway. The hydrogen fraction $H_{\text{abun}} = 0.74$ (Big Bang nucleosynthesis primordial value) couples to the water incompressibility state $w_{\text{state}} = 1$ via the electrostatic constant k_{conduit} . Represents the electromagnetic conduit for proton-neutron field coupling in dense environments (LENR analog). When $w_{\text{state}} < 1$ (compressible/hot plasma), conduit weakens.

Catalogue default: $F_{\text{conduit}} \approx 3.45 \times 10^{67}$ (extreme astrophysical scale)

Force 4: Spooky Action (Quantum String/Wave)

$$F_{\text{spooky}} = k_{\text{spooky}} \cdot \frac{\lambda_{\text{sw}}}{\omega_0}$$

Parameter	Symbol	Value
Spooky coupling	k_{spooky}	1.11×10^{-34} (near $\hbar$)

Parameter	Symbol	Value
String wave frequency	λ_{sw}	5.0×10^{14} Hz (optical photon range)
Base frequency	ω_0	10^{12} Hz

$$F_{\text{spooky}} = 1.11 \times 10^{-34} \times \frac{5.0 \times 10^{14}}{10^{12}} = 1.11 \times 10^{-34} \times 500 = 5.55 \times 10^{-32} \text{ N}$$

Physical meaning: Quantum entanglement analogy — “spooky action at a distance” expressed as a string/wave frequency ratio force. The coupling constant $k_{\text{spooky}} \approx \hbar$ (reduced Planck constant = 1.055×10^{-34}) encodes the quantum nature. At $\lambda_{\text{sw}} = 5 \times 10^{14}$ Hz (optical), the ratio $\lambda_{\text{sw}}/\omega_0 = 500$ amplifies the Planck-scale coupling to a mesoscopic quantum force — relevant to quantum gravity at atomic scales. Catalogue default $F_{\text{spooky}} \approx 2.71 \times 10^{89}$ demonstrates extreme extrapolation to Eta Carinae parameters.

Force 5: DPM Resonance — Long-Form Calculation

$$Q_{\text{DPM}} = \frac{g_H \mu_B B_0}{\hbar \omega_0} \times 2.82 \times 10^{-56} \approx 3.11 \times 10^9 \text{ J/m}^3$$

Long-form computation (Eta Carinae example):

Step 1: $g_H = 1.252 \times 10^{46}$ (hydrogen UQFF g-factor)

Step 2: $\mu_B B_0 = 9.274 \times 10^{-24} \times 10^{-4} = 9.274 \times 10^{-28} \text{ J}$

Step 3: $g_H \mu_B B_0 = 1.252 \times 10^{46} \times 9.274 \times 10^{-28} = 1.161 \times 10^{19} \text{ J}$

Step 4: $\hbar \omega_0 = 1.0546 \times 10^{-34} \times 10^{-12} = 1.0546 \times 10^{-46} \text{ J}\cdot\text{s}^2$

Step 5: base = $\frac{1.161 \times 10^{19}}{1.0546 \times 10^{-46}} = 1.101 \times 10^{65}$

Step 6: $Q_{\text{DPM}} = 1.101 \times 10^{65} \times 2.82 \times 10^{-56} = 3.11 \times 10^9 \text{ J/m}^3$

$$Q_{\text{DPM}} \approx 3.11 \times 10^9 \text{ J/m}^3$$

4. The 26-Layer Triadic Gravity and F_U_Bi_i

26-Layer g(r,t) Equation

$$g(r, t) = \sum_{i=1}^{26} (U g 1_i + U g 2_i + U g 3_i + U g 4_i)$$

Each layer i indexed from 1-26 (corresponding to 26 dimensional spheres in the UQFF cosmological framework):

Vector	Default Value (per layer)	Physical Channel
$Ug1_i$	4.645×10^{11}	Magnetic dipole
$Ug2_i$	0.0 (variable)	Charge-reactivity
$Ug3_i$	0.0 (variable)	String rotation
$Ug4_i$	4.512×10^{11}	Vacuum concentration

$$g_{\text{triadic}}(t = 0) = \sum_{i=1}^{26} (4.645 + 0 + 0 + 4.512) \times 10^{11} = 26 \times 9.157 \times 10^{11} \approx 2.38 \times 10^{13} \text{ m/s}^2$$

Buoyancy Integral $F_{U_Bi_i}$ (Eta Carinae Example)

$$F_{U,Bi,i} = \text{integrand} \times x^2 + T_{\text{LENR}} + T_{\text{DE}} + T_{\text{resonance}} + T_{\text{rel}}$$

Term	Value	Description
$\text{integrand} \times x^2$	$1.56 \times 10^{36} \times 1.35 \times 10^{172} = 2.106 \times 10^{208}$	Core buoyancy
T_{LENR}	1×10^{12} (configurable)	LENR contribution
T_{DE}	1.0	Dark energy
$T_{\text{resonance}} \times \eta_n$	~ 1.0	THz resonance
T_{rel}	4.30×10^{33}	Relativistic (LEP data)

$$F_{U,Bi,i}(\text{Eta Car}) \approx 2.11 \times 10^{208} \text{ N}$$

5. Module Upgrades (Second Iteration)

Source10 was upgraded from initial to production version with four improvements:

Upgrade	Old	New
RNG	<cstdlib>/<ctime>	<random> mt19937 seeded via chrono
Scaling	Hardcoded	map<string,double> + loadConfig(file)
Execution	Interactive only	Batch: ./Source10 t=1e6 count=1000
Performance	Serial	<chrono> profiling + #pragma omp parallel for

6. Uniqueness vs Prior Papers

Prior Paper	Overlap	New in PAPER_446
PAPER_430-445	All per-system MUGE	Source10 is the AGGREGATOR — 1 class for all
PAPER_432	DPM resonance hint	First full long-form Q_{DPM} computation
None	5-force framework	$F_{\text{vac}}, F_{\text{thz}}, F_{\text{conduit}}, F_{\text{spooky}}, Q_{\text{DPM}}$ in one module
None	batch_compute_*	First UQFF multi-system profiling capability
None	LENR lab-cosmic bridge	$k_{\text{thz}} = k_B$ links thermodynamics to UQFF

7. Comparison to Standard Model

Standard physics has no equivalent of the 5-force framework: The SM’s 4 forces (gravity, EM, weak, strong) have no “THz conduit” or “spooky action” force. The key SM comparison:

- **SM vacuum energy:** The cosmological constant $\Lambda = 1.11 \times 10^{-52} \text{ m}^{-2}$ implies vacuum energy density $\rho_{\text{vac}} = \Lambda c^2 / (8\pi G) \approx 5.7 \times 10^{-27} \text{ kg/m}^3$. UQFF’s $F_{\text{vac_rep}}$ addresses the same vacuum energy but as a dynamic force term, not a static background — potentially resolving the “cosmological constant problem” by making vacuum energy system-dependent.
- **SM quantum zeta:** The F_{spooky} term ($k_{\text{spooky}} \approx \hbar$) replicates the quantum zero-point energy coupling but extends it to string-wave frequencies, yielding a mesoscopic force intermediate between QFT vacuum fluctuations and macroscopic electromagnetism.
- **SM LENR:** Conventionally not recognized in the SM as a viable nuclear process. UQFF’s F_{conduit} with $k_{\text{conduit}} = k_{\text{Coulomb}}$ and $H_{\text{abun}} = 0.74$ proposes an $\text{H} + \text{H}_2\text{O} \rightarrow \text{COx}$ tunnel-assisted pathway governed by the same electrostatic coupling as molecular bond formation — making LENR a specific limit of the conduit force.

8. Testable Predictions

Q5 Prediction 1: $Q_{\text{DPM}} = 3.11 \times 10^9 \text{ J/m}^3$ predicts an energy density anomaly at NMR/EPR resonance conditions ($B_0 = 10^{-4} \text{ T}$, $\omega_0 = 10^{-12} \text{ Hz} \rightarrow \omega_{\text{NMR}} = g_H \mu_B B_0 / \hbar \approx 1.252 \times 10^{46} \times 9.274 \times 10^{-28} / 1.055 \times 10^{-34} \approx 1.1 \times 10^{53} \text{ rad/s}$ — **this extreme value confirms g_H operates on cosmological scales not accessible to terrestrial NMR**). For a scaled-down terrestrial test: set $g_H = 5.585$ (proton g -factor) and $B_0 = 10 \text{ T}$: $Q_{\text{DPM}}^{\text{lab}} = 5.585 \times 9.274 \times 10^{-24} \times 10 / (1.055 \times 10^{-34} \times 10^{12}) \times 2.82 \times 10^{-56} \approx 1.4 \times 10^{-45} \text{ J/m}^3$ — the scaling factor 2.82×10^{-56} is the normalization bridge between cosmological and lab g_H values, testable via precision EPR at NIST.

Q5 Prediction 2: $F_{\text{conduit}} \propto H_{\text{abun}} = 0.74$ predicts that the LENR conduit force scales linearly with hydrogen abundance. In hydrogen-depleted environments ($H_{\text{abun}} \rightarrow 0$), $F_{\text{conduit}} \rightarrow 0$, meaning UQFF predicts NO LENR-like processes in helium-dominated white dwarf interiors ($H_{\text{abun}} \approx 0.03$) — a $\sim 25\times$ suppression. Testable via comparison of anomalous heat signatures in H-rich vs He-rich Inertial Confinement Fusion (ICF) target plasmas at NIF.

Q5 Prediction 3: The 26-layer triadic sum $g_{\text{triadic}} \approx 2.38 \times 10^{13} \text{ m/s}^2$ (at default Ug1 and Ug4 layer values) represents the maximum UQFF field in the framework. PAPER_446 predicts that for any astrophysical system with $r > 10^{15} \text{ m}$, the per-layer contribution $g_i = GM(r)/r^2$ must be $< 2.38 \times 10^{13}/26 = 9.15 \times 10^{11} \text{ m/s}^2$ — meaning the 26-layer cap is only exceeded in neutron star surface gravity ($g_{\text{NS}} \sim 10^{12} \text{ m/s}^2$), which requires Ug1 layer enhancement (magnetar term from PAPER_430). Testable via pulse timing of PSR J0030+0451 with NICER, where timing residuals constrain the number of active Ug layers.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.101 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 103, \quad n_{\text{channel}} = 5/26$$

Since $p_{\text{DVP}} = 103$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.101	✓ Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 103$	✓ Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Full 26D projection

Framework	Canonical Value	This Paper	Status
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF K_HIGGS=47.34 $\rightarrow$ $m_H_{\text{UQFF}} = 125.09 \text{ GeV}$	$m_H = 125.20 \pm 0.11 \text{ GeV}$	PDG 2024	99.8%
Cosmological Λ	UQFF	∇UA	$^2 \rightarrow 1.09 \times 10^{-52} \text{ m}^{-2}$	$\Lambda = 1.114 \times 10^{-52} \text{ m}^{-2}$ (Planck+DESI)
Thomson σ_T (QED)	UQFF U_m kernel: $\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$	$\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$	PDG 2024	100% (exact)
κ baryon stability	$\kappa = 0.0005/\text{day};$ scale separation 10^{33} from proton decay	$\tau_p > 7.7 \times 10^{33} \text{ yr}$ (Super-K)	Super-K 2024	✓ UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale ($\sim 200 \text{ PeV}$) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

9. Implementation Notes for Star Magic Integration

```
// In Source12.cpp (main architecture):
#include "UQFFSource10.h" // First primary text module

UQFF::Source10 source10;

// Configure for NGC 1275 scenario (PAPER_443):
source10.setVariable("g_H", 1.252e46);
source10.setScalingFactor("LENR", 1e12);
source10.setVariable("neutron_factor", 1.0);

// Compute 5 forces:
double F_vac = source10.compute_F_vac_rep(delta_rho, M, v);
double F_thz = source10.compute_F_thz_shock(); // Uses omega_thz=1.2e12
double F_cond = source10.compute_F_conduit(); // Uses H_abun=0.74
```

```

double F_spooky = source10.compute_F_spooky();    // Uses k_spooky=1.11e-34
double Q_DPM = source10.compute_DPM_resonance();  // =3.11e9 J/m3

// Compute 26-layer gravity:
double g = source10.compute_g_UQFF(r, t);

// Batch performance test (1000 systems):
source10.batch_compute_F_U_Bi_i(time_vector, 1000);

```

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega,n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [SSq]*n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{25} q^{\{n\}_2} / (-q;q)_n^2 - \phi_{26}(q) = \sum_{n=0}^{25} q^{\{n\}_2} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\{n\}_2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.wl	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_ScM	0.99	SCm manifold completeness
rho_ScM	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_ScM	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_1_CoAnQi.cpp*, and Wolfram kernels (*uqff_kozima_kernel.wl*, *uqff_s26_kernel.wl*, *uqff_mock_theta_pi_kernel.wl*).