

PAPER_560: Buoyancy-Stratified Factorial Geometry — Holonomy Group and Parallel Transport

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Session: 149 | **Source:** Composed from CP4 #149, #151 (Sessions 148)

CP4 Class: BSFGHolonomyGroupParallelTransportCalculator (#155)

Date: 2026-03-27

Context note: The holonomy group of a manifold records how vectors rotate under parallel transport around closed loops. PAPER_554 showed BSFG has non-zero Riemann curvature $R^r_{0r0} \neq 0$; PAPER_556 showed the 22 extra dimensions compactify to flat tori T^{22} . This paper combines both to determine the complete holonomy group $G_{\text{hol}}(\mathcal{M}^{26})$ and derives the parallel transport phase $\delta\phi$ for a given loop area.

Abstract

This paper presents a UQFF analysis of Stratified Factorial Geometry — Holonomy Group and Parallel Transport, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

We determine the holonomy group of the 26-dimensional BSFG manifold $\mathcal{M}^{26} = \mathcal{M}_{\text{BSFG}}^4 \times T^{22}$. The 4D BSFG slice has Ricci scalar $R_{\text{scalar}} \neq 0$ — it is not Ricci-flat — so it carries the generic pseudo-Riemannian holonomy $SO^+(3, 1)$. The 22 compactified extra dimensions (PAPER_556) form flat tori with holonomy $U(1)^{22}$. The full result:

$$G_{\text{hol}}(\mathcal{M}^{26}) = SO^+(3, 1) \times U(1)^{22}$$

Exceptional holonomies G_2 and $Spin(7)$ are rigorously excluded. The parallel transport angle around a small loop of coordinate area ΔA :

$$\delta\phi = R^r_{0r0} \cdot \Delta A = \frac{6\eta \cos(\pi t_n) C_{\text{num}}}{r^5} \cdot \Delta A$$

At a Planck-area loop (l_P^2): $\delta\phi_P \approx 4.07 \times 10^{-89}$ rad — completely unobservable at current precision.

§2 Holonomy Decomposition

PAPER_556 established the 26D line element:

$$ds_{26}^2 = A_{\mu\nu} dx^\mu dx^\nu + \sum_{i=5}^{26} L_i^2(r) d\theta_i^2$$

with $L_i(r) \rightarrow 0$ for $r \gg r_P$ (full compactification at all observed scales). The manifold thus factorizes:

$$\mathcal{M}^{26} \simeq \mathcal{M}_{\text{BSFG}}^4 \times T^{22} \quad (r \gg r_P)$$

Proposition: The holonomy of a product manifold $M_1 \times M_2$ is $G_{\text{hol}}(M_1) \times G_{\text{hol}}(M_2)$.

§3 Holonomy of the 4D BSFG Slice

Berger's classification theorem (1955) states: for an irreducible, simply-connected, complete Riemannian manifold that is not a symmetric space, the holonomy group is one of:

$$SO(n), U(n/2), Sp(n/4), G_2 (n = 7), Spin(7) (n = 8)$$

with the exceptional cases G_2 and $Spin(7)$ requiring **Ricci-flatness** ($R_{\mu\nu} = 0$).

Step 1. From CP4 #149: $R_{\text{scalar}}(R_{\odot}) \approx 3.12 \times 10^{-19} \text{ m}^{-2} \neq 0$.

Step 2. Therefore $R_{\mu\nu} \neq 0$, so $\mathcal{M}_{\text{BSFG}}^4$ is **not Ricci-flat**.

Step 3. For a 4D Lorentzian manifold (pseudo-Riemannian, signature $+- - -$) the corresponding holonomy is $SO^+(3, 1)$ (the restricted Lorentz group) in the generic non-symmetric case.

Exceptional group	Required condition	BSFG status
G_2	dim = 7, Ricci-flat	✗ wrong dim, $R \neq 0$
$Spin(7)$	dim = 8, Ricci-flat	✗ wrong dim, $R \neq 0$

$$G_{\text{hol}}(\mathcal{M}_{\text{BSFG}}^4) = SO^+(3, 1)$$

§4 Holonomy of the Compactified Sector

The 22 extra dimensions ($i = 5, \dots, 26$) are compactified via $L_i(r) = r_P \exp(-r^i / (i! r_P^{i-1}))$. At $r \gg r_P$, each circle S_i^1 has curvature $\kappa_i = 1/L_i \rightarrow \infty$ — effectively flat at macroscopic scales. A flat torus T^1 has holonomy $U(1)$.

$$G_{\text{hol}}(T^{22}) = U(1)^{22}$$

§5 Full BSFG Holonomy

$$G_{\text{hol}}(\mathcal{M}^{26}) = SO^+(3, 1) \times U(1)^{22}$$

Generators: 6 from $SO^+(3, 1)$ (Lorentz boosts + rotations) + 22 from $U(1)^{22} = \mathbf{28 \text{ generators total}}$.

Note: This is consistent with but distinct from the isometry group $G_{\text{iso}} = SO(3) \times U(1)^{23}$ (26 generators, CP4 #152). The holonomy group relates to the curvature connection; the isometry group relates to Killing symmetries.

§6 Parallel Transport Formula

The Ambrose–Singer theorem relates the holonomy algebra to the curvature 2-form. For an infinitesimal closed loop with coordinate area element ΔA in the (r, t) plane:

$$\delta\phi^r{}_0 = R^r{}_{0r0} \cdot \Delta A = \frac{6\eta \cos(\pi t_n) C_{\text{num}}}{r^5} \cdot \Delta A$$

Step 6. Values at $r = R_\odot$, $t_n = 0$:

Loop area ΔA	$\delta\phi$ (rad)
$l_P^2 = (1.616 \times 10^{-35})^2 \text{ m}^2$	$\approx 4.07 \times 10^{-89}$
$R_\odot^2 = (6.96 \times 10^8)^2 \text{ m}^2$	$\approx 7.53 \times 10^{-2}$
$1 \text{ AU}^2 = (1.496 \times 10^{11})^2 \text{ m}^2$	$\approx 8.0 \times 10^{-4}$ (eval. at 1 AU)

The $R_\odot^2$ result ($\sim 0.075 \text{ rad} \approx 4.3^\circ$) shows BSFG parallel transport is detectably non-trivial at solar scales — a loop spanning the solar disk accumulates $\sim 4^\circ$ of holonomy rotation.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_\mu \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} =$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.150 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 73, \quad n_{\text{channel}} = 15/26$$

Since $p_{\text{DVP}} = 73$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10⁴ yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.150	✓ Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 73$ $j = 1\dots 26,$ $\cos(2\pi j/26)$	✓ Resonant ✓ Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	✓ Canonical
[SSq]	0.57	Applied in BSH saturation	✓ Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GR Schwarzschild metric recovery	BSFG line element $\rightarrow g_{tt} = -(1-2GM/rc^2) \equiv \text{GR}$ in $\varepsilon_{\text{BSFG}} \rightarrow 0$ limit	Schwarzschild metric (GR exact)	PDG 2024 / MTW	✓ BSFG reduces to GR
Shapiro time delay	BSFG geodesic $\rightarrow \Delta t_{\text{BSFG}} \approx \Delta t_{\text{GR}} \times (1 + \varepsilon_{\text{correction}})$	Cassini: $\Delta t/\Delta t_{\text{GR}} = 1 \pm 2.3\text{e-}5$	Cassini/GR 2003	✓ Within Shapiro bound
Gravitational wave speed v_{GW}	BSFG: $v_{\text{GW}} = c \times (1 + k_{\eta} \eta^2) \approx c + 10^{-226} \text{ m/s}$	GW150914 / GW170817:	$v_{\text{GW}}/c - 1$	$< 10^{-15}$
Perihelion precession (Mercury)	BSFG adds buoyancy correction $\delta\varphi = \kappa \times \varphi_{\text{GR}} \sim 10^{-6} \text{ arcsec/century}$	GR prediction: 43.03"/century; observed: 43.1"	GR + obs.	UQFF correction undetectable at current precision

New physics claim: BSFG (Buoyancy-Stratified Factorial Geometry) reproduces all tested GR predictions in the classical limit, while adding a vacuum buoyancy correction $\Delta g \sim 10^{-6} \text{ arcsec/century}$ to Mercury’s perihelion. This is a falsifiable GR extension testable with future LISA or BepiColombo precision gravitational measurements.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

§7 References

- CP4 #149 — BSFGRiemannCurvatureAetherMetricCalculator — PAPER_554 (Riemann R^r_{0r0})
- CP4 #151 — BSFG26DLineElementFactorialCompactificationCalculator — PAPER_556 (T^{22} compactification)
- CP4 #152 — BSFGSymmetryGroupIsometryAnalysisCalculator — PAPER_557 (26 Killing generators)
- Berger, M. (1955). *Sur les groupes d’holonomie homogène des variétés à connexion affine et des variétés riemanniennes*. Bull. Soc. Math. France.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}} / F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma^2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n\}2} / (-q;q)_{n^2}$ - $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n\}2} / (-q^{2;q^2})_n$ - $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n\}2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified $1/\pi$ + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).