

PAPER_772: AG Carinae Nebula — UQFF LBV Eruptive Shell Dynamics

Author: Daniel T. Murphy
Framework: UQFF (Universal Quantum Field Superconductive Framework)
Session: 181 | v5.41
Date: 2026
CP4 Class: #356 — AGCarinaeNebulaUQFFCalculator

Abstract

AG Carinae (~6,000 ly) is one of the brightest and most luminous stars in the Milky Way, an LBV surrounded by an ejected nebular shell spanning ~3 ly. The 2022 Hubble 31st anniversary image revealed intricate gaseous structures — clumps, dust lanes, and ionized filaments — driven by AG Car’s eruptive mass-loss episodes with terminal wind speeds of ~1,000 km/s. Under UQFF, the LBV eruptive wind Aether correction ($v = 10^6$ m/s) yields $g_{AGCar} \approx 1.053 \times 10^{-2}$ m/s², placing AG Carinae in the high-LBV velocity class.

1. Introduction

AG Carinae (or AG Car) oscillates between hot and cool phases, driving alternating fast-wind and slow-wind episodes that sculpt its surrounding nebula into a layered structure visible in Hubble’s UV and optical imagery. The mass of the nebula (~20 M $\square$) is concentrated within ~1 ly, making it one of the densest stellar nebulae known. The current fast-wind phase drives material at ~1,000 km/s into the older slow-wind shell. Under UQFF, the combination of no ongoing star formation (it is a single evolved star), high wind velocity, and moderate B-field places AG Car in the wind-dominated regime.

2. Master UQFF Gravity Equation

$$g_{AGCar}(r, t) = (G \times M) / r^2 \times (1 + f_{TRZ}) + a_{EM}$$

2.1 Parameters

Parameter	Symbol	Value	Source
Nebula + star mass	M	20 M $\square$ = 3.978×10 ³¹ kg	Hubble
Shell radius	r	1×10 ¹⁶ m (~1.06 ly)	Hubble
LBV wind velocity	v_wind	1×10 ⁶ m/s (1,000 km/s)	Observation
B-field	B	10 ⁻⁵ T	Nebular field

Parameter	Symbol	Value	Source
Redshift	z	0.002	Distance
f_{TRZ}	—	0.1	UQFF
t	—	$9.468 \times 10^{10} \text{ s}$ (3,000 yr)	Shell age

3. Long-Form Derivation

Step 1: Base Gravitational Term

$$g_{\text{grav}} = (6.6743\text{e-}11 \times 3.978\text{e}31) / (1\text{e}16)^2 \\ = 2.654\text{e}21 / 1\text{e}32 = 2.654\text{e-}11 \text{ m/s}^2$$

Step 2: Cosmic Expansion (negligible at 3,000 yr)

$$H(z) = 2.269\text{e-}18 \text{ s}^{-1}; t = 9.468\text{e}10 \text{ s} \\ H(z) \times t = 2.148\text{e-}7 \approx 0 \\ 1 + H(z) \times t \approx 1.0000002$$

Step 3: Aether Electromagnetic Correction (LBV Eruptive Wind)

$$v_{\text{wind}} = 1 \times 10^6 \text{ m/s (fast wind phase)} \\ B = 10^{-5} \text{ T}$$

$$q \times (v \times B) = 1.602\text{e-}19 \times 1\text{e}6 \times 1\text{e-}5 = 1.602\text{e-}18 \text{ N} \\ a = 1.602\text{e-}18 / m_p = 1.602\text{e-}18 / 1.673\text{e-}27 = 9.575\text{e}8 \text{ m/s}^2 \\ a_{\text{EM}} = 9.575\text{e}8 \times 11 \times 1\text{e-}12 = 1.053\text{e-}2 \text{ m/s}^2$$

Step 4: Time-Reversal Correction

$$1 + f_{\text{TRZ}} = 1.1$$

Step 5: Final Solution

$$g_{\text{AGCar}} = (2.654\text{e-}11) \times (1.1) + 1.053\text{e-}2 \\ = 2.920\text{e-}11 + 1.053\text{e-}2 \\ \approx 1.053\text{e-}2 \text{ m/s}^2$$

4. Physical Interpretation

AG Carinae's wind at 1,000 km/s — twice Eta Car's 500 km/s — yields $g \approx 1.053 \times 10^{-2} \text{ m/s}^2$, exactly double the Eta Car result (5.267×10^{-3}). This confirms UQFF's linear velocity sensitivity in the Aether EM term, with $g \propto v$. The result places AG Car in the same UQFF class as NGC 1792 (starburst spirals at SFR-driven EM velocities),

but with distinct physical interpretation: AG Car's result reflects pure stellar wind dynamics rather than collective star-forming activity.

5. UQFF Framework Advancement

- Confirmed UQFF linear velocity scaling: v doubles from 500→1,000 km/s doubles g
 - Single-star LBV eruptive physics integrated as a limiting case
 - AG Car establishes the evolved-star wind reference point at $1.053 \times 10^{-2} \text{ m/s}^2$
-

6. Conclusions

UQFF applied to AG Carinae yields $g_{\text{AGCar}} \approx 1.053 \times 10^{-2} \text{ m/s}^2$, driven by the LBV eruptive wind at 1,000 km/s. The linear velocity mapping (Eta Car 500 km/s → 5.267×10^{-3} ; AG Car 1,000 km/s → 1.053×10^{-2}) confirms UQFF's internal consistency. AG Car's position in the UQFF hierarchy differentiates evolved LBV wind systems from both star-forming regions and planetary nebulae with similar mass scales.

PAPER_772, CP4 class #356. v5.41.