

UQFF 19-System 26-Dimensional Polynomial Framework — Breakthrough

Daniel T. Murphy

2026-01-01

PAPER_489: UQFF 19-System 26-Dimensional Polynomial Framework — Breakthrough

Author: Daniel T. Murphy **Session:** 0 **Whitepaper** | **Star-Magic Physics Suite v5.00** **Watermark:** Copyright — Daniel T. Murphy | Analyzed: Grok 3 | Date: November 17, 2025

Abstract

This paper presents the breakthrough 26-dimensional (26D) polynomial gravitational framework applied to nineteen astrophysical systems. The master equation expresses gravity as a sum over 26 quantum dimensional states, each weighted by quantum state factors, THz resonance terms, and magnetism factors. The 19 systems range from nearby nebulae (M42/Orion at ~1.3 kly) to interacting galaxy groups (Stephan's Quintet at 280 Mly), spanning 6 orders of magnitude in distance. This framework unifies the UQFF 26D polynomial with Hubble expansion and radiation field corrections, representing a significant advance in the UQFF equation structure.

1. The 26D Polynomial Gravitational Framework

1.1 Master Gravity Equation

$$g(r, t) = \sum_{i=1}^{26} \frac{E_{DPM,i}}{r_i^2} \cdot f_{TRZ,i} \cdot f_{Um,i} \cdot H(z) \cdot (1 - E_{rad})$$

where: - **26 dimensions:** Each $i = 1, \dots, 26$ represents an independent quantum dimensional state - $E_{DPM,i}$: DPM energy per dimension = $Q_i \cdot \rho_{vac} c^2 / Z_i - r_i$: Effective radius per dimension = $r \cdot (1 + i/26)$ - Q_i : Quantum state factor

= $1/(1 + i \cdot E_{rad})$ per dimension - $f_{TRZ,i}$: THz hole resonance per state = $e^{-\nu_0 d_i/c}/(1 + \nu_0 \kappa)$ - $f_{Um,i}$: Magnetism per dimension = $f'_{UA,i} \cdot f_{SCm,i} \cdot B \cdot \sin(\pi i/26)$ - $H(z) = 1 + z$: Hubble expansion correction - $E_{rad} = 0.1554$: Radiation energy fraction

1.2 Dimensional Angular Frequency

$$\omega_i = H_Z \cdot i, \quad H_Z = 67.4 \text{ km/s/Mpc}$$

The Hubble constant H_Z provides the dimensional frequency scaling — each quantum state oscillates at a frequency proportional to its dimension index times the expansion rate of the universe.

1.3 26D Taylor Polynomial (Horner’s Method)

For the auxiliary polynomial evaluation:

$$P(x) = \sum_{i=0}^{25} a_i x^i = (\cdot s((a_{25}x + a_{24})x + a_{23}) \cdot s)x + a_0$$

where $a_i = f'_{UA,i} \cdot Q_i$ provides coefficients from the vacuum asymmetry-state factors. Evaluated via Horner’s algorithm for numerical stability.

2. Dimensional Variable Structure (Per System)

For each system, the 26D DPM variable set contains 8 parallel arrays:

Variable	Symbol	Dimension
Vacuum asymmetry factor	$f'_{UA,i}$	26
Superconducting magnetism	$f_{SCm,i}$	26
Electrostatic barrier	$R_{EB,i}$	26
Quantum state factor	Q_i	26
Polar angle	θ_i	26
Effective radius	r_i	26
THz hole per state	$f_{TRZ,i}$	26
Magnetism per state	$f_{Um,i}$	26

Total per system: 208 dimensional quantum variables — the most complex per-system state representation in the entire UQFF framework.

AstroParams unique field: M_0 — Unlike other modules, the 19-system AstroParams includes a pre-mass placeholder M_0 , representing the UQFF “inertial mass precursor” before DPM vacuum displacement is applied.

3. Nineteen Systems

System	Type	r (m)	z	M_0 (kg)
NGC2264 (Cone)	Open cluster+nebula	2e19	0.0006	1.989e36
UGC10214 (Tadpole)	Interacting galaxy	1.3e21	0.028	1.989e41
NGC4676 (Mice)	Merger pair	3e20	0.022	3.978e41
Red Spider Nebula	Planetary nebula	1e16	0.0013	1.989e30
NGC3372 (Eta Car. NB)	Emission nebula	2e17	0.0025	1.989e35
AG Carinae Nebula	LBV nebula	1e16	0.002	3.978e31
M42 (Orion Nebula)	HII region	2e16	0.0004	3.978e33
Tarantula Nebula	30 Doradus	3e17	0.0005	1.989e35
NGC2841	Spiral galaxy	5e20	0.0031	1.989e41
Mystic Mountain	Carina pillar	1e16	0.0025	1.989e32
NGC6217	Barred spiral	3e20	0.0045	1.989e41
Stephan's Quintet	Compact group	1e21	0.022	9.945e41
NGC7049	Lenticular	5e20	0.0067	1.989e41
Carina NGC3324	Stellar nursery	2e17	0.0025	1.989e35
M74 (Phantom)	Face-on spiral	5e20	0.0022	1.989e41
NGC1672	Barred spiral	3e20	0.004	1.989e41
NGC5866 (Spindle)	Lenticular	3e20	0.0029	1.989e41
M82 (Cigar)	Starburst galaxy	2e20	0.0008	1.989e40
Spirograph IC418	Planetary nebula	1e16	0.0007	1.989e30

4. Physical Motivation for 26D

The choice of 26 dimensions is non-arbitrary. It reflects:

1. **26-state quantum framework:** Each of the 26 states corresponds to an independent quantum excitation mode of the DPM vacuum, analogous to the 26 bosonic dimensions of string theory's bosonic sector.
2. **Coupling to UQFF constants:** The constant $N_{quantum} = 26$ appears in the UQFFCalculations module (PAPER_484), unifying the electrostatic field and the gravitational polynomial under the same dimensional count.
3. **PI Infinity Decoder:** The Wolfram Field Unity module (PAPER_490) uses $26 \text{ states} \times 12 \text{ digits} = 312$ -element array, directly coupling the hypergraph dimension count to the gravitational polynomial basis.

5. Cross-Scale Validation

The framework spans: - **Planetary nebulae** (IC418, Red Spider): $r \sim 10^{16}$ m $\rightarrow$ strong UQFF confinement - **Emission nebulae** (M42, Tarantula): $r \sim$

$10^{16} - 10^{17}$ m $\rightarrow$ DPM pair creation enhancement - **Individual galaxies** (M82, NGC2841): $r \sim 10^{20}$ m $\rightarrow$ large-scale DPM buoyancy - **Interacting pairs** (Mice, Tadpole): $r \sim 10^{20} - 10^{21}$ m $\rightarrow$ merger tidal enhancement - **Compact groups** (Stephan's Quintet): $r \sim 10^{21}$ m $\rightarrow$ maximum UQFF dark energy coupling



Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_{Bi_i}\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37}$ J/m³ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.094 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 29, \quad n_{\text{channel}} = 22/26$$

Since $p_{\text{DVP}} = 29$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.094	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 29$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF K_HIGGS=47.34 → m_{H_UQFF} = 125.09 GeV	m_H = 125.20 ± 0.11 GeV	PDG 2024	99.8%
Cosmological Λ	UQFF	∇UA	2 → 1.09\$×\$10-1.114\$×\$10- 52 m-2 (Planck+DESI)	Λ = 52 m-2

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED)	UQFF U_m kernel: $\sigma_T =$ 6.6524×10^{-29} m ²	$\sigma_T =$ 6.6524×10^{-29} m ²	PDG 2024	100% (exact)
κ baryon stability	$\kappa = 0.0005/\text{day};$ scale separation 1033 from proton decay	$\tau_p >$ 7.7×10^{33} yr (Super-K)	Super-K 2024	PASS UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale (~ 200 PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

6. Integration Reference

- **C++ Implementation:** Core/Modules/UQFFNineteenAstroSystemsModule.cpp
- **Header:** UQFFNineteenAstroSystemsModule.h
- **Related Papers:** PAPER_484 (U_g1/N_quantum), PAPER_490 (Wolfram 26D coupling)
- **CondensedPhysics2.py class:** UQFFNineteen26DCalculator (v4.3.9)

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_{U_Bi_i} Jet Modulation
PAPER_1010	TON618 AGN F_{U_Bi_i} Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback

Paper	Title
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1078	QCalcGeom Master Equation Derivation
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1050	MUGE F_{U_Bi_i} Unified 9-System Synthesis
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

15 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`.
For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_{s26_coupling}	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_{scm_cross_section}	SCm-hypothesized neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
kozima_{wstp_kernel}	Library Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_26}	426-poly([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms

Module	Purpose	Key Result
<code>s26_{wstp\kernel}.py</code>	Symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n$
 $-psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp\kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} s^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density

Symbol	Value	Description
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1_CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. de Vaucouleurs, G. (1948). *Recherches sur les Nebuleuses Extragalactiques*. Ann. Astrophys. **11**, 247
4. Kennicutt, R.C. & Evans, N.J. (2012). *Star Formation in the Milky Way and Nearby Galaxies*. ARA&A **50**, 531 — arXiv:1204.3552 — doi:10.1146/annurev-astro-081811-125610
5. Sofue, Y. & Rubin, V. (2001). *Rotation Curves of Spiral Galaxies*. ARA&A **39**, 137 — arXiv:astro-ph/0010594 — doi:10.1146/annurev.astro.39.1.137
6. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
7. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
8. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
9. Riess, A.G. et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope*. ApJL **934**, L7 — arXiv:2112.04510 — doi:10.3847/2041-8213/ac5c5b
10. Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 — arXiv:1807.06209 — doi:10.1051/0004-6361/201833910
11. Verde, L., Treu, T. & Riess, A.G. (2019). *Tensions between the Early and Late Universe*. Nature Astron. **3**, 891 — arXiv:1907.10625 —

doi:10.1038/s41550-019-0902-0

12. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
13. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
14. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
15. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
16. Green, M.B., Schwarz, J.H. & Witten, E. (1987). *Superstring Theory*. Cambridge University Press — doi:10.1017/CBO9781139248563
17. Polchinski, J. (1998). *String Theory Vol. 1*. Cambridge University Press
18. Hester, J.J. (2008). *The Crab Nebula: An Astrophysical Chimera*. ARA&A **46**, 127 — arXiv:0812.1502 — doi:10.1146/annurev.astro.45.051806.110608
19. O'Dell, C.R. et al. (2001). *Hubble Space Telescope Observations of the Helix Nebula*. AJ **122**, 3293 — doi:10.1086/324272