

MSVC Release-MaxCompress Build Profile

Daniel T. Murphy

2025-01-01

PAPER_505: MSVC Release-MaxCompress Build Profile

Author: Daniel T. Murphy

Session: 137 | **Source:** grok_{share_84a767d3}.txt (lines 1500–1900, 2700–2800) **Date:** November 2025 — verified commit 146a3c4 **Machine:** Trident01 — AMD Ryzen 5 5600G, 128 GB RAM, Windows 11

Abstract

This paper presents a UQFF analysis of MaxCompress Build Profile, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1.1 Abstract

The Release-MaxCompress build profile is the canonical optimized production configuration for MAIN_{1-CoAnQi}.cpp under MSVC (Visual Studio 2022). It combines whole-program optimization, link-time code generation, size-favoring code generation, and post-build UPX compression to produce the smallest possible fully-functional x64 executable. This paper documents each flag, its effect, and the achieved result: **1.75 MB** for a 108,000-line C++20 monolith.

§1.2 Complete Flag Table

Category	Flag	Effect	Size/Speed Gain
Standards	/std:c++20	Full C++20 conformance	—

Category	Flag	Effect	Size/Speed Gain
Standards	<code>/permissive</code>	Strict standards mode	—
Standards	<code>/Zc:__cplusplus</code>	Direct <code>__cplusplus</code> macro value	—
Architecture	<code>/arch:AVX2</code>	256-bit AVX2 SIMD (Ryzen 5 5600G)	+10–20% speed
Optimization	<code>/GL</code>	Whole Program Optimization	WPO enabled
Optimization	<code>/Os</code>	Favor small code size	-15–25% size
Optimization	<code>/Gw</code>	Global data optimization	-10–20% size
Optimization	<code>/GF</code>	String pooling	minor
Optimization	<code>/Gy</code>	Function-level linking (COMDAT)	-5–15% size
Optimization	<code>/Oi</code>	Enable intrinsic functions	+5–15% speed
Linker	<code>/LTCG</code>	Link-Time Code Generation	WPO finalization
Linker	<code>/OPT:REF</code>	Remove unreferenced code/data	-20–30% size
Linker	<code>/OPT:ICF</code>	Identical COMDAT folding	-5–10% size
Post-build	<code>UPX</code> <code>--best</code> <code>--ultra-brute</code>	Runtime decompressor	-70% size

§1.3 CMake Implementation

```

if(MSVC)
    # Base C++20 setup
    add_compile_options(/permissive-)

```

```

add_{compile\_options}(/Zc:__cplusplus)

# Release-MaxCompress flags (only in Release config)
add_{compile\_options}("$<$<CONFIG:Release>:/arch:AVX2>")
add_{compile\_options}("$<$<CONFIG:Release>:/GL>")
add_{compile\_options}("$<$<CONFIG:Release>:/Os>")
add_{compile\_options}("$<$<CONFIG:Release>:/Gw>")
add_{compile\_options}("$<$<CONFIG:Release>:/GF>")
add_{compile\_options}("$<$<CONFIG:Release>:/Gy>")
add_{compile\_options}("$<$<CONFIG:Release>:/Oi>")
add_{link\_options}("$<$<CONFIG:Release>:/LTCG>")
add_{link\_options}("$<$<CONFIG:Release>:/OPT:REF>")
add_{link\_options}("$<$<CONFIG:Release>:/OPT:ICF>")
endif()

# Optional post-build UPX compression
find_program(UPX_EXECUTABLE upx)
if(UPX_EXECUTABLE)
    add_{custom\_command}(TARGET MAIN_{1\_CoAnQi} POST_BUILD
        COMMAND ${UPX_EXECUTABLE} --best --ultra-brute
            "$<TARGET_FILE:MAIN_{1\_CoAnQi}>"
        COMMENT "UPX compressing executable"
    )
endif()

```

§1.4 Compression Chain Analysis

Starting from uncompressed debug build:

Debug x64 (no opt)	→	~50 MB	
+ /GL /LTCG /OPT:REF /OPT:ICF	→	~17.5 MB	(-65%)
+ /Os	→	~13.3 MB	(-24%)
+ /Gw /GF /Gy	→	~11.3 MB	(-15%)
+ /arch:AVX2 /Oi	→	~11.0 MB	(-2%, mainly speed)
= Pre-UPX Release binary	→	~11.0 MB	
+ UPX -best -ultra-brute	→	~1.75 MB	(-84%)
= FINAL MAIN_{1_CoAnQi}.exe	→	1.75 MB	

§1.5 Build Commands

```

# Configure (Visual Studio 17 2022, x64)
cmake -S . -B build_msvc -G "Visual Studio 17 2022" -A x64

```

```
# Build Release target
cmake --build build_msvc --config Release --target MAIN_{1\_CoAnQi}

# Clean rebuild
Remove-Item -Recurse -Force build_msvc -ErrorAction SilentlyContinue
cmake -S . -B build_msvc -G "Visual Studio 17 2022" -A x64
cmake --build build_msvc --config Release
```

§1.6 Verification

After build, verify:

```
(Get-Item "build_msvc\Release\MAIN_{1\_CoAnQi}.exe").Length / 1MB # Should be ~1.75
cmake --build build_msvc --config Release 2>&1 | Select-String "error C|Finished"
```

§1.7 Equations

Compression ratio	$C_ratio = size_final / size_debug$
LTCG gain	$G_LTCG = (size_{\{no_LTCG\}} - size_{\{with_LTCG\}}) / size_{\{no_LTCG\}}$
AVX throughput factor	$F_AVX2 = throughput_AVX2 / throughput_SSE2 \quad \backslash \text{approx } 2 \backslash \text{times } (256\text{-b})$
UPX expansion ratio	$R_UPX = time_decompression / time_{\{cold_start\}} \quad (< 50 \text{ ms typical})$

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{UQFF}(\Gamma) = h_{GR} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{SCm} \cdot t) \cdot \Theta(H_{SCm} - 0.5)$ is the phonon modulation factor
- $\omega_{SCm} = 2\pi \times 1.25 \text{ THz}$ is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [SSq] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{SCm} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian}\_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.103 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 101, \quad n_{\text{channel}} = 12/26$$

Since $p_{\text{DVP}} = 101$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.103	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 101$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_{H}	UQFF K_HIGGS=47.34 $\rightarrow m_{\{\text{H}\}_{\text{UQFF}}}$ = 125.09 GeV	$m_{\text{H}} = 125.20 \pm 0.11 \text{ GeV}$	PDG 2024	99.8%
Cosmological Λ	UQFF	∇UA	$2 \rightarrow 1.09\text{e-}52 \text{ m}^{-2}$	$\Lambda = 1.114\text{e-}52 \text{ m}^{-2}$ (Planck+DESI)
Thomson σ_{T} (QED)	UQFF U_m kernel: $\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$	$\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$	PDG 2024	100% (exact)
κ baryon stability	$\kappa = 0.0005/\text{day};$ scale separation 1033 from proton decay	$\tau_{\text{p}} > 7.7\text{e}33 \text{ yr}$ (Super-K)	Super-K 2024	PASS UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale ($\sim 200 \text{ PeV}$) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite `PAPER_642` (`UQFFSMPParameterBridgeMasterComparisonCalculator`) for full UQFF-SM bridge.

§1.8 Citation

Source: `grok_{share_84a767d3}.txt`, lines 1500–1900, 2700–2800 Confirms: 1.75 MB executable at commit 146a3c4 (Nov 22, 2025) Machine: AMD Ryzen 5 5600G, 128 GB RAM, Windows 11, MSVC v14.44.35219 Paper number: `PAPER_505`

Appendix: Session 225 Cross-References (`PAPER_1000–1081`)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (`PAPER_1000–1081`). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
<code>PAPER_1000</code>	NS Merger <code>F_{U_Bi}</code> Strain Suppression & BCS Gap
<code>PAPER_1001</code>	SMBH Binary Merger <code>F_{U_Bi}</code> Phonon Damping
<code>PAPER_1011</code>	GW170817 NS Merger <code>F_{U_Bi_i}</code> 66.7% Strain Reduction
<code>PAPER_1012</code>	GW190425 Upgraded <code>F_{U_Bi_i}</code> with S26(3)
<code>PAPER_1014</code>	SMBH Merger Inspiral-Coalescence-Ringdown
<code>PAPER_1022</code>	GW Phonon Strain SCm Modulation of <code>h(t)</code>

6 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling.py}</code>	Hydrogen x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS

Module	Purpose	Key Result
kozima_{scm_cross_section}.py	SCm-computed neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
kozima_{wstp_kernel}.py	symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}} / F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_{26}}.py	S26 poly(SSq) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_{wstp_kernel}.py	symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1 - 2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_{theta_q26}.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_{pi_uqff}.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D

Module	Purpose	Key Result
mock_{theta_pi_wstp9-symbol}.Wolfram	export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \text{Prod}_{\{i=1\}^{26}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1\CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. Class. Quantum Grav. **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001