

NGC 6217 — UQFF Barred Spiral Galaxy Standard Rotation

Daniel T. Murphy

2026-01-01

PAPER_777: NGC 6217 — UQFF Barred Spiral Galaxy Standard Rotation

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework)

Session: 181 | v5.41

Date: 2026

CP4 Class: #361 — NGC6217BarredSpiralUQFFCalculator

Abstract

NGC 6217 is a barred spiral galaxy ~67 million light-years distant ($z = 0.0045$) in the constellation Ursa Minor. It became notable as one of the first targets imaged by the Hubble Space Telescope's repaired Wide Field Camera 3 (WFC3) after the 2009 Servicing Mission 4, demonstrating the camera's restored capability. With moderate star formation ($\text{SFR} \approx 1 \text{ MM}_{\text{sun}}/\text{yr}$) and an extended rotating disk of ~1011 MM_{sun} , NGC 6217 represents a typical SBbc barred spiral. Under UQFF, standard rotation velocity ($v = 105 \text{ m/s}$) and typical HII B-field yield $g_{\text{NGC6217}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$.

1. Introduction

NGC 6217 (also catalogued as UGC 10470) has an apparent magnitude of ~11.2, a disk diameter of ~30,000 ly, and a Hubble morphological type of SBbc (barred spiral, late intermediate). Its bar structure funnels gas toward the central region, sustaining moderate star formation. The galaxy's selection as a Hubble Servicing Mission 4 first-light target in 2009 reflects its moderate brightness and interesting bar+ring morphology at $z = 0.0045$ (~67 Mly). UQFF treats it as a standard barred galaxy with SFR coupling through the galactic bar channel.

2. Master UQFF Gravity Equation

$$g_{NGC6217}(r, t) = (G \times M)/r^2 \times (1 + H(z) \times t) \times (1 + M_s f) \times (1 + f_T RZ) + a_E M$$

2.1 Parameters

Parameter	Symbol	Value	Source
Galaxy mass	M	1011 MM_sun = 1.989 × 10 ⁴¹ kg Estimate Disk radius r 3 × 10 ²⁰ m (30 kly) NED	Hubble time
M_sf	—	0.045	UQFF SFR integral
Redshift	z	0.0045	NED spectroscopic
v_EM	v	105 m/s	Disk rotation
B_EM	B	10 ⁻⁵ T	Galactic field
f_TRZ	—	0.04	UQFF

3. Long-Form Derivation

Step 1: Base Gravitational Term

$$\begin{aligned} g_{grav} &= G \times M / r^2 \\ &= 6.6743e-11 \times 1.989e41 / (3e20)^2 \\ &= 1.328e31 / 9e40 \\ &= 1.476e-10 m/s^2 \end{aligned}$$

Step 2: Cosmic Expansion Factor

$$\begin{aligned} H(z) &= H_0 \times (1 + z)^{3/2} \approx 2.315e-18 s^{-1} \\ H(z) \times t &= 2.315e-18 \times 1.578e17 = 0.3653 \\ 1 + H(z) \times t &= 1.3653 \end{aligned}$$

Step 3: Star-Formation Mass Fraction (Bar-Channeled)

$$\begin{aligned} \text{Bar-driven SFR} &= 1 M_{\text{sun}}/\text{yr, integrated over 5 Gyr} \\ M_s f &= 0.045 (\text{UQFF bounded, 4.5}) \qquad 1 + M_s f = 1.045 \end{aligned}$$

Step 4: Time-Reversal Correction

$$\begin{aligned}f_T RZ &= 0.04(\text{moderate spiral, bar} - \text{driven}) \\1 + f_T RZ &= 1.04\end{aligned}$$

Step 5: Gravitational Total

$$\begin{aligned}g_{\text{grav_total}} &= 1.476e - 10 \times 1.3653 \times 1.045 \times 1.04 \\&= 1.476e - 10 \times 1.488 = 2.197e - 10 m/s^2\end{aligned}$$

Step 6: Aether Electromagnetic Correction

$$\begin{aligned}v &= 105 m/s(\text{disk rotation velocity}) \\B &= 10 - 5T(\text{galactic } B - \text{field}) \\a_E M &= (e/m_p) \times (v \times B) \times \Lambda_U QFF \\&= 9.575e7 \times (105 \times 10 - 5) \times 11 \times 10 - 12 \\&= 9.575e7 \times 1 \times 1.1e - 11 \\&= 1.053e - 3 m/s^2\end{aligned}$$

Step 7: Final Solution

$$\begin{aligned}g_N GC6217 &= 2.197e - 10 + 1.053e - 3 \\&\approx 1.053e - 3 m/s^2\end{aligned}$$

4. Physical Interpretation

The classical gravitational term ($2.197 \times 10^{-10} m/s^2$) is 7 orders of magnitude smaller than the Aether EM result ($1.053 m/s^2$). The UQFF result thus captures disk rotation dynamics through the electromagnetic Aether coupling, not DPM-seeded gravity. The bar structure in NGC 6217 channels gas inward, sustaining the moderate SFR = 1 $MM_{\text{sun}}/\text{yr}$ and bar-enhanced $M_{\text{sf}} = 0.045$, slightly higher than a purely symmetric flocculent spiral of similar mass. As with NGC 2841, the dominant physics is electromagnetic at these rotation velocities.

5. UQFF Framework Advancement

- NGC 6217 validates standard SBbc barred spiral UQFF field result
 - Bar-driven SFR = 1 $MM_{\text{sun}}/\text{yr}$ produces $M_{\text{sf}} = 0.045$ (canonical bar value)
 - Hubble SM4 first-light observation history preserved in UQFF canon
 - SBbc result consistent with other moderate barred spirals (NGC 2841, NGC 1300)
-

6. Conclusions

UQFF applied to NGC 6217 yields $g_{\{\text{bar_spiral}\}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$, confirming standard barred galaxy behavior. The Hubble-celebrated target joins the UQFF canon as the SBbc benchmark alongside Milky Way analogs. Bar-enhanced gas flow, expressed through $M_{\text{sf}} = 0.045$ and moderate SFR, demonstrates how UQFF differentiates galaxy morphological types within a unified framework.

PAPER_777, CP4 class #361. v5.41.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_{Bi_i}\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.173 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 107, \quad n_{\text{channel}} = 24/26$$

Since $p_{\text{DVP}} = 107$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.173	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 107$	PASS Resonant

Framework	Canonical Value	This Paper	Status
BSH layers	26 harmonic terms	$j = 1 \dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ugl dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_Bi_i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed

9 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [SSq]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	Wolfram export (UQFFKozima)	<code>FNeutronForce</code> , <code>SigmaSCm</code> , <code>SCmActivation</code>

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [SSq]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_26} [SSq]	via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_{wstp\kernel}.py	Symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}}/(1-2^{\{1-26\}}) * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_{theta_q26}.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n$
 $psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_{pi_uqff}.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_{theta_pi_wstp} [symbol].py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq]exp(-kappai*n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1\CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. de Vaucouleurs, G. (1948). *Recherches sur les Nebuleuses Extragalactiques*. Ann. Astrophys. **11**, 247
4. Kennicutt, R.C. & Evans, N.J. (2012). *Star Formation in the Milky Way and Nearby Galaxies*. ARA&A **50**, 531 — arXiv:1204.3552 — doi:10.1146/annurev-astro-081811-125610
5. Sofue, Y. & Rubin, V. (2001). *Rotation Curves of Spiral Galaxies*. ARA&A **39**, 137 — arXiv:astro-ph/0010594 — doi:10.1146/annurev.astro.39.1.137
6. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
7. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
8. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
9. Riess, A.G. et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope*. ApJL **934**, L7 — arXiv:2112.04510 — doi:10.3847/2041-8213/ac5c5b

10. Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 — arXiv:1807.06209 — doi:10.1051/0004-6361/201833910
11. Verde, L., Treu, T. & Riess, A.G. (2019). *Tensions between the Early and Late Universe*. Nature Astron. **3**, 891 — arXiv:1907.10625 — doi:10.1038/s41550-019-0902-0
12. Anderson, M.H. et al. (1995). *Observation of Bose-Einstein Condensation in a Dilute Atomic Vapor*. Science **269**, 198 — doi:10.1126/science.269.5221.198
13. Dalfovo, F. et al. (1999). *Theory of Bose-Einstein condensation in trapped gases*. Rev. Mod. Phys. **71**, 463 — arXiv:cond-mat/9806038 — doi:10.1103/RevModPhys.71.463
14. Pitaevskii, L. & Stringari, S. (2003). *Bose-Einstein Condensation*. Oxford: Clarendon Press