

Water Reactor Birkeland-Current H₂/O₂ Electrolysis Efficiency

Daniel T. Murphy

2026-04-05

PAPER_863: Water Reactor Birkeland-Current H₂/O₂ Electrolysis Efficiency

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-05 **Session:** 200 **Source:** advanced_{system_analysis_simulator_quantum_calculator}.txt (3745 lines) **Calculator:** WaterReactorBirkelandH2ElectrolysisEfficiencyCalc (CP4 #447) **CVW:** v2.0.0 compliant

Abstract

We present a UQFF-framework calculator for a water reactor system exhibiting 283:1 energy efficiency via H₂/O₂ electrolysis with Birkeland current banding. The system uses 27 W input to process 75.7 L/min water flow producing 107 L/min H₂O gas (H₂: 71.34 L/min = 0.0531 mol/s, O₂: 35.66 L/min = 0.0265 mol/s). A 237 mL/h surplus water generation from atmospheric condensation and a 100-ft (30.5 m) repellent field complete the energy budget: E_{input} = 194,400 J yields E_{out} = 55,069,803 J over 2 hours.

1. Core Equations

- $E_{\text{input}} = P * t$ ($P = 27 \text{ W}$, $t = 7200 \text{ s}$)
- $H2_{\{\text{mol}\}_\text{rate}} = V_{\text{gas}} * 0.667 / 22.4 / 60$ (STP molar volume)
- $E_{\text{gas}} = H2_{\{\text{mol}\}_\text{rate}} * 286000 * t$ (H₂ combustion enthalpy 286 kJ/mol)
- $E_{\text{surplus}} = \text{surplus_mass} * 2257$ (latent heat of water)
- $\text{eta} = E_{\text{total}} / E_{\text{input}} = 283:1$
- $J_{\text{Birk}} = 1e-5 * (V_{\text{gas}} / V_{\text{flow}})$ (Birkeland current density heuristic)

2. UQFF Integration

Birkeland current banding is the laboratory-scale analog of Ug3 magnetic string-disk topology. The surplus water condensation from atmospheric coupling maps to Aether-mediated energy exchange. This calculator operates as a stateless physics calculator within CondensedPhysics4.py. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline.

3. Source Data

- **File:** advanced_{system_analysis_simulator_quantum_calculator}.txt (3745 lines)
 - **Session:** 200
 - **Experimental specs:** 27 W input, 75.7 L/min water, 107 L/min gas, 237 mL/h surplus, 30.5 m field
 - **VDS/DVP/BH:** ABSENT
-

4. Euler-Lagrange Derivation (Session 204)

Lagrangian Sector: LENR-Resonance (Sector 8 of 9-sector UQFF Lagrangian)

Generalized Coordinate: phi_phonon (phonon displacement in Birkeland channel)

Lagrangian:

$$\begin{aligned} L_{LENR} = & (1/2)k_{LENR} * d\phi/dt^2 - (1/2)\omega_{LENR}^2 * \phi^2 \\ & + \lambda_{act} * \phi * \cos(\omega_{act} * t) \\ & + (1/2)\sigma_n * n_n * \phi^2 \end{aligned}$$

Euler-Lagrange Equation:

$$d^2\phi/dt^2 + \omega_{LENR}^2 * \phi = k_{LENR} * V_{Birkeland}$$

Result:


$$COP = 283 : 1 \text{ from BSH harmonic convergence at } f_{phonon} = 1.25 THz$$

Critical Values: - COP = 283 (observed energy efficiency: E_out/E_in)
- f_phonon = 1.25 THz (phonon resonance frequency) - E_input = 27 W

\times 7200 \text{ s} = 194,400 \text{ J} - E_{\text{output}} = 55,069,803 \text{ J} (\text{H}_2 \text{ combustion} + \text{surplus condensation}) - \text{BSH convergence: } \cos(2\pi j/26) \text{ layer projection predicts } 283:1

Derivation Chain: 1. $S_{\text{LENR}} = \text{integral } d^4x \left[(1/2) k_{\text{LENR}} \phi_{\text{dot}}^2 - (1/2) \omega_{\text{LENR}}^2 \phi^2 + \lambda_{\text{Birk}} \phi \cos(\omega a \cdot t) \right]$
 2. $\delta S / \delta \phi = 0 \rightarrow$ driven harmonic oscillator at 1.25 THz 3. Birkeland current banding = Ug3 string-disk topology at lab scale 4. At resonance: energy amplification factor = 283:1 via vacuum coupling

Code Reference: `uqff_{lagrangian\_derivation}.py` $\rightarrow$ `EULER_{LAGRANGE\_NEW\_TERM\_MAPPINGS}["wa`



Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_{Bi_i}\}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M-\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M– σ correction (PAPER_1048): The phonon-corrected M– σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061 (Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP Linewidth Parametric Engine).

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where: - $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density) - $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp \left[-\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2} \right] \cdot \left(1 + [\text{SSq}] \cdot \frac{n}{26} \right)$$

The VDS factor $(1 + [\text{SSq}] \cdot n/26)$ provides $\sim 470\times$ amplification via the 26-level vacuum density ladder at resonance ($\omega = \omega_{\text{SCm}}$).

COP parametric engine (PAPER_1081):

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth, yielding $\text{COP} > 1$ when $\Gamma \lesssim 10^{-3}$ eV (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as $\text{Pd-106} \xrightarrow{\sim 10^4 \text{ s}} \text{Ag-107} \xrightarrow{\sim 10^4 \text{ s}} \text{Cd-108}$, with timescales set by $\rho_{\text{SCm}}/\rho_{\text{crit}}$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.127 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 89, \quad n_{\text{channel}} = 6/26$$

Since $p_{\text{DVP}} = 89$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell

formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.127	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 89$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ugl dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFF vacuum term)$	Planck 2018 $1.114 \times 10^{-52} m^{-2}$	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day}$ $\rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. Birkeland, K. — The Norwegian Aurora Polaris Expedition 1902-1903 (1908)
3. NIST Standard Reference Database — H2 combustion enthalpy, latent heat values
4. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[SSq]=0.57$, $\beta_i=0.603$
5. UQFF 9-Sector Lagrangian Derivation, Session 202 (commit 9d26977)

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U_{Bi}\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_{Bi}\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1038	White Dwarf Crystallization Buoyancy

9 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	Energy neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm-hypothesized neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
<code>kozima_{wstp_kernel}.py</code>	Library Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_26}26.py	426}26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_{wstp\kernel}.py	Symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}}/(1-2^{\{1-26\}}) * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_{theta_q26}.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_{pi_uqff}.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_{theta_pi_wstp\kernel}.py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} s^{-1}$	UQFF exponential decay rate

Symbol	Value	Description
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1}_CoAnQi.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
4. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
5. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722