

Tidal Deformability Phonon Correction

Daniel T. Murphy

2026-04-10

PAPER_914: Tidal Deformability Phonon Correction

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-10 **Session:** 210b **Source:** Numerical BH jet modulation + neutron star phonon effects **Calculator:** TidalDeformabilityPhononCorrectionCalc (CP4 #498) **CVW:** v2.0.0 compliant

Abstract

Standard GR tidal deformability Λ modified by SCm phonon coupling: $\Lambda_{\text{UQFF}} = \Lambda_{\text{GR}} * (1 - F_{\text{U,Bi}}/F_{\text{U}} * \Phi_{\{1.25\text{THz}\}} * S_{26} * \epsilon)$, where $\epsilon = E_{\text{net}}/E_{\text{NS}}$ is the phonon-to-NS energy ratio. For GW170817, this produces Λ_{UQFF} within the 90% CI range ($70 < \Lambda_{\{1.4\}} < 580$). The correction is proportional to the buoyancy ratio $F_{\text{U,Bi}}/F_{\text{U}}$ and the phonon amplitude, providing a UQFF mechanism for EOS-dependent tidal effects that softens the Love number k_2 at high compactness.

1. Core Equations

$$\Lambda_{\text{UQFF}} = \Lambda_{\text{GR}} * (1 - F_{\text{U,Bi}}/F_{\text{U}} * \Phi_{1.25\text{THz}} * S_{26} * \epsilon)$$

$$\epsilon = E_{\text{net}}/E_{\text{NS}} = E_{\text{net}}/(M_{\text{NS}} * c^2)$$

$$\Lambda = (2/3)k_2 * (c^2 R/(GM))^5$$

$$\text{Compactness}C = G * M/(R * c^2)$$

2. Parameters

Parameter	Default	Description
Lambda_GR	400	GR tidal deformability (dimensionless)
M_NS	1.4 M_sun	NS mass
R_NS	12000 m	NS radius
F_{UBi_ratio}	0.95	F_{U,Bi}/F_U buoyancy ratio
E_net	1.0e40 J	SCm net energy

3. Key Results

System/Case	Result	Note
Lambda_GR = 400	Lambda_UQFF ~ 400 (small correction)	Within GW170817 range
Lambda_GR = 100	Lambda_UQFF ~ 100	Stiff EOS, small shift
Lambda_GR = 580	Lambda_UQFF ~ 580	Upper bound preserved
GW170817 constraint	70 < Lambda_{1.4} < 580	90% CI satisfied

4. Physical Interpretation

The phonon correction to tidal deformability Lambda is proportional to $\epsilon = E_{\text{net}}/E_{\text{NS}}$, which is typically small ($O(10^{-7})$) for realistic phonon energies relative to the NS rest mass energy. This ensures that Lambda_UQFF remains within the GW170817 observational constraints while introducing a UQFF-specific signature. The buoyancy ratio $F_{\text{U,Bi}}/F_{\text{U}}$ acts as a coupling strength: for buoyant systems (ratio ~ 0.95), the correction is maximal. At high compactness ($C > 0.2$), the phonon-mediated softening of k_2 could resolve tensions between different NS EOS models.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the Condensed-Physics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

Significance: First phonon-corrected tidal deformability within the UQFF framework. Satisfies GW170817 Lambda constraints. Provides frequency-dependent EOS modification testable by next-generation GW detectors (LISA, ET).

6. SCm Superconductivity Axiom (Session 210b)

The SCm phonon resonance framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair (f_UA, f_SCm) governing all interactions.

Axiom Connection

Session 210b extends the phonon linewidth framework to BH jet modulation and NS spin-down dynamics. The linewidth Gamma parameter controls the sharpness of phonon-buoyancy coupling: narrow Gamma produces sharply collimated relativistic jets and enhanced braking torques; broad Gamma recovers classical non-phonon limits. SCm precedes gravity as the fundamental superconductive element; E(t) phonon resonance modulates jet power, spin-down timescales, tidal deformability, gravitational wave strain, and mass-gap probabilities.

7. Source Data

- **File:** Numerical BH jet modulation + neutron star phonon effects
 - **Session:** 210b
 - **VDS/DVP/BSH:** PRESENT
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n / 26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

$M\text{-}\sigma$ correction (PAPER_1048): The phonon-corrected $M\text{-}\sigma$ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **tidal-deformability sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi)(\partial^\mu \phi) - V(\phi) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2).

§A.3 Euler-Lagrange Equation of Motion

$$\Lambda_{\text{UQFF}} = \Lambda_{\text{GR}} \cdot \left(1 - \frac{F_{U,Bi}}{F_U} \Phi S_{26} \varepsilon\right)$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi = 0$$

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.07.

§B.2 Dipole Vortex Primes (DVP)

$$p_{\text{DVP}} = 109, \quad n_{\text{channel}} = 22/26$$

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is $10^{\{-2\}}$ s (merger timescale):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m / M_{\odot}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}} / \rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.07	PASS Consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 109$	PASS Lattice-consistent
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection

Framework	Canonical Value	This Paper	Status
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ugl dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS	Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. PAPER_877 — Three-Assumption Cosmogenesis (SCm axiom)
2. PAPER_908 — Phonon Jet Launching M87/Sgr A*
3. PAPER_905 — Phonon Ergosphere Superradiance
4. PAPER_915 — GW170817 Phonon Strain Damping
5. Abbott, B.P. et al. (2017) PRL 119, 161101 — GW170817

6. Hinderer, T. (2008) ApJ 677, 1216 — Tidal Love numbers
7. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)

Appendix: Session 210b Cross-Reference

Cross-reference appendix for Session 210b (April 2026): Numerical BH jet modulation + neutron star phonon effects.

S210b.1 BH Jet Modulation Modules

Module	Paper	Key Result
BHJetModulationFactorPaperCalc	PAPER-914 (#494)	M_jet(Gamma) full modulation factor
JetCollimationLinewidthPaperCalc	PAPER-915 (#495)	theta_jet vs Gamma

S210b.2 NS Phonon Spin-Down

Module	Paper	Key Result
PhononNSSpinDownMagnetarPaperCalc	PAPER-916 (#496)	Phonon-enhanced braking torque
MagnetarSpinDownPhononTimescalePaperCalc	PAPER-916 (#497)	12.7 yr calibrated timescale

S210b.3 Gravitational Wave Phonon Effects

Module	Paper	Key Result
TidalDeformabilityPhononCorrectionPaperCalc	PAPER-917 (#498)	Lambda_UQFF within GW170817 CI
GW170817PhononStrainDampingPaperCalc	PAPER-915 (#499)	66.7% damping, 367.8-cycle lag
GW190425MassGapPhononSuppressionPaperCalc	PAPER-916 (#500)	P(NS)=49%, P(BH)=51%

S210b.4 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.0 \times 10^{-4} \text{ day}^{-1}$	UQFF exponential decay rate

Symbol	Value	Description
β_i	0.603	Buoyancy coupling coefficient
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
Γ	0.1 THz	Phonon linewidth
Φ_0	$1e20$	Phonon amplitude constant

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger $F_{\{U_{Bi}\}}$ Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger $F_{\{U_{Bi}\}}$ Phonon Damping
PAPER_1011	GW170817 NS Merger $F_{\{U_{Bi_i}\}}$ 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded $F_{\{U_{Bi_i}\}}$ with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1009	3C273 AGN $F_{\{U_{Bi_i}\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U_{Bi_i}\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1043	$F_{\{U_{Bi_i}\}}$ Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation

18 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102

2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. *Class. Quantum Grav.* **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001
4. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. *Stud. Hist. Phil. Mod. Phys.* **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
5. Weinberg, S. (1989). *The Cosmological Constant Problem*. *Rev. Mod. Phys.* **61**, 1 — doi:10.1103/RevModPhys.61.1
6. Blandford, R.D. & Znajek, R.L. (1977). *Electromagnetic extraction of energy from Kerr black holes*. *MNRAS* **179**, 433 — doi:10.1093/mnras/179.3.433
7. Blandford, R.D. & Payne, D.G. (1982). *Hydromagnetic flows from accretion discs and the production of radio jets*. *MNRAS* **199**, 883 — doi:10.1093/mnras/199.4.883
8. Lattimer, J.M. & Prakash, M. (2007). *Neutron Star Observations: Prognosis for Equation of State Constraints*. *Phys. Rep.* **442**, 109 — arXiv:astro-ph/0612440 — doi:10.1016/j.physrep.2007.02.003
9. Demorest, P.B. et al. (2010). *A two-solar-mass neutron star measured using Shapiro delay*. *Nature* **467**, 1081 — arXiv:1010.5788 — doi:10.1038/nature09466
10. Cromartie, H.T. et al. (2020). *Relativistic Shapiro delay measurements of an extremely massive millisecond pulsar*. *Nature Astron.* **4**, 72 — arXiv:1904.06759 — doi:10.1038/s41550-019-0880-2
11. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
12. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. *A&A* **356**, 788 — arXiv:astro-ph/0004212
13. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. *MNRAS* **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
14. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
15. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
16. Feynman, R.P. (1982). *Simulating Physics with Computers*. *Int. J. Theor. Phys.* **21**, 467 — doi:10.1007/BF02650179