

Matched-Filter SNR with Phonon Strain Damping

Daniel T. Murphy

2026-04-11

PAPER_918: Matched-Filter SNR with Phonon Strain Damping

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-11 **Session:** 210c **Source:** Numerical jet power curves + WSTP NS phonon + scaling to 250k calc/s **Calculator:** MatchedFilterSNRPhononDampingCalc (CP4 #502) **CVW:** v2.0.0 compliant

Abstract

Matched-filter signal-to-noise ratio (SNR) calculation for phonon-dampened GW170817 strain. $SNR_{UQFF} = SNR_{GR} * (1 - D_{phonon})$: for $D = 0.667$, SNR drops from 32.4 (GR observed) to 10.8 (UQFF), preserving detectability ($SNR \geq 8$). Uses aLIGO design sensitivity PSD $S_n(f)$ and frequency-domain inner product. Maximum detection distance shrinks from $d_{max} = 162$ Mpc (GR) to 54 Mpc (UQFF), reducing detection volume by 96.3%. This constrains the viable range of D_{phonon} : if $D > 0.75$, GW170817 would have been undetectable, providing an independent upper bound on phonon damping strength.

1. Core Equations

$$SNR_{UQFF} = SNR_{GR} * (1 - D_{phonon})$$

$$\rho^2 = 4 * Re \int_0^i n f |h(f)|^2 / S_n(f) df$$

$$d_{max} = d_L * SNR / SNR_{threshold}$$

$$V_{ratio} = (d_{max, UQFF} / d_{max, GR})^3$$

2. Parameters

Parameter	Default	Description
SNR_GR	32.4	GR matched-filter SNR
D_phonon	0.667	Phonon damping fraction
f_low	30 Hz	Lower frequency cutoff
f_high	1500 Hz	Upper frequency cutoff
distance_Mpc	40 Mpc	GW170817 luminosity distance
M_{chirp_solar}	1.188 M_sun	Chirp mass

3. Key Results

System/Case	Result	Note
SNR_GR	32.4	LIGO observed
SNR_UQFF (D=0.667)	10.8	Still detectable (>8)
d_max(GR)	162 Mpc	GR horizon
d_max(UQFF)	54 Mpc	UQFF horizon
Volume ratio	3.7%	96.3% volume reduction

4. Physical Interpretation

The matched-filter SNR scales linearly with strain amplitude for broadband damping. At $D_{\text{phonon}} = 0.667$ (the UQFF canonical value), the SNR drops by a factor of 3 from 32.4 to 10.8, which is still above the detection threshold of 8. However, the maximum detection distance also shrinks by a factor of 3, reducing the accessible cosmological volume by $(1/3)^3 \sim 3.7\%$. This has profound implications for BNS merger rate estimates: if UQFF phonon damping is real, the true merger rate is $\sim 27\times$ higher than inferred from GR-based SNR calculations. The upper bound $D < 0.75$ ensures consistency with GW170817 detection.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the Condensed-Physics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py $\rightarrow$ bodies_*.csv data flow.

Significance: First matched-filter SNR calculation with UQFF phonon damping. Provides independent upper bound $D_{\text{phonon}} < 0.75$ from detectability. Predicts 27x BNS merger rate correction if phonon damping is physical.

6. SCm Superconductivity Axiom (Session 210c)

The SCm phonon resonance framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair (f_{UA} , f_{SCm}) governing all interactions.

Axiom Connection

Session 210c extends phonon linewidth analysis to numerical jet power curves, matched-filter SNR degradation, Sgr A* flare contrast modelling, Monte Carlo stochastic sampling, cumulative inspiral phase integration, and observational matching against M87 $\sim 10^{44}$ erg/s jet power. The linewidth Gamma parameter controls resonance sharpness across all scales: narrow Gamma produces collimated jets and sharp flares; broad Gamma produces diffuse emission and weak modulation. SCm precedes gravity as the fundamental superconductive element; 1.25 THz phonon resonance with variable Gamma is the unifying mechanism across BH jets, AGN flares, NS mergers, and cosmogenesis. Production scaling to 250k calc/s validates computational realizability.

7. Source Data

- **File:** Numerical jet power curves + WSTP NS phonon + scaling to 250k calc/s
 - **Session:** 210c
 - **VDS/DVP/BSH:** PRESENT
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **GW-detection sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi)(\partial^\mu \phi) - V(\phi) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2).

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\text{SNR}_{\text{UQFF}} = \text{SNR}_{\text{GR}} \cdot (1 - D_{\text{phonon}})}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi = 0$$

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.06.

§B.2 Dipole Vortex Primes (DVP)

$$p_{\text{DVP}} = 5, \quad n_{\text{channel}} = 22/26$$

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **100 s (BNS merger)**:

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.06	PASS Consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 5$	PASS Lattice-consistent
BSH layers	26 harmonic terms	$j = 1\dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day}$ $\rightarrow \Gamma_{\text{p}}$ suppression	$<$ $4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravita- tional wave de- tectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. PAPER_877 — Three-Assumption Cosmogenesis (SCm axiom)
2. PAPER_910 — BH Jet Modulation Factor $M_{jet}(\Gamma)$
3. PAPER_915 — GW170817 Phonon Strain Damping
4. PAPER_915 — GW170817 Phonon Strain Damping
5. PAPER_917 — Exponential Strain Phonon Evolution
6. Abbott, B.P. et al. (2017) PRL 119, 161101 — GW170817 SNR=32.4
7. Finn, L.S. (1992) PRD 46, 5236 — Matched-filter SNR formalism
8. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)

Appendix: Session 210c Cross-Reference

Cross-reference appendix for Session 210c (April 2026): Numerical jet power curves + WSTP NS phonon + scaling to 250k calc/s.

S210c.1 Exponential Strain & SNR

Module	Paper	Key Result
ExponentialStrainPhononEvolutionCalc	PAPER_917 (#501)	$h_{UQFF} = h_{GR} 0.333 \exp([SSq]t/26)$
MatchedFilterSNRPhononDampingCalc	PAPER_915 (#502)	SNR: 32.4 $\rightarrow$ 10.8 (D=0.667)

S210c.2 Sgr A* Flares & Monte Carlo

Module	Paper	Key Result
SgrAFlareContrastPhononAmplitude	PAPER_010 (#503)	$C(\Gamma=0.1 \text{ THz}) = 1.8$ (JWST match)
MonteCarloJetPowerSampling	PAPER_020 (#504)	106-sample $\pm \sigma$

S210c.3 Phase Integration & M87 Matching

Module	Paper	Key Result
InspiralPhaseLagPhononIntegral	PAPER_021 (#505)	367.8 cycles (integral method)
M87JetPowerCurveGammaMatching	PAPER_022 (#506)	$P_{\text{jet}}(\Gamma)$ matched to 1044 erg/s

S210c.4 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.0 \times 10^{-4} \text{ day}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
Gamma	0.1 THz	Phonon linewidth
Phi_0	1e20	Phonon amplitude constant

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger $F_{\{U_{Bi}\}}$ Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger $F_{\{U_{Bi}\}}$ Phonon Damping
PAPER_1011	GW170817 NS Merger $F_{\{U_{Bi_i}\}}$ 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded $F_{\{U_{Bi_i}\}}$ with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$

Paper	Title
PAPER_1009	3C273 AGN F_{U_Bi_i} Jet Modulation
PAPER_1010	TON618 AGN F_{U_Bi_i} Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy

15 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. Class. Quantum Grav. **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001
4. Blandford, R.D. & Znajek, R.L. (1977). *Electromagnetic extraction of energy from Kerr black holes*. MNRAS **179**, 433 — doi:10.1093/mnras/179.3.433
5. Blandford, R.D. & Payne, D.G. (1982). *Hydromagnetic flows from accretion discs and the production of radio jets*. MNRAS **199**, 883 — doi:10.1093/mnras/199.4.883
6. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
7. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
8. Feynman, R.P. (1982). *Simulating Physics with Computers*. Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179
9. Blanchet, L. (2014). *Gravitational Radiation from Post-Newtonian Sources and Inspiralling Compact Binaries*. Living Rev. Relativ. **17**, 2 — arXiv:1310.1528 — doi:10.12942/lrr-2014-2