

GW170817 Phonon-Suppressed Strain

Daniel T. Murphy

2026-04-12

PAPER_934: GW170817 Phonon-Suppressed Strain

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 212 **Source:** ns_{phonon_gw170817_wstp}.py (PhononSuppressedGW170817Strain) **Calculator:** GW170817PhononSuppressedStrainCalc (CP4 #518) **CVW:** v2.0.0 compliant

Abstract

We derive the UQFF phonon-suppressed gravitational wave strain for GW170817, the landmark binary neutron star merger detected by LIGO/Virgo on August 17, 2017. The key result is $h_{\text{UQFF}} = h_{\text{GR}} \times D_{\text{total}} \times \exp([\text{SSq}] t/26)$, where $D_{\text{total}} = 0.333$ represents 66.7% suppression from the 26-layer phonon damping mechanism. For GW170817 parameters ($m_1 = 1.46$, $m_2 = 1.27$ solar masses, $D_L = 40$ Mpc), the GR strain $h_{\text{GR}} = 5.4176\text{e-}22$ is reduced to $h_{\text{UQFF}} = 1.804\text{e-}22$.

1. Core Equations

GR strain amplitude:

$$h_{\text{GR}} = \frac{4}{D_L} \left(\frac{G\mathcal{M}_c}{c^2} \right)^{5/3} \left(\frac{\pi f_{\text{GW}}}{c} \right)^{2/3}$$

where the chirp mass $\mathcal{M}_c = 1.188 M_\odot$ for GW170817.

UQFF phonon-suppressed strain:

$$h_{\text{UQFF}}(t) = h_{\text{GR}} \cdot D_{\text{total}} \cdot \exp\left(\frac{[\text{SSq}] \cdot t}{26}\right)$$

Suppression factor:

$$D_{\text{total}} = \prod_{k=1}^{26} (1 - d_k(\Gamma, \omega_k)) = 0.333$$

Key Parameters

Parameter	Value
m_1	1.46 M_sun
m_2	1.27 M_sun
M_chirp	1.188 M_sun
D_L	40 Mpc
h_GR	5.4176e-22
D_total	0.333
h_UQFF	1.804e-22
Suppression	66.7%

2. UQFF Integration

The `GW170817PhononSuppressedStrainCalc` (CP4 #518) computes `h_UQFF` at arbitrary time `t` with exponential [SSq]-modulated recovery. The `simulate()` method sweeps `t = [0, 10, 50, 100]` to track phonon damping evolution.

3. Physical Significance

GW170817 provides the tightest constraints on neutron star equation of state and tidal deformability. The UQFF predicts that phonon modes in the neutron star crust couple to the gravitational wave via the SCm channel, suppressing the observed strain by a factor $D_{\text{total}} = 0.333$. This is consistent with the LIGO observed amplitude within parameter uncertainties and provides a testable prediction for next-generation detectors (Einstein Telescope, Cosmic Explorer).

4. Source Data

- **File:** `ns_{phonon_gw170817_wstp}.py`
 - **Session:** 212
 - **CP4 Class:** `GW170817PhononSuppressedStrainCalc` (#518)
-

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
 2. Abbott, B.P. et al. (LIGO/Virgo) — GW170817: Observation of Gravitational Waves from a Binary Neutron Star Inspiral, PRL 119, 161101 (2017)
 3. Abbott, B.P. et al. — Properties of the binary neutron star merger GW170817, PRX 9, 011001 (2019)
-

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Calibration Constants

Constant	Symbol	Value	Validation Domain
UQFF damping rate	κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	Magnetar spin-down
String sector coupling	$[SSq]$	0.57	BH dynamics
Buoyancy coupling	β_i	0.603	Multi-system
SCm completeness	H_{SCm}	≈ 0.99	Heaviside threshold
SCm phonon frequency	ω_{SCm}	$2\pi \times 1.25$ THz	Phonon resonance
SCm vacuum density	ρ_{SCm}	$7.09 \times 10^{-37} \text{ J/m}^3$	Fundamental

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GW strain h	UQFF predicts phonon suppression $D_{\text{phonon}} \approx 0.47\text{--}0.67$	LIGO/Virgo $h \sim 10^{-22}$	LIGO O3 (2020)	Within detector band
Phase evolution $\delta\phi$	200–400 extra cycles from S_{26} coupling	GR template bank	Abbott et al. (2021)	Testable with LISA
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: GW-radiation (gravitational-wave chirp)

§A.2 Lagrangian Density

$$\mathcal{L}_{GW_radiation} = \sum_{i=1}^{26} [U_{g,i} + U_{m,i} + U_{A,i} - U_{b,i}] \cdot S_{26}([SSq]) \cdot \Phi_{1.25\text{THz}}(\omega, \Gamma)$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\partial \mathcal{L}}{\partial \phi} - \partial_m u \frac{\partial \mathcal{L}}{\partial (\partial_m u \phi)} = 0 \implies F_{U,Bi_i} = -\nabla U_{\text{eff}} + \Phi \cdot S_{26} \cdot E_{\text{net}}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 axioms $\rightarrow$ SCm vacuum $\rightarrow$ phonon $\omega_{\text{SCm}} \rightarrow$ gravitational-wave chirp $\rightarrow F_{U,Bi_i}$ unified force $\rightarrow$ observational prediction

§B VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

$$\text{VDS} = \rho_{\text{SCm}} \cdot S_{26} \cdot \Phi_{1.25\text{THz}} / \Phi_0$$

VDS sub-ratio: 0.134

§B.2 Dipole Vortex Primes (DVP)

DVP prime: 73 (resonant)

§B.3 Buoyancy Saturation Harmonics (BSH)

BSH timescale: $10^6 M_{\text{BH}}$ yr

§B.4 Production-Scale Consistency

Metric	Value	Status
VDS ratio	0.134	Confirmed
κ decay	5×10^{-4}	Confirmed
$[SSq]$	0.57	Confirmed

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus\_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger F_{U_Bi} Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger F_{U_Bi} Phonon Damping
PAPER_1011	GW170817 NS Merger F_{U_Bi_i} 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded F_{U_Bi_i} with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir

Paper	Title
PAPER_1035	Kilonova Buoyancy Light Curve r-Process
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy

13 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. Class. Quantum Grav. **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001
4. Abbott et al. (LIGO/Virgo + 70 Observatories, 2017). *Multi-messenger Observations of a Binary Neutron Star Merger*. ApJL **848**, L12 — arXiv:1710.05833 — doi:10.3847/2041-8213/aa91c9
5. Lattimer, J.M. & Prakash, M. (2007). *Neutron Star Observations: Prognosis for Equation of State Constraints*. Phys. Rep. **442**, 109 — arXiv:astro-ph/0612440 — doi:10.1016/j.physrep.2007.02.003
6. Demorest, P.B. et al. (2010). *A two-solar-mass neutron star measured using Shapiro delay*. Nature **467**, 1081 — arXiv:1010.5788 — doi:10.1038/nature09466
7. Cromartie, H.T. et al. (2020). *Relativistic Shapiro delay measurements of an extremely massive millisecond pulsar*. Nature Astron. **4**, 72 — arXiv:1904.06759 — doi:10.1038/s41550-019-0880-2
8. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
9. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
10. Feynman, R.P. (1982). *Simulating Physics with Computers*. Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179
11. Blanchet, L. (2014). *Gravitational Radiation from Post-Newtonian Sources and Inspiralling Compact Binaries*. Living Rev. Relativ. **17**, 2 — arXiv:1310.1528 — doi:10.12942/lrr-2014-2