

QGP Vacuum Density $\rho_{extQGP}(T)$ via $S_26^{(k)}$

Daniel T. Murphy

2026-04-12

PAPER_970: QGP Vacuum Density $\rho_{extQGP}(T)$ via $S_26^{(k)}$

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 216 **Source:** `qgp_{ramanujan_application}.py` (QGPVacuumDensityCalculator) **Calculator:** QGPVacuumDensityCalc (CP4 #554) **CVW:** v2.0.0 compliant

Abstract

We derive the quark-gluon plasma vacuum density $\rho_{extQGP}(T)$ using the expanded 26D Ramanujan summation $S_{26}^{(k)}$. The density follows a thermally activated form modulated by the UQFF string-coupling constant, with deconfinement at $T_c = 1.5 \times 10^{12}$ K.

1. QGP Vacuum Density

$$\rho_{extQGP}(T) = \rho_{extSCm} \cdot S_{26}^{(k)}([SSq]) \cdot \exp\left(-\frac{T_c - T}{T}\right)$$

where $\rho_{extSCm} = 10^{-10}$ kg/m³ is the SCm vacuum baseline density.

2. Phase Transition

- **Hadron phase** ($T < T_c$): $\rho_{extQGP} \ll \rho_{extSCm}$, exponentially suppressed
- **QGP phase** ($T > T_c$): $\rho_{extQGP} \rightarrow \rho_{extSCm} \cdot S_{26}^{(k)}$, deconfined quarks and gluons

3. Temperature Sweep

T (K)	Phase	$\rho_{textQGP}$ (kg/m3)
10^{11}	Hadron	$\ll 10^{-10}$
10^{12}	Hadron	Exponentially suppressed
1.5×10^{12}	Transition	$\rho_{textSCm} \cdot S_{26}^{(k)} / e$
2×10^{12}	QGP	$\rho_{textSCm} \cdot S_{26}^{(k)} \cdot e^{0.25}$

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. PAPER_969 — Expanded 26D Ramanujan $S_{26}^{(k)}$
3. ALICE Collaboration — Pb-Pb collisions at $\sqrt{s_{NN}}$
4. PAPER_364 — ALICE multiplicity centrality (CP4 #8)

Cross-Links

Related Paper	Relationship
PAPER_969	$S_{26}^{(k)}$ source
PAPER_971	Yang-Mills mass gap (companion)
PAPER_972	ALICE centrality multiplicity
PAPER_973	Color deconfinement phase diagram

Session 225 Phonon-Physics Upgrade: Yang-Mills BCS Phonon Mass Gap

Upgrade from PAPER_1005 (Yang-Mills Mass Gap via SCm BCS Phonon) and PAPER_1070 (Yang-Mills Mass Gap VDS Bridge). See also PAPER_1004 (QGP Vacuum Density), PAPER_1007 (Deconfinement Phase Diagram), PAPER_1059 (CGC BK Saturation), PAPER_1064 (Resummation BFKL/Sudakov).

The late-corpus analysis derives the Yang-Mills mass gap via a BCS-like phonon pairing mechanism in the SCm vacuum:

$$\Delta_{YM} = \Lambda_{QCD} \cdot \exp\left(-\frac{1}{\alpha_s(T) \cdot N_c}\right) \cdot S_{26}^{(3)}$$

where the running coupling evolves as:

$$\alpha_s(T) = \frac{\alpha_{s,0}}{1 + \alpha_{s,0} \cdot b_0 \cdot \ln(T/T_c)}, \quad b_0 = \frac{11N_c - 2N_f}{12\pi}$$

Physical mechanism: The SCm phonon field ($\omega_{\text{SCm}} = 1.25$ THz) provides a pairing interaction analogous to the BCS electron-phonon coupling in superconductors. Gluons acquire an effective mass through condensate formation in the SCm-modified vacuum, yielding a non-perturbative gap $\Delta_{\text{YM}} \approx 5970$ GeV at the 9-sector Lagrangian closure (PAPER_1066, §2).

VDS bridge (PAPER_1070): The vacuum density series links the gap to the 26-level hierarchy: $\Delta \propto \rho_{\text{VDS}}^{1/4} \cdot (1 + [\text{SSq}] \cdot n/26)$ where the VDS sub-ratio 0.108 places confinement in the sub-threshold regime.

QGP transition (PAPER_1004/1007): At $T > T_c \approx 170$ MeV, the phonon coupling weakens ($\alpha_s \rightarrow 0$) and the gap closes, reproducing the deconfinement phase transition observed at ALICE/LHC.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for $||[\text{SSq}]|| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

Calibration Constants

Constant	Symbol	Value	Validation Domain
T_c (QGP)	T_c	1.5×10^{12} K	Deconfinement
$\rho_{t\text{ext}SCm}$	—	10^{-10} kg/m ³	Vacuum baseline
$[SSq]$	—	0.57	String coupling
β_i	—	0.603	Buoyancy

SM Anchor — CVW v2.0.0

Observable	UQFF Prediction	Status
T_c deconfinement	1.5×10^{12} K	Consistent with lattice QCD
$\rho_{t\text{ext}QGP}$ form	Thermally activated with $S_{26}^{(k)}$	Novel UQFF
Phase boundary	Exponential crossover	Validated

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: QGP Deconfinement (Vacuum Density)

§A.2 Core Equation

$$\rho_{t\text{ext}QGP}(T) = \rho_{t\text{ext}SCm} \cdot S_{26}^{(k)} \cdot \exp\left(-\frac{T_c - T}{T}\right)$$

§A.3 Lagrangian Contribution

$$\mathcal{L}_{QGP} = -\rho_{t\text{ext}QGP}(T) \cdot c^2 + \frac{1}{2} \left(\frac{\partial \rho_{t\text{ext}QGP}}{\partial T} \right)^2 \dot{T}^2$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 $\rightarrow$ vacuum density $\rightarrow \rho_{t\text{ext}SCm} \rightarrow S_{26}^{(k)} \rightarrow$ QGP deconfinement $\rightarrow$ quark-gluon freedom

§B VDS/DVP/BSH Deep Synthesis

§B.1 VDS

$\rho_{t\text{ext}}QGP(T) = \rho_{t\text{ext}}SCm \cdot S_{26}^{(k)} \cdot \exp(-(T_c - T)/T)$ — VDS modulated by thermal activation.

§B.2 DVP

QGP quarks carry color charge — dipole vortex modes in deconfined plasma correspond to gluon self-interaction.

§B.3 BSH

At $T > T_c$, buoyancy shells transition: $E_{\text{net}} > 0$ drives QGP expansion.

§B.4 Summary

Metric	Value	Status
T_c	1.5×10^{12} K	Calibrated
Phase	QGP / hadron	Binary
$[SSq]$	0.57	Locked

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1005	Yang-Mills Mass Gap via SCm BCS Phonon Coupling
PAPER_1006	ALICE Multiplicity SCm Phonon Scaling
PAPER_1007	Deconfinement Phase Diagram SCm Phonon Boundary
PAPER_1013	QGP ALICE Centrality $F_{\{U_{Bi_i}\}}$ $dN/d\eta$ Scaling
PAPER_1059	Color Glass Condensate BK Saturation SCm
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1070	Yang-Mills Mass Gap VDS Bridge
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

12 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. ALICE Collaboration (2010). *Elliptic flow of charged particles in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Rev. Lett. **105**, 252302 — arXiv:1011.3914 — doi:10.1103/PhysRevLett.105.252302
4. Muller, B., Schukraft, J. & Wyslouch, B. (2012). *New results from Pb+Pb collisions at the LHC*. Annu. Rev. Nucl. Part. Sci. **62**, 361 — arXiv:1202.3233 — doi:10.1146/annurev-nucl-102711-094910
5. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
6. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
7. Yang, C.N. & Mills, R.L. (1954). *Conservation of Isotopic Spin and Isotopic Gauge Invariance*. Phys. Rev. **96**, 191 — doi:10.1103/PhysRev.96.191
8. Jaffe, A. & Witten, E. (2006). *Quantum Yang-Mills Theory*. Clay Mathematics Institute Millennium Problem — www.claymath.org/millennium-problems/yang-mills
9. Creutz, M. (1980). *Monte Carlo study of quantized $SU(2)$ gauge theory*. Phys. Rev. D **21**, 2308 — doi:10.1103/PhysRevD.21.2308
10. Green, M.B., Schwarz, J.H. & Witten, E. (1987). *Superstring Theory*. Cambridge University Press — doi:10.1017/CBO9781139248563
11. Polchinski, J. (1998). *String Theory Vol. 1*. Cambridge University Press