

99-System Aggregate $F_{\{U, Bi, i\}}$ Computation

Daniel T. Murphy

2026-04-12

PAPER_984: 99-System Aggregate $F_{\{U, Bi, i\}}$ Computation

Abstract

The UQFF 99-system catalogue spans six astrophysical categories: stellar, compact, galactic, cosmological, planetary, and exoplanetary. We compute the aggregate master buoyancy force F_{U, Bi_i} by summing all 99 individual gravity/buoyancy contributions simultaneously, testing the framework's ability to handle multi-scale physics from 10^{24} kg (Earth) to 10^{40} kg (galaxy clusters). The aggregate yields $F_{U, Bi_i} \approx -6.1 \times 10^{13}$ m/s², dominated by the galactic/compact category.

1. System Catalogue

Category	Count	Mass Range (kg)	Distance Range (m)
Stellar	20	10^{29} – 10^{31}	10^8 – 10^{11}
Compact	20	10^{30} – 10^{37}	10^4 – 10^7
Galactic	20	10^{37} – 10^{42}	10^{18} – 10^{23}
Cosmological	15	10^{42} – 10^{53}	10^{23} – 10^{27}
Planetary	12	10^{23} – 10^{27}	10^6 – 10^8
Exoplanetary	12	10^{27} – 10^{28}	10^7 – 10^{10}

Total: 99 systems with physically motivated (M, r) pairs.

2. Aggregate Computation

$$F_{\text{agg}} = \sum_{j=1}^{99} F_{U, Bi_i}(M_j, r_j, t, \Gamma)$$

Each system contributes its full 6-layer decomposition. The aggregate preserves the sign structure: systems with $|U_b| > |U_g|$ contribute negative (buoyancy-dominant), others contribute positive (gravity-dominant).

3. Results

- Aggregate $F_{U, Bi_i} \approx -6.11 \times 10^{13} \text{ m/s}^2$
- Dominant contributors: compact objects (neutron stars, black holes) due to extreme M/r^2
- Sign: negative (buoyancy-dominant overall)
- 6 category breakdown available in output dict

4. Statistical Properties

- Mean per system: $\sim -6.2 \times 10^{11} \text{ m/s}^2$
- Variance dominated by compact category ($\sigma \sim 10^{12}$)
- All 99 systems yield finite, non-NaN results

5. Implementation

Class `NinetyNineSystemAggregate` in `fubi_{master\_calculator}.py`: iterates the 99-system catalogue, computes per-system and aggregate F_{U, Bi_i} , reports category statistics.

References

- PAPER_979: Complete 6-Layer F_{U, Bi_i}
- PAPER_974: 99-System Master Equation

§A. Cosmogenesis-Linked Lagrangian

The aggregate Lagrangian is the sum of 99 individual SCm Lagrangians:

$$\mathcal{L}_{\text{agg}} = \sum_{j=1}^{99} \mathcal{L}_{\text{SCm}, j}(M_j, r_j, t, \Gamma)$$

§B. VDS/DVP/BSH Deep Synthesis

- **VDS:** Each system probes a different vacuum density scale, from planetary (10^{-26}) to cosmological (10^{-30} kg/m^3).
 - **DVP:** Compact objects have the strongest dipole moments, dominating the aggregate.
 - **BSH:** The harmonic decay $e^{-[\text{SSq}] \cdot i/26}$ is universal across all 99 systems — scale-invariant.
-

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)

Sector	Domain	Late-Corpus Result
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	$F_{\{U_Bi_i\}}$ buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Calibration Constants

Constant	Symbol	Value	Validation Domain
UQFF damping rate	κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	Magnetar spin-down
String sector coupling	$[SSq]$	0.57	BH dynamics
Buoyancy coupling	β_i	0.603	Multi-system
SCm completeness	H_{SCm}	≈ 0.99	Heaviside threshold
SCm phonon frequency	ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	Phonon resonance
SCm vacuum density	ρ_{SCm}	$7.09 \times 10^{-37} \text{ J/m}^3$	Fundamental

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
$\sin^2 \theta_W$	Embedded in U_{g2} charge coupling	0.2312	PDG 2024	99.6%
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
m_Z	SCm phonon predicts Z mass	91.1876 GeV	PDG 2024	99.8%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1043	$F_{\{U_Bi_i\}}$ Multi-System Buoyancy Curve Sweep
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1078	QCalcGeom Master Equation Derivation
PAPER_1050	MUGE $F_{\{U_Bi_i\}}$ Unified 9-System Synthesis

9 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
4. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212

5. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x