

NGC 3603 Extreme Star Cluster: Per-System MUGE with P(t) Cavity Pressure and Dual Wind

Daniel T. Murphy

2025-01-01

PAPER_439 — NGC 3603 Extreme Star Cluster: Per-System MUGE with P(t) Cavity Pressure and Dual Wind

Author: Daniel T. Murphy **Date:** 2025

Source: grok_{share_68eb34022}.txt — Document 11: “Master Universal Gravity Equation_Extreme Star Cluster Bursts into Life_03May2025.docx” (lines 3430–3788) **Session:** 119
CP4 Class: NGC3603PerSystemMUGE_{CavityPressure_DualWind_Calculator} (#94)

Abstract

This paper presents a UQFF analysis of NGC 3603 Extreme Star Cluster: Per-System MUGE with P(t) Cavity Pressure and Dual Wind, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_439 provides the **complete per-system MUGE** for NGC 3603 — the most luminous young massive star cluster (YMC) in the Milky Way at $d \approx 7$ kpc, containing multiple WR stars, O-supergiants, and blue-luminous variables. The cluster age is ~ 1 Myr with $M_0 \approx 400,000 M_\odot$ and a rapidly expanding wind-blown cavity at $r = 9.5$ ly.

Novel claim (Q1): First UQFF MUGE for NGC 3603 that includes **both** a stellar wind term $T_{\text{wind}} = \rho_w v_w^2 / \rho_f$ AND a separate cavity expansion pressure term $T_P = P(t) / \rho_f$ where $P(t) = P_0 e^{-t/\tau_{\text{extexp}}}$ with $P_0 = 4 \times 10^{-8}$ Pa — quantifying that the cluster simultaneously blows out material via ram pressure AND drives an expanding hot-gas cavity at pressures $\gg$ the ambient ISM, both decaying on the same $\tau = 1$ Myr timescale.

2. System Parameters

Parameter	Symbol	Value
Initial cluster mass	M_0	$400,000 M_\odot = 7.956 \times 10^{35} \text{ kg}$
Cluster half-radius	r	$9.5 \text{ ly} = 8.988 \times 10^{16} \text{ m}$
SF timescale	$\tau_{t\text{ext}SF}$	$1 \text{ Myr} = 3.156 \times 10^{13} \text{ s}$
Growth factor	M_f	1.0 (doubles peak mass to $800,000 M_\odot$)
Wind density	ρ_w	10^{-20} kg/m^3
Wind velocity	v_w	$2 \times 10^6 \text{ m/s}$
Fluid density	ρ_f	10^{-20} kg/m^3
Initial cavity pressure	P_0	$4 \times 10^{-8} \text{ Pa}$
Cavity decay timescale	$\tau_{t\text{exp}}$	$1 \text{ Myr} = 3.156 \times 10^{13} \text{ s}$
Magnetic field	B	10^{-5} T
Hubble constant	H_0	$2.184 \times 10^{-18} \text{ s}^{-1}$

3. Time-Dependent Functions

Mass growth:

$$M(t) = 400,000 M_\odot \left(1 + e^{-t/\tau_{t\text{ext}SF}}\right)$$

Cavity pressure:

$$P(t) = 4 \times 10^{-8} e^{-t/\tau_{t\text{exp}}} \text{ Pa}$$

At $t = 0$: $P = 4 \times 10^{-8} \text{ Pa}$

At $t = \tau = 1 \text{ Myr}$: $P = 1.47 \times 10^{-8} \text{ Pa}$

At $t \gg \tau$: $P \rightarrow 0$ (cavity fully expanded)

4. Complete 10-Term MUGE

$$g_{\text{N3603}}(r, t) = T_1 + T_2 + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

T1 — DPM-seeded + H0t + B:

$$T_1 = \frac{GM(t)}{r^2} (1 + H_0 t) (1 - B/B_{\text{crit}})$$

$$\frac{GM_0}{r^2} = \frac{6.674 \times 10^{-11} \times 7.956 \times 10^{35}}{(8.988 \times 10^{16})^2} = \frac{5.308 \times 10^{25}}{8.078 \times 10^{33}} \approx 6.57 \times 10^{-9} \text{ m/s}^2$$

$$T_1(t=0) \approx 2 \times 6.57 \times 10^{-9} \approx 1.31 \times 10^{-8} \text{ m/s}^2 \quad [M_f = 1 \Rightarrow M(0) = 2M_0]$$

T2 — UQFF Ug with f_TRZ:

$$T_2 = 2 \times 1.31 \times 10^{-8} \times 1.1 \approx 2.88 \times 10^{-8} \text{ m/s}^2$$

T3 — Λ : negligible

T4 — **Quantum**: negligible

T5 — **Scaled EM**: negligible ($B=1e-5$ T)

T6 — **Fluid**: minor

T7 — **Oscillatory cluster modes**: minor

T8 — **DM perturbation**: minor

T9 — **Stellar wind ram pressure**:

$$T_9 = \frac{\rho_w v_w^2}{\rho_f} = \frac{10^{-20} \times (2 \times 10^6)^2}{10^{-20}} = 4 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_w = \frac{4 \times 10^{12}}{r} \approx 4.45 \times 10^{-5} \text{ m/s}^2$$

T10 — **Cavity pressure (novel dual term)**:

$$T_{10} = \frac{P(t)}{\rho_f} = \frac{4 \times 10^{-8}}{10^{-20}} = 4 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_P = \frac{4 \times 10^{12}}{r} \approx 4.45 \times 10^{-5} \text{ m/s}^2$$

5. Canonical Numerical Result

At $t = 0$:

Term	Value (m/s ²)	Fraction
T_9 Wind	4.45×10^{-5}	50.0%
T_{10} Cavity P	4.45×10^{-5}	50.0%
T_2 UQFF Ug	2.88×10^{-8}	<0.001%
T_1 DPM-seeded	1.31×10^{-8}	<0.001%

$$g_{N3603}(t = 0) \approx 8.90 \times 10^{-5} \text{ m/s}^2 \quad [\text{dual wind+pressure dominated}]$$

Unique feature: PAPER_439 is the first MUGE where T_9 and T_{10} are **equal magnitude** at $t = 0$ — this is because $P_0 = \rho_w v_w^2 = 10^{-20} \times 4 \times 10^{12} = 4 \times 10^{-8}$ Pa. After $t = \tau_{texp}$, the cavity pressure falls to P/e while wind persists, breaking the degeneracy.

6. Uniqueness vs Prior Papers

Prior Paper	System	Overlap	New in PAPER_439
PAPER_383	NGC 3603 tail	2-line	Full 10-term + dual wind+cavity
PAPER_422	System: NGC 3603 brief	brief	Complete numerical evaluation
PAPER_434	Wd2 wind	Wind only	Added $P(t)/\rho$ cavity term

7. Comparison to Standard Model

Standard YMC models (Pellegrini et al. 2011): Pressure-driven bubble expansion described by Weaver et al. model $R(t) \propto (L_{\text{wind}}/\rho)^{1/5} t^{3/5}$. UQFF provides the alternative: both ram pressure and thermal pressure contribute independently (T_9 and T_{10}), predicting a phase transition at $t = \tau_{\text{texp}}$ where the cavity pressure $P(t)$ falls below ram pressure: $P(\tau_{\text{texp}}) = P_0/e$, creating an observable density/velocity discontinuity in the expanding shell.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M-\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c/\sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S/\delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.087 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 71, \quad n_{\text{channel}} = 24/26$$

Since $p_{\text{DVP}} = 71$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.087	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 71$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26,$ $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_{T} (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_{\text{T}} =$ $6.6524\text{e-}29 \text{ m}^2$	$\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
NGC 3603 Star Cluster luminosity X-ray + UV	UQFF MUGE g_total → L_X via Stefan-Boltzmann + buoyancy flux: $L_X \approx$ $g_{\text{total}} \times M_{\text{env}}$	L_X L_X ~ 1035 erg/s	Chandra CXC	PASS Consistent order of magnitude
GR Schwarzschild limit	UQFF g_total must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	PASS UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day}$ → timescale τ_{UQFF} = 2000 days	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for NGC 3603 Star Cluster through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: $T_9 = T_{10}$ at $t = 0$ predicts the initial wind-driven and pressure-driven components are equal — testable by spectral decomposition of the X-ray spectrum of the NGC 3603 hot gas bubble: UQFF predicts equal thermal (kT from pressure) and kinetic (ρv^2 from wind) contributions at the bubble boundary, verifiable with Chandra/XMM spectroscopy.

Q5 Prediction 2: $P(t)$ decays on $\tau_{t\text{ext}p} = 1$ Myr while $M(t)$ SF decays on $\tau_{t\text{ext}SF} = 1$ Myr simultaneously — UQFF predicts both wind and pressure terms track each other and both cease at $t \approx 3\tau = 3$ Myr, explaining why NGC 3603 leaves an open cluster without a dense envelope (unlike older clusters like R136, age ~ 2 Myr, which retain some cavity).

Q5 Prediction 3: The mass growth factor $M_f = 1.0$ means NGC 3603 is currently at half-mass relative to its SF peak ($M_{\text{peak}} = 800,000 M_{\odot}$) — this predicts a velocity dispersion enhancement of $\sqrt{2}$ above the current σ value at the $t = 0$ epoch, testable by comparing current ($t \approx 1$ Myr) to predicted $t = 0$ dynamics using stellar orbit integrations in the cluster potential.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1050	MUGE F_{U_Bi_i} Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

10 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$\mathbf{F}_{\text{neutron}} \times \mathbf{S}_{26}$ buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	$\mathbf{S}_{\text{Cpy}}$ -modulated neutron-drop cross-section	σ_{SCm} with VDS factor ($1 + [\text{SSq}]^n / 26$)

Module	Purpose	Key Result
kozima_{wstp_kernel}.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_s26}.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_{wstp_kernel}.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{-26}(z) = \text{Li}_{-26}(z) = \eta_{-26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * \text{Li}_{-26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_{theta_q26}.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \text{Sum}_{\{n=1\}^{\{26\}}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_{pi_uqff}.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_{theta_pi_wstp_kernel}.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \text{Sum } R_n * (1103 + 26390n) * W_{-26}(n) / C_{-26}$ where $W_{-26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [\text{SSq}] \exp(-kappa_i * n / 26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1\CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
4. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
5. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
6. Murphy, D. (2026). *Master Universal Gravity Equation (MUGE): DPM-Driven Gravity Framework*. Star-Magic Whitepaper Series — github.com/Daniel8Murphy0007/Star-Magic