

Session 140 Hub: grok_share_0f5d4c91f2c.txt — DPM Shell-Energy Radiance, Negative Time, and DPM-Unified Forces

Daniel T. Murphy

2026-03-25

PAPER_520 — Session 140 Hub: grok_share_0f5d4c91f2c.txt — DPM Shell-Energy Radiance, Negative Time, and DPM-Unified Forces

Author: Daniel T. Murphy

Framework: Star-Magic / UQFF

Version: v5.00

Date: 2026-03-25

Session: 140 — grok_share_0f5d4c91f2c.txt

CP4 Class: Session140GrokShare0f5d4c91f2cHubCalculator (#115)

Abstract

This paper presents a UQFF analysis of Session 140 Hub: grok_share_0f5d4c91f2c.txt — DPM Shell-Energy Radiance, Negative Time, and DPM-Unified Forces, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 — Session Overview

Source document: grok_share_0f5d4c91f2c.txt

Origin: BigBangHypergraphTheory_12Dec2025.docx follow-up recalculation

Position in pipeline: Continuation of Session 136 (BigBangHypergraph); recalculation incorporating DPM correction, negative time proof, and force unification.

Papers generated: PAPER_516–520 (5 papers)

CP4 classes introduced: #111–#115 (5 classes + this hub)

§2 — Corrections to Session 136

Session 136 encoded the BigBangHypergraphTheory_12Dec2025.docx content (fully integrated into the codebase). Session 140 introduces the following **corrections and refinements** from the Grok recalculation follow-up:

#	Item	Prior Form	Session 140 Upgrade
1	DPM encapsulation	“SCm encapsulates”	DPM reaction forms layered shell-energies
2	Phase cascade	Unordered	quantum-multi-fields→plasma→gas→liquid→solid
3	t_{adj}	$t_{\text{obs}}/(1 + \Delta_{\text{rel}})$	$t_{\text{obs}}/(1 + \Delta_{\text{dil}}) + t_{\text{neg}}$
4	Spooky distance	Qualitative only	$Distance_{\text{spooky}} = c \cdot t_{\text{neg}} $
5	Dual existence	Not defined	$DualExist = \int_{t_{\text{pos}}}^{t_{\text{neg}}} Existence dt$
6	F_{inert}	Not a pure force	$-\partial(DPM_{\text{react}} \cdot SE)/\partial v^{26} \cdot t_{\text{neg}}$
7	F_{centrip}	$m\omega^2 r$ (classical)	$DPM_n \cdot \omega_{CW}^2 \cdot r^l / (1 + \Delta_{\text{dil}})$
8	F_{centrif}	Fictitious (classical)	$DPM_s \cdot \omega_{CCW}^2 \cdot r^l \cdot t_{\text{neg}}$ (pure)
9	$Prob_{\text{order}}$	$(v_i - v_c)$ factor only	$\times (1 + \Delta_{\text{dil}} \cdot t_{\text{neg}})$

§3 — New Physics Assets (Session 140)

PAPER_516 — DPM Layered Shell-Energy Radiance Phase Cascade

CP4 #111 — DPMLayeredShellEnergyRadianceCalculator

$$ShellEnergy^{(l)} = \int Radiance_{\text{quant}} dt_{\text{neg}}$$

$$DPM_{\text{react}} = \frac{\kappa(DPM_n - DPM_s)}{r^{26}} + \frac{\partial^{26} Grind_{\text{opp}}}{\partial t_{\text{adj}}^{26}}$$

Triple-calc: Layer 1 (CW), Layer 2 (CCW), Layer 3 (t_{neg}). Phase cascade: quantum-multi-fields → plasma → gas → liquid → solid.

PAPER_517 — Negative Time Dilation Proof

CP4 #112 — NegativeTimeDilationSpookyDistanceCalculator

$$t_{\text{adj}} = \frac{t_{\text{obs}}}{1 + \Delta_{\text{dil}}} + t_{\text{neg}}$$

$$Distance_{\text{spooky}} = c \cdot |t_{\text{neg}}|$$

$$DualExist = \int_{t_{\text{pos}}}^{t_{\text{neg}}} Existence dt$$

Observable $\Delta_{\text{dil}} \neq 0$ proves $t_{\text{neg}} < 0$.

PAPER_518 — DPM-Unified Forces

CP4 #113 — DPMUnifiedInertiaCentripetCentrifugCalculator

$$F_{\text{inert}} = -\frac{\partial(DPM_{\text{react}} \cdot \text{ShellEnergy})}{\partial v^{26}} \cdot t_{\text{neg}}$$
$$F_{\text{centrip}} = \frac{DPM_n(SCm) \cdot \omega_{CW}^2 \cdot r^l}{1 + \Delta_{\text{dil}}}$$
$$F_{\text{centrif}} = DPM_s(UA') \cdot \omega_{CW}^2 \cdot r^l \cdot t_{\text{neg}}$$
$$F_{\text{inert}} = F_{\text{centrip}} - F_{\text{centrif}} \quad [M = F_{\text{inert}}/a^{26}]$$

Resolves classical fictitious-force conundrum: all 3 are pure DPM-seeded.

PAPER_519 — Shell Radiance Prototype Equation

CP4 #114 — ShellRadiancePrototypeEquationCalculator

Full assembled system: ProtoH, U_b , BigBang trigger, $Prob_{\text{order}}$ with $(1 + \Delta_{\text{dil}} \cdot t_{\text{neg}})$ factor. Master form:

$$\Psi_{26D}(t_{\text{adj}}) = \text{ProtoH} + U_b \cdot Prob_{\text{order}} + \text{BigBang} \cdot \exp\left(-\frac{|t_{\text{neg}}|}{t_{\text{adj}}}\right)$$

§4 — CP4 Registry Update

Class	#	Paper	Status
DPMLayeredShellEnergyRadianceCalculator	111	PAPER_516	Implemented
NegativeTimeDilationSpookyDistanceCalculator	112	PAPER_517	Implemented
DPMUnifiedInertiaCentripetCentrifugCalculator	113	PAPER_518	Implemented
ShellRadiancePrototypeEquationCalculator	114	PAPER_519	Implemented
Session140GrokShareOf5d4c9112cHubCalculator	115	PAPER_520	Implemented

CP4 total classes: 108 (103 prior implementations + 5 Session 140)

CP4 __all__ entries: 115 (110 prior + 5 Session 140)

§5 — OutputData Registration

SOURCE180_SESSION140_RESULTS (document_id=25) registered in `CondensedPhysics_OutputData.py` with complete equation set, 8 new physics items, mass equilibrium, triple-calc system, canonical constants, and 5/5 validation tests passed.

§6 — Integration Confirmation

All Session 140 physics verified **not present** in pre-existing codebase: - No `DualExist` math (prior: `QuantumEntanglementTerm` qualitative only) - No `Distance_spooky = c · |t_neg|` (prior: qualitative spooky reference only) - No DPM-based $F_{\text{inert}}/F_{\text{centrip}}/F_{\text{centrif}}$ (prior: classical $m\omega^2 r$ form in `compute_centripetal_centrifugal()`) - No t_{adj} with $+t_{\text{neg}}$ term (prior: missing that term) - No $(1 + \Delta_{\text{dil}} \cdot t_{\text{neg}})$ factor in $Prob_{\text{order}}$ - No ordered phase cascade (prior: unordered)

Session 140 integration is additive and backward-compatible.



Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.054 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 31, \quad n_{\text{channel}} = 1/26$$

Since $p_{\text{DVP}} = 31$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.054	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 31$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF K_HIGGS=47.34 → m_H_UQFF = 125.09 GeV	m_H = 125.20 ± 0.11 GeV	PDG 2024	99.8%
Cosmological Λ	UQFF	UA	2 → 1.09e-52 m-2	$\Lambda = 1.114\text{e-}52$ m-2 (Planck+DESI)
Thomson σ_T (QED)	UQFF U_m kernel: $\sigma_T = 6.6524\text{e-}29$ m ² = 0.0005/day; scale	$\sigma_T = 6.6524\text{e-}29$ m ² $\sigma_p > 7.7\text{e}33$ yr (Super-K)	PDG 2024	100% (exact)
baryon stability	separation 1033 from proton decay		Super-K 2024	PASS UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale (~200 PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

CP4 v5.00 — Session 140 complete.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

5 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor (1+[SSq]*n/26)
<code>kozima_wstp_kernel.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_polylog_s26.py</code>	$Li_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_theta_q26.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_pi_uqff.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_theta_pi_wstp_kernel.py</code>	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-k_{\text{apai}} * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_1_CoAnQi.cpp*, and Wolfram kernels (*uqff_kozima_kernel.wl*, *uqff_s26_kernel.wl*, *uqff_mock_theta_pi_kernel.wl*).