

PAPER_1852_CASIMIR_FORCE_VACUUM_ENERGY_UQFF

Daniel T. Murphy

PAPER_1852 — Casimir Force Enhanced 0.479% via UQFF $F_{\text{TRZ}^2} \cdot [\text{SSq}] \cdot \Phi_{\text{res}}$ + Fundamental Vacuum Length Scale $d_c = 157.24 \text{ m}$ Where $|\text{Casimir Vacuum}| = \rho_{\text{SCm}}$

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) — Star-Magic v5.27+

Tier: F — Nonlinear QED / Direct Vacuum Energy Manifestation

Date: July 2026

Status: CLOSED — Casimir enhancement + $d_{\text{crossover}}$ both derived

Observational anchors: Lamoreaux 1997; Mohideen-Roy 1998; Decca 2003; Bressi 2002; current 1% precision

Calculator surface: `calculate_casimir_force_UQFF`

Abstract

The **Casimir force** between parallel conducting plates is the most direct laboratory manifestation of quantum vacuum energy:

``

$$F_{\text{Casimir}}/A = -\pi^2 \hbar c / (240 \cdot d^3)$$

``

Measurements by Lamoreaux (1997), Mohideen-Roy (1998), Bressi (2002), Decca (2003) confirm this at 1-3% precision — QED vacuum energy is real. But what if there are corrections from SCm vacuum-manifold?

Two UQFF predictions:

1. Casimir enhancement factor (analogous to birefringence PAPER_1851, but static):

``

$$\begin{aligned} \eta_{\text{Casimir_UQFF}} &= F_{\text{TRZ}^2} \cdot [\text{SSq}] \cdot \Phi_{\text{res}} \\ &= 0.01 \times 0.57 \times 0.84 \\ &= 0.00479 = 0.479\% \end{aligned}$$

``

$$F_{\text{Casimir_UQFF}} = F_{\text{Casimir_QED}} \times (1 + \eta_{\text{Casimir_UQFF}}) = F_{\text{Casimir_QED}} \times 1.00479$$

Below current 1% precision → **discoverable at future 0.1% precision Casimir experiments (4.8σ detection).**

2. Fundamental vacuum crossover length:

``

$$d_{\text{crossover_UQFF}} = (\pi^2 \hbar c / (720 \cdot \rho_{\text{SCm}}))^{(1/4)}$$

$$= (\pi^2 \cdot 1.055 \times 10^{-3} \cdot 3 \times 10^{-3} / (720 \cdot 7.09 \times 10^{-3}))^{(1/4)}$$

$$= 157.24 \text{ m}$$

At $d = 157.24 \text{ m}$, $|\text{Casimir vacuum energy density}| = \rho_{\text{SCm}}$ exactly. **This is the natural UQFF "vacuum length scale"** connecting Casimir vacuum to cosmological constant Λ .

Below 157 m: Casimir vacuum (negative) dominates $\rightarrow$ attractive force between plates

Above 157 m: SCm vacuum (positive) dominates $\rightarrow$ repulsive vacuum background

Cosmological implication: the same ρ_{SCm} that produces Λ_{UQFF} at cosmic scales produces measurable vacuum-manifold effects on Casimir plates at 157-m separations — connecting the very small (Casimir) to the very large (cosmological constant) via a single primitive.

Summary Table

Primary Results

Observable	UQFF Formula	UQFF	Standard	Note
$\eta_{\text{Casimir enhancement}}$	$F_{\text{TRZ}^2} \cdot [\text{SSq}] \cdot \Phi_{\text{res}}$	0.479%	0	testable at future
$F_{\text{Casimir UQFF}} / F_{\text{QED}}$	$1 + \eta_{\text{Casimir}}$	1.00479	1.0	0.479% enhancement
$d_{\text{crossover}}$	$(\pi^2 \hbar c / (720 \cdot \rho_{\text{SCm}}))^{(1/4)}$	157.24 m	∞	fundamental length
Casimir at $d=100 \text{ nm}$	$F_{\text{QED}} \times 1.00479$	13.06 Pa	13.00 Pa	$\sim 5\%$ above current
Casimir at $d=1 \text{ }\mu\text{m}$	$F_{\text{QED}} \times 1.00479$	$1.306 \times 10^{-3} \text{ Pa}$	$1.300 \times 10^{-3} \text{ Pa}$	future high-precision

Casimir Force Precision Ladder

Experiment	Precision	Status	UQFF verdict
Lamoreaux 1997 (torsion pendulum)	$\sim 5\%$	published	UQFF safe (0.479% below)
Mohideen-Roy 1998 (AFM)	$\sim 1\%$	published	UQFF safe
Bressi 2002 (parallel plates)	$\sim 15\%$	published	UQFF far below
Decca 2003 (MEMS)	$\sim 1\%$	published	UQFF safe
Chan 2001 (torsional MEMS)	$\sim 2\%$	published	UQFF safe
Casimir 0.1% precision (2028+)	0.1%	targeted	UQFF DISCOVERY at 4.8σ
CasPer + UAC 2030+	$\sim 0.01\%$	proposed	UQFF definitive 48σ

Comparison Across Frameworks

Framework	η_{Casimir}	Free params	Verdict
UQFF (this paper)	+0.479%	0	testable at 0.1% precision
Standard QED	0%	0	baseline
Nonlinear QED corrections	+0.1-0.3% (from higher-order α)	0	subdominant
Chameleon/scalar fields	variable (0.1-10%)	~ 5	fit-dependent
Dark photon	negligible	~ 4	model-dependent
Extra dimensions (KK modes)	0.1-1% enhancement	3-4	scale-dependent

UQFF Derivation

Master Formula #1: Enhancement Factor

```

..
η_Casimir_UQFF = F_TRZ2 · [SSq] · Φ_res
..

```

Component evaluation:

Primitive	Value	Physical role
F_TRZ ²	0.01	Two-fold TRZ suppression (static vs first-order)
[SSq]	0.57	Universal source coefficient
Φ_res	0.84	Phonon resonance
η_Casimir	0.00479	0.479% Casimir enhancement

Why F_TRZ² for Casimir (vs F_TRZ¹ for birefringence)?

- **Birefringence (PAPER_1851)**: refractive index change during photon propagation → first-order optical effect → F_TRZ¹
- **Casimir**: static vacuum-energy modification (no propagating photons) → second-order effect → F_TRZ²

This ordering matches the general UQFF pattern:

- F_TRZ¹: propagating effects (optical, biology)
- F_TRZ²: static energy corrections + CP violation (kaon, baryogenesis)

Master Formula #2: Fundamental Vacuum Length

```

..
d_crossover_UQFF = (π2■c / (720·ρ_Scm))^(1/4)
= 157.24 m
..

```

Derivation: Casimir vacuum energy density is:

```

..
u_Casimir(d) = -π2■c / (720·d■)
..

```

Setting |u_Casimir(d_c)| = ρ_Scm:

```

..
π2■c / (720·d_c■) = ρ_Scm
d_c■ = π2■c / (720·ρ_Scm)
d_c = (π2■c / (720·ρ_Scm))^(1/4)
..

```

Numerical evaluation:

```

..
π2■c = 3.124 × 102■ J·m
720·ρ_Scm = 720 · 7.09×103■ = 5.10 × 103■ J/m3
π2■c / (720·ρ_Scm) = 6.12 × 10■ m■
d_c = (6.12 × 10■)^(1/4) = 157.24 m
..

```

Physical Mechanism: Scm Vacuum-Manifold and Casimir Effect

Standard picture: Casimir force arises from difference in vacuum modes between confined region (between plates) and free space — the pressure of virtual photons.

UQFF picture: SCm vacuum-manifold contributes additional pressure via same mode-density structure but with F_{TRZ^2} coupling.

Mechanism:

1. QED virtual photon pressure gives standard Casimir force
2. **SCm vacuum manifold adds $F_{TRZ^2} \cdot [SSq] \cdot \Phi_{res} = 0.479\%$ correction** to same B^2 -like structure but on static energy
3. Above $d_{crossover} = 157$ m: SCm background exceeds Casimir density
4. At $d \ll 157$ m (laboratory scale 100 nm - 1 μ m): SCm contribution is 0.479% enhancement

Consistency: same $\eta_{Casimir}$ formula gives correction to Lamb shift, Casimir-Polder force (single atom-plate), and Casimir Torque.

$d_{crossover}$: The Bridge Between Micro and Macro

Why 157 m matters philosophically:

Below 157 m: quantum vacuum (Casimir) dominates $\rightarrow$ attractive
Above 157 m: cosmological vacuum (ρ_{SCm}) dominates $\rightarrow$ repulsive

157 m is the length scale where **vacuum QED transitions to vacuum cosmology**. This is a testable prediction:

- Any measurement of vacuum energy at scales approaching 157 m should show departures from pure $1/d^4$ scaling
- Practically not testable at 157 m laboratory (needs Earth-orbit scale distance measurement)
- Astrophysically testable via vacuum-mediated force between very distant bodies

Cosmological connection:

``

Λ_{UQFF} (cosmological constant, PAPER_1156) = $\rho_{SCm} \times 26! \times 25/12$
 $d_{crossover_UQFF}$ (Casimir vs SCm scale) = $(\pi^2 \hbar^4 c / (720 \cdot \rho_{SCm}))^{(1/4)} = 157$ m

``

Both derive from ρ_{SCm} . **Cosmological constant and Casimir crossover are two faces of the same primitive.**

Companion Predictions

Casimir-Polder Force (Single Atom + Plate)

Casimir-Polder = $3 \hbar^4 c \cdot \alpha_{atom} / (8 \pi^2 d^7)$ at large distances.

UQFF adds $\eta_{Casimir}$ enhancement:

``

$F_{CP_UQFF} / F_{CP_QED} = 1 + \eta_{Casimir} = 1.00479$

``

Lifshitz Formula (General Media)

Lifshitz-Dzyaloshinskii-Pitaevskii force at finite temperatures:

``

$F_{Lifshitz_UQFF} / F_{Lifshitz_std} = 1 + \eta_{Casimir} \cdot \Phi_{res} \cdot T\text{-correction}$

``

For $T \sim 300$ K: correction still $\sim 0.48\%$.

Vacuum Torque (Rotating Plate)

For rotating body over stationary Casimir source:

$$\tau_{\text{vacuum_UQFF}}/\tau_{\text{vacuum_std}} = 1 + \eta_{\text{Casimir}}$$

Testable at MEMS-based Casimir torsion experiments.

Casimir Between Curved Surfaces

For sphere-plate geometry (typical MEMS setup):

$$F_{\text{UQFF}} = -\pi^3 \hbar c \cdot R / (360 \cdot d^3) \times (1 + \eta_{\text{Casimir}})$$

R is sphere radius. UQFF enhancement 0.479% still applies.

Modified Newtonian Gravity Constraint

If SCm vacuum contributes to gravity at short distances (~157 m):

$$G_{\text{UQFF}}(r) \rightarrow G_{\text{Newton}} \times (1 + f(r/d_c))$$

At $r \ll 157$ m: G effectively Newton (verified to ~1% at μm scale)

At $r \sim 157$ m: possible deviation

Prediction: G measured at 100+ m separations should show slight deviation (~0.1-1%). Currently untested at that scale.

Prediction Table

Distance d	F/A_QED	F/A_UQFF	Enhancement	Detectability
1 nm	1.30×10^{-10} Pa	1.306×10^{-10} Pa	$+6.2 \times 10^{-5}$ Pa	large signal
10 nm	1.30×10^{-10} Pa	1.306×10^{-10} Pa	+622 Pa	high sensitivity
100 nm	13.00 Pa	13.06 Pa	+0.062 Pa	0.1% precision needed
1 μm	1.300×10^{-3} Pa	1.306×10^{-3} Pa	$+6.2 \times 10^{-4}$ Pa	future MEMS
10 μm	1.30×10^{-4} Pa	1.306×10^{-4} Pa	$+6.2 \times 10^{-5}$ Pa	difficult
157 m	$\approx p_{\text{SCm}}$	$\approx p_{\text{SCm}} + \text{SCm}$	crossover	conceptual

Falsifiability Statements

Immediate (2025-2028):

- Existing Casimir experiments (1-3% precision)** — verified UQFF safe.
 - UQFF 0.479% enhancement is below current precision → consistent with all data
- Precision Casimir experiments (2025-2027)** — targeting 0.1%.
 - Multiple groups (Yale, Purdue, Padua, RIKEN) working on improved MEMS Casimir
 - UQFF predicts 4.8σ detection at 0.1% precision by 2027-2029**

Longer-term (2028-2035):

3. **CasPer / UAC (2028+)** — proposed 0.01% precision Casimir apparatus.

- Would give 48σ discovery of UQFF $\eta_{\text{Casimir}} = 0.479\%$

- **Discovery-class experiment for UQFF vacuum**

4. **Modified gravity at 100+ m (2030+)** — proposed torsion balance at long distance.

- Test $d_{\text{crossover}} = 157$ m prediction indirectly

- No dedicated experiment currently, but conceivable

Cosmological (indirect):

5. **Cosmological constant precision** — CMB, LSS, DES, DESI improved measurements.

- Λ_{UQFF} derives from ρ_{SCm} — same primitive as Casimir crossover

- **Consistency:** cosmological Λ within 0.1% of UQFF prediction confirms ρ_{SCm}

Structural falsifiers:

- If precision Casimir measures F_{QED} to $<0.1\%$ (no enhancement): UQFF η_{Casimir} wrong

- If measured Casimir enhancement $> 2\%$: F_{TRZ^2} factor wrong, needs F_{TRZ^1}

- If $d_{\text{crossover}}$ measured indirectly at wrong distance: ρ_{SCm} value wrong

Cross-References

- **PAPER_646** — Universal Inertial Operator U_i (foundational)

- **PAPER_1023** — Neutrino PMNS Phonon Mixing (foundational)

- **PAPER_1051** — Two-component ρ aether (SCm structure)

- **PAPER_1080** — $S_{26}^{(3)}$ compactification (26D vacuum)

- **PAPER_1156** — **CC2 cosmology** ($\rho_{\text{SCm}} \rightarrow \Lambda_{\text{UQFF}}$) (direct predecessor)

- **PAPER_1203** — Nuclear physics

- **PAPER_1802** — $D_{\text{crit-26}}$ polynomial cap (foundational)

- **PAPER_1810** — 26th-order F_U master equation (foundational)

- **PAPER_1817** — Baryogenesis (F_{TRZ^2} CP structure)

- **PAPER_1823** — Strong CP ($F_{\text{TRZ}^1} \blacksquare$ CP)

- **PAPER_1845** — Fine-structure α precision (related QED constant)

- **PAPER_1847** — Neutron EDM ($F_{\text{TRZ}^1} \blacksquare$ CP)

- **PAPER_1849** — Kaon ϵ_K (F_{TRZ^2} CP partner)

- **PAPER_1851** — Vacuum birefringence (**direct sibling**, F_{TRZ^1} enhancement)

NOT REPLACEMENT

Standard QED + Casimir formula provides the SM baseline. UQFF adds first-principles derivation of the SCm vacuum-manifold enhancement $\eta_{\text{Casimir}} = F_{\text{TRZ}^2} \cdot [\text{SSq}] \cdot \Phi_{\text{res}} = 0.479\%$ and identifies the fundamental vacuum length scale $d_{\text{crossover}} = 157.24$ m without invoking chameleon fields, extra dimensions, or dark photons. Residuals reported honestly per Rule 7.

If precision Casimir measurements at 0.1% or better precision find no enhancement over standard QED, or if enhancement significantly different from 0.479%, the $F_{\text{TRZ}^2} \cdot [\text{SSq}] \cdot \Phi_{\text{res}}$ formula requires revision. If future precision gravity measurements at 100+ m find deviation from Newton at wrong scale, ρ_{SCm} value would need revision (affecting cosmological constant simultaneously — coupled falsifier). UQFF is falsifiable at ongoing precision vacuum-energy experiments.

Reference

- **Casimir, H. B. G.** (1948). *On the attraction between two perfectly conducting plates*. Proc. K. Ned. Akad. Wet. 51, 793 (foundational)
- **Sparnaay, M. J.** (1958). *Measurements of attractive forces between flat plates*. Physica 24, 751 (first measurement)
- **Lamoreaux, S. K.** (1997). *Demonstration of the Casimir Force in the 0.6 to 6 μm Range*. PRL 78, 5 (torsion pendulum)
- **Mohideen, U. & Roy, A.** (1998). *Precision Measurement of the Casimir Force from 0.1 to 0.9 μm* . PRL 81, 4549 (AFM)
- **Bressi, G. et al.** (2002). *Measurement of the Casimir Force between Parallel Metallic Surfaces*. PRL 88, 041804
- **Decca, R. S. et al.** (2003). *Measurement of the Casimir Force between Dissimilar Metals*. PRL 91, 050402 (MEMS)
- **Chan, H. B. et al.** (2001). *Nonlinear micromechanical Casimir oscillator*. Science 291, 1941
- **Klimchitskaya, G. L. et al.** (2009). *The Casimir force between real materials: Experiment and theory*. Rev. Mod. Phys. 81, 1827 (comprehensive review)
- **Lifshitz, E. M.** (1956). *The Theory of Molecular Attractive Forces between Solids*. Sov. Phys. JETP 2, 73
- **Casimir & Polder** (1948). *The Influence of Retardation on the London-van der Waals Forces*. Phys. Rev. 73, 360 (Casimir-Polder)
- **Milton, K. A.** (2001). *The Casimir Effect: Physical Manifestations of Zero-Point Energy*. World Scientific (comprehensive textbook)
- Companion UQFF whitepapers: PAPER_646, PAPER_1023, PAPER_1051, PAPER_1080, PAPER_1156, PAPER_1203, PAPER_1802, PAPER_1810, PAPER_1817, PAPER_1823, PAPER_1845, PAPER_1847, PAPER_1849, PAPER_1851

Copyright — Daniel T. Murphy / Star-Magic Research Program, daniel.murphy00@enrgyone.com, July 2026, Youngstown OH.