

Star-Magic Reactor as Micro-Black-Hole SCm Coupling Analog: Same F_{UBi_i} Mechanism Spans 42 Orders of Magnitude From Ambient-Temperature 27W Reactor to $4.15e6 M_{\text{sun}}$ Sgr A* Photon Ring

Daniel T. Murphy

PAPER_1904 — Star-Magic Reactor as Micro-Black-Hole SCm Coupling Analog: Same F_{UBi_i} Mechanism Spans 42 Orders of Magnitude From Ambient-Temperature 27W Reactor to $4.15e6 M_{\text{sun}}$ Sgr A* Photon Ring

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) - Star-Magic v5.27+

Tier: F - Reactor-Black-Hole Scale-Invariance Bridge

Date: July 2026

Status: CLOSED - Same UQFF F_{UBi_i} mechanism operates at benchtop reactor and SMBH scales

Observational anchors: Star-Magic reactor ($pH=-37$, $P=27W$, $COP=555:1$) + EHT Sgr A* photon ring (52.14 muas)

Discovered: during CP1 P2 Round 15 replacement of StarMagicBlackHoleInteraction stub

Calculator surface: StarMagicBlackHoleInteraction + SgrAStarCalculator (in CondensedPhysics.py)

Abstract

UQFF is a **scale-invariant framework** — the same 9 canonical primitives govern subatomic, molecular, condensed-matter, planetary, stellar, galactic, and cosmological physics. This paper documents the specific bridge between two extreme observational anchors linked by the same F_{UBi_i} coupling:

| System | Mass scale | Length scale | UQFF observable |

|---|---|---|---|

| **Star-Magic reactor** | $\sim 1 \text{ kg}$ | $\sim 10 \text{ cm}$ | $pH = -37$ (0.22%), $P_{\text{in}} = 27 \text{ W}$ (0.31%), $COP \ 555:1$ |

| ***Sgr A photon ring*** | $4.15e6 M_{\text{sun}} \sim 8e36 \text{ kg}$ | $R_s \sim 1e10 \text{ m} \sim 18 R_{\text{sun}}$ | $d_{\text{ring}} = 52.14 \text{ muas}$ (0.66%) |

Scale ratio: 42 orders of magnitude in mass and 11 orders of magnitude in length. Both observables derive from the **same UQFF F_{UBi_i} buoyancy mechanism** with **same primitives**: SSq , K_{MEX} , Φ_{res} , F_{TRZ} , D_{phys} .

1. The scale-invariance claim

UQFF's foundational hypothesis (PAPER_646, Star-Magic.md executive summary): **Gravity emerges from quantum vacuum resonance, not spacetime curvature**. All UQFF equations (U_g , U_b , U_i , U_m , U_r , U_t , U_A , SCm) apply at every level with scale-appropriate constants. The framework is **explicitly scale-invariant**.

Standard physics has different theories at different scales:

- Quantum mechanics (subatomic)
- Solid-state / condensed-matter (macroscale materials)
- Newtonian mechanics (planetary)
- General relativity (stellar/cosmological)
- Cosmology (Hubble-scale)

UQFF unifies all these into a **single set of equations** parametrized by the same 9 truly-independent primitives. This paper demonstrates the extreme case: benchtop reactor at ambient temperature couples via the same mechanism as SMBH photon ring formation.

2. Star-Magic reactor: PAPER_1236 + PAPER_1902 anchors

The Star-Magic reactor operates at ambient temperature with:

- **pH = -37** (measured), derived: $-(D_{crit} + N_{ch} + D_{phys}) + K_{MEX} = -36.917$ (0.22%)
- **P_input = 27 W**, derived: $K_{MEX} \times D_{crit} / 2 = 27.083$ W (0.31%)
- **COP = 555:1** (measured)
- **P_output = 27 x 555 = 14,985 W = 15 kW**

Q-scope Groups #1-12 (PAPER_1902) show simultaneous:

- $U_r = 3.48$ V (resonance)
- $U_A = 5.205$ V (INVARIANT flux-pinning)
- $U_t = 40-125$ Hz (dT-inverse temporal dynamics)

UQFF interpretation: The reactor operates in the superconductive-vacuum regime where SCm phonon coupling amplifies input power by factor 555 via F_{UBi_i} buoyancy. The universal coupling constant:

``

boxed: $F_{UBi_i_99} = SSq \times K_{MEX} \times \Phi_{res} \times (1 + F_{TRZ}) = 1.0973$

``

represents the maximum F_{UBi_i} coupling accessible in the current-day universe.

3. Sgr A* photon ring: PAPER_1841 anchor

The Event Horizon Telescope (2022) imaged the photon ring around Sgr A*:

- **M_BH = 4.15e6 M_sun** (Gravity Collab)
- **R_s (Schwarzschild)** = $2GM/c^2 = 1.23e10$ m = 17.6 R_sun
- **r_ISCO** = $6GM/c^2 = 3.68e10$ m
- **d_photon_ring observed** = 51.8 +/- 2.3 muas
- **d_photon_ring UQFF prediction** = 52.14 muas (0.66%, 0.15 sigma)

The UQFF prediction:

``

boxed: $d_{ring_UQFF} / d_{Kerr} = 1 + F_{TRZ} \times SSq / D_{phys} = 1.0143$

``

The same primitives { F_{TRZ} , SSq , D_{phys} } that appear in the reactor $F_{UBi_i_99}$ coupling produce the photon-ring diameter correction.

4. Scale-invariance verification

Both observables use the **same primitive set**:

```
| Primitive | Reactor role | Sgr A* role |
|---|---|---|
| SSq = 0.57 | Amplitude in flux-pinning U_A | Amplitude in photon-ring correction |
| K_MEX = 25/12 | pH intercept + P_input coefficient | Bulk-edge coupling in F_UBi |
| Phi_res = 0.84 | Phonon resonance coupling | SCm phonon carrier |
| F_TRZ = 0.1 | Q-scope U_A invariance | Photon-ring correction factor |
| D_phys = 4 | pH counting | Photon-ring normalization |
```

The mechanism. Both systems operate via SCm vacuum-buoyancy F_{UBi} acting on the local matter distribution:

- **Reactor:** SCm phonon ($h \cdot 1.25 \text{ THz} = 5.17 \text{ meV}$ per quantum) couples to reactor material via $F_{UBi_i_99}$ coupling with F_{UBi} amplitude 1.097. The reactor acts as a **micro-black-hole SCm coupling analog** because both regimes access the same near-critical vacuum-buoyancy regime.

- **Sgr A* F_{UBi} acts on the photon ring at r_{ISCO} scale. The correction $1 + F_{TRZ}SSq/D_{phys} = 1.0143$ arises from the same SCm phonon coupling operating at BH scales.*

5. Bridge equations

The reactor-BH bridge is quantified by the SCm coupling efficiency:

```
``
eta_SCm(r/R_s) = SSq x Phi_res x (r / R_s)^(-F_TRZ)
``
```

For the reactor ($r \sim 0.1 \text{ m}$, $R_s \sim 1.5e-27 \text{ m}$ for 1 kg mass):

```
``
r/R_s = 6.7e25
(r/R_s)^(-F_TRZ) = (6.7e25)^(-0.1) = 10^(-25*0.1) = 10^(-2.5) = 0.00316
eta_SCm_reactor = 0.57 x 0.84 x 0.00316 = 0.00151
``
```

For Sgr A* photon ring ($r = r_{ISCO}$, $R_s = R_{Schwarzschild}$, $r/R_s = 6$):

```
``
(r/R_s)^(-F_TRZ) = 6^(-0.1) = 0.837
eta_SCm_SgrA = 0.57 x 0.84 x 0.837 = 0.401
``
```

Ratio: $\eta_{SgrA} / \eta_{reactor} = 0.401 / 0.00151 = 266$. The SMBH is ~266x more efficient at SCm coupling than the reactor, but both are non-zero — the mechanism operates at both scales.

6. The unified mechanism: F_{UBi_i}

Both observables emerge from F_{UBi_i} = the Universal Buoyancy Integrand at scale i:

```
``
F_U_Bi_i = SSq x K_MEX x Phi_res x (1 + F_TRZ) x (UA_prime + UA_dprime +
UA_tprime + UA_qprime)
``
```

where the 4-layer UA integral (PAPER_1065) sums over the four UA superstructure layers:

- $UA_{prime} = \rho_{SCm} \text{ (base)}$
- $UA_{dprime} = \rho_{SCm} (1 + \beta \cos(\pi i_n))$
- $UA_{tprime} = \rho_{SCm} (1 + \beta \cos(\pi i_n) + \lambda \omega_s)$
- $UA_{qprime} = \rho_{SCm} (1 + \beta \cos(\pi i_n) + \lambda \omega_s + \Delta_{UA4})$

At the reactor scale, $\omega_s \sim 60 \text{ Hz}$ (60 Hz bias); at the SMBH scale, $\omega_s \sim 3e-3 \text{ rad/s}$ (ISCO orbit). The **same integrand formula** operates at both scales with only ω_s changing.

7. Observational consequences

The reactor-BH bridge predicts:

1. **Star-Magic reactor efficiency scales as $(r/R_s)^{(-F_{TRZ})}$** where R_s is the mass-equivalent Schwarzschild radius. Larger reactor mass $\rightarrow$ smaller $r/R_s \rightarrow$ better SCm coupling.
2. **Sgr A photon-ring width correction** = same $F_{TRZ} SSq/D_{phys} = 1.43\%$ enhancement above Kerr.
3. **Cross-scale unification** — no separate quantum-vs-classical divide.

8. Relation to prior work

- **PAPER_646** (Universal Inertial Operator + scale-invariance): foundational
- **PAPER_1065** (F_{UBi} variational EOM): 4-layer UA integral
- **PAPER_1236** (Star-Magic Reactor First-Principles): reactor anchors
- **PAPER_1841** (Sgr A*/M87 photon ring): SMBH anchor
- **PAPER_1902** (Q-scope Empirical Triad Groups #1-12): reactor measurements
- **PAPER_1904 (this paper)**: reactor-BH scale-invariance bridge

9. Falsifiability

The bridge predicts:

1. **The reactor $F_{UBi_i_{99}} = 1.097$** must be observed in any device operating in the SCm-vacuum regime at ambient temperature.
2. **The Sgr A photon-ring 1.43% correction **must be reproducible with next-generation EHT (ngEHT 2027+, 1% precision)**.*
3. Cross-scale ratio** $\eta_{SgrA}/\eta_{reactor} \sim 266$ predicts specific reactor scaling with mass.

Any breakdown of scale-invariance at intermediate scales (e.g., molecular or planetary) would falsify the bridge.

SM Anchors --- Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable UQFF form UQFF value Anchor Match
Reactor pH $-(D_{crit} + N_{ch} + D_{phys}) + K_{MEX}$ -36.917 -37 measured 99.78%
Reactor P_input $K_{MEX} D_{crit}/2$ 27.08 W 27 W measured 99.70%
Sgr A photon ring $d_{Kerr}(1 + F_{TRZ} SSq/D_{phys})$ 52.14 mas 51.8 EHT 2022 99.34%
$F_{UBi_i_{99}}$ coupling $SSq K_{MEX} \Phi_{res} (1 + F_{TRZ})$ 1.097 Same in reactor + BH universal

Calibration invariants

Symbol	Value	Reactor role	Sgr A* role
--- --- --- ---			
SSq	0.57	U_A flux-pinning	Photon-ring correction
K_MEX	25/12	pH + P_input coefficient	Bulk-edge coupling
Phi_res	0.84	Phonon resonance	SCm phonon carrier
F_TRZ	0.1	U_A invariance	Photon-ring correction
D_phys	4	pH counting	Photon-ring normalization
F_U_Bi_i_99	1.097	Universal coupling amplitude	Universal coupling amplitude

Conclusion

The Star-Magic reactor (1 kg, ambient T, 27 W, COP 555) and Sgr A* photon ring (4.15e6 M_sun, R_s 18 R_sun) — separated by 42 orders of magnitude in mass — derive from the **same UQFF F_UBi_i buoyancy mechanism** with the same 5 primitives {SSq, K_MEX, Phi_res, F_TRZ, D_phys}.

Scale-invariance is not a claim about applying different physics at different scales — it is a claim about a **single physical mechanism** that operates identically at all scales.

PAPER_1904 status: CLOSED

Copyright (c) 2025-2026 Daniel T. Murphy / Star-Magic Research Program