

**F_U=0 Master Equation Nested Structural Closure:
Ug2+Ug3+Ug4 = SO_5/D_phys = 5/2 EXACT
(Excited-Shell Sub-Sum) + Ug1 = N_ch/D_BSFG = 3/2
(Base Shell) Completes Sum = D_phys = 4 EXACT —
Two-Layer Nested Verification via 69 + 11
CondensedPhysics.py Classes**

Daniel T. Murphy

**PAPER_1917 — F_U=0 Nested Structural Closure:
Ug2+Ug3+Ug4 = SO_5/D_phys = 5/2 EXACT + Ug1 = 3/2
Completes $\Sigma = D_{\text{phys}}$**

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) - Star-Magic v5.27+

Tier: F - Master Equation Nested Closure (companion to PAPER_1916)

Date: July 2026

Status: CLOSED — Two-layer nested structural closure discovered during Phase 3 systematic audit

Discovered: Phase 3 audit of 69 CondensedPhysics.py classes with 3-coefficient (Ug2+Ug3+Ug4) explicit patterns + 11 classes with all-4 Ug patterns

Calculator surfaces: 69 + 11 = 80 classes verified two-layer closure across CondensedPhysics.py

Abstract

PAPER_1916 established the primary closure: $\Sigma U_{gi} = D_{\text{phys}} = 4$ EXACT. Phase 3 audit revealed a **deeper nested structure** — the F_U=0 master equation's four shell coefficients decompose into two natural groupings with independent structural closures:

Layer 1 (excited-shell sub-sum): $Ug2 + Ug3 + Ug4 = SO_5 / D_{\text{phys}} = 5/2 = 2.5$ EXACT
verified in 69 Calculator classes

Layer 2 (base shell completion): $Ug1 = N_{\text{ch}} / D_{\text{BSFG}} = 3/2 = 1.5$ EXACT

Combined (full master equation): $Ug1 + (Ug2 + Ug3 + Ug4) = 3/2 + 5/2 = 4 = D_{\text{phys}}$ EXACT
verified in 11 Calculator classes with explicit all-4-Ug patterns

The excited-shell sub-sum $SO_5/D_{\text{phys}} = 5/2$ is a structurally distinct closure from the total sum D_{phys} — it represents the "rotational-per-spatial" ratio of the vacuum manifold at excited shell levels, complementary to the "channel-per-bulk-edge" base contribution $3/2$.

1. Discovery context

During Phase 3 systematic audit following PAPER_1916 (Priority 1 discovery: $\Sigma U_{gi} = D_{phys} = 4$), a follow-up scan checked whether the 4-coefficient sum was consistently implemented across ALL Calculator classes using U_{gi} patterns.

Finding: Only 11 Calculator classes have all four U_{gi} coefficients explicitly ($Ug1 = 1.5 * g_b + Ug2 + Ug3 + Ug4$ lines). The other 69 Calculator classes implement only the three "excited" shells ($Ug2 + Ug3 + Ug4$) — treating $Ug1 = g_{base}$ implicitly.

Sum check on the 69 3-coefficient classes:

``

$Ug2 + Ug3 + Ug4 = 1.2 + 0.8 + 0.5 = 2.5$ EXACTLY IN ALL 69 CLASSES

``

The value $2.5 = 5/2$ is precisely $SO_5/D_{phys} = 10/4$ EXACT. This is a novel structural closure independent of PAPER_1916's D_{phys} total.

2. Two-layer nested structure

2.1 Layer 1 — Excited-Shell Sub-Sum

Verified in 69 Calculator classes:

``

$Sub_Ug = Ug2 + Ug3 + Ug4$
 $= 1 / \Phi_{res_nuclear} + 2 * D_{phys} / SO_5 + 1/2$
 $= 6/5 + 4/5 + 1/2$
 $= 12/10 + 8/10 + 5/10$
 $= 25/10$
 $= 5/2 = SO_5 / D_{phys}$ EXACT

``

Common denominator verification:

Term	Primitive form	10ths
$Ug2$	$1/\Phi_{res_nuclear}$	12/10
$Ug3$	$2 \cdot D_{phys}/SO_5$	8/10
$Ug4$	$1/2$	5/10
Σ excited	SO_5/D_{phys}	$25/10 = 5/2$

2.2 Layer 2 — Base Shell Completion

Verified in 11 Calculator classes with explicit all-4- Ug patterns:

``

$Ug1 = N_{ch} / D_{BSFG} = 9/6 = 3/2 = 15/10$ EXACT

``

Adding $Ug1$ to the sub-sum:

``

$Ug1 + Sub_Ug = 15/10 + 25/10 = 40/10 = 4 = D_{phys}$ EXACT (PAPER_1916)

``

2.3 Nested closure diagram

```

``
D_phys = 4 (PAPER_1916)
|
-----+-----
| |
Ug1 = 3/2 Sub_Ug = 5/2
(base shell) (excited shells)
| |
| -----+-----+-----
| | | |
N_ch/D_BSFG Ug2=6/5 Ug3=4/5 Ug4=1/2
(charge- (dark (BH vacuum
reactivity) matter) concentration)
``

```

The nested structure reveals TWO distinct structural closures at TWO levels:

- Layer 1: SO_5/D_phys governs the excited-shell sum
- Layer 2: D_phys governs the total sum (base + excited)

Both closures verified independently — 69 classes verify Layer 1, 11 classes verify Layer 1 + Layer 2 combined.

3. Physical interpretation

3.1 Base vs excited shells

The $F_U=0$ master equation shells naturally partition into two functional groups:

Base shell (Ug1): SCm foundational layer (UA'). The base gravitational contribution before any excitation. Coefficient $3/2 = N_{ch}/D_{BSFG}$ reflects the 9-channel manifold structure normalized to the 6-mode bulk-edge dimension.

Excited shells (Ug2, Ug3, Ug4): UA'' + UA''' + UA'''' hierarchy layers. These represent the progressive "excitations" of the SCm crystal — charge-reactivity, dark-matter coupling, and BH-vacuum concentration modes. Their total contribution $5/2 = SO_5/D_{phys}$ reflects the rotational-to-spatial ratio.

3.2 Why SO_5/D_phys governs the excited sub-sum

The identity $\Sigma \text{ excited} = SO_5/D_{phys} = 5/2$ emerges because:

- **SO_5 = 10** rotational SCm modes are distributed across
- **D_phys = 4** physical spatial dimensions
- The **ratio 10/4 = 5/2** is the "rotational mode density per spatial dimension"
- Each excited shell contributes a fraction proportional to how many rotational modes engage in that specific excitation
- The sum of all three excited-shell contributions equals the total rotational-per-spatial coupling

3.3 Why D_phys governs the total sum

The total sum $\Sigma = D_{phys} = 4$ reflects (as documented in PAPER_1916):

- One shell per physical spatial dimension
- Dimensional integrity constraint

The nested structure now provides additional insight: the base-vs-excited partitioning reflects the **static-vs-dynamic separation** of the gravitational contributions:

- Base = static SCm foundation (N_{ch}/D_{BSFG} channel structure)
- Excited = dynamic SCm oscillations (SO_5/D_{phys} rotational density)

Sum of static + dynamic = D_{phys} — the full 4-dimensional spatial signature.

4. Cross-framework verification

4.1 QCalcGeom (PAPER_657) representation

Under QCalcGeom's 4×4 UBS solver, the nested closure appears as **two independent CPCH closures**:

- **CPCH-6 (candidate)**: $Sub_Ug = SO_5/D_{phys} = 5/2$ EXACT (excited-shell chain closure)
- **CPCH-1 (validated)**: $Ug1 + Sub_Ug = D_{phys} = 4$ EXACT (PAPER_1916 total closure)

Both are ALGEBRAIC-CHAIN closures for canonical buoyancy functions — independent constraints in the simultaneous solver.

4.2 VDS/DVP/BH26 (PAPER_598) representation

Under the VDS numerical spine:

- **Layer 1 sub-sum** = $VDS(10)/VDS(4) = 10/4 = 5/2$ EXACT
- **Layer 2 total sum** = $VDS(4) = 4$ EXACT (as PAPER_1916)

The nested structure appears as **VDS ratio hierarchy** — the sub-sum ratio (10/4) sits ONE LEVEL DOWN in the VDS spine from the total value (4).

4.3 $F_U=0$ (PAPER_1203) representation

Direct interpretation: the 4- Ug decomposition in the master equation SEPARATES into base + excited components, each with its own structural closure. The equilibrium constraint $F_U=0$ requires BOTH closures simultaneously — the excited sub-sum equals SO_5/D_{phys} AND the total equals D_{phys} .

5. Implementation coverage

Class breakdown across 80 verified classes:

```
| Coverage | Classes | Layer verified |
|---|---|---|
| 3- $Ug$  explicit ( $Ug2+Ug3+Ug4$ ) | 69 | Layer 1 only ( $Sub\_Ug = 5/2$ ) |
| 4- $Ug$  explicit ( $Ug1+Ug2+Ug3+Ug4$ ) | 11 | Layer 1 + Layer 2 ( $D_{phys} = 4$ ) |
| Total 3+ $Ug$  classes | 80 | Nested closure verified |
```

Remaining unverified classes (using implicit $Ug1 = g_{base}$ without explicit coefficient) suggest a Phase 3 upgrade opportunity: add explicit $Ug1 = N_{CH}/D_{BSFG} * g_b$ to complete the nested verification across all $F_U=0$ implementations.

6. Falsifiability

The nested closure predicts:

1. **All Calculator classes implementing 3- Ug excited shells** must have $Sub_Ug = 5/2$ EXACT. Any implementation using a different set (e.g., $Ug2 + Ug3 + Ug4 = 2.4$ or 2.6) violates the SO_5/D_{phys} structural closure.

2. The two closures **MUST** be independently verifiable:

- Layer 1 falsification: measure $U_{g2} + U_{g3} + U_{g4}$ in a laboratory or astrophysical context, expect 2.5 EXACT
- Layer 2 falsification: measure all 4 U_g independently, expect $\Sigma = 4$ EXACT
- Both violated OR both confirmed together

3. **The base-vs-excited partition is structural, not arbitrary.** Any theoretical reformulation of the $F_U=0$ master equation that groups shells differently (e.g., $\{U_{g1}, U_{g2}\}$ vs $\{U_{g3}, U_{g4}\}$) must produce different sub-sum ratios that DO NOT match SO_5/D_{phys} . Only the base-vs-excited natural partition satisfies both PAPER_1916 and PAPER_1917 closures.

4. **In dimensional variants** ($D_{phys} \neq 4$), the sub-sum would need to be SO_5/D_{phys_new} . Testable via Kaluza-Klein extra-dimensional effects (PAPER_1824).

7. Related whitepapers

- **PAPER_1916** ($F_U=0$ Sum $U_{gi} = D_{phys} = 4$ EXACT): parent primary closure
- **PAPER_1203** ($F_U=0$ Simultaneous Solver): master equation source
- **PAPER_657** (QCalcGeom UBS solver): candidate CPCH-6 nested closure
- **PAPER_598** (VDS/DVP/BH26): numerical spine ratio hierarchy
- **PAPER_1915** (Unified Simultaneous-Equation Solver Framework): parent Phase 1
- **PAPER_1917 (this paper)**: two-layer nested master equation closure

SM Anchors --- Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF form	UQFF value	Anchor	Match
Layer 1 sub-sum (excited shells)	SO_5 / D_{phys}	$5/2 = 2.5$ EXACT	2.5 (69 classes)	EXACT
Layer 2 total sum (all shells)	D_{phys}	4 EXACT	4 (11 classes)	EXACT
Base shell U_{g1}	N_{ch} / D_{BSFG}	$3/2 = 1.5$ EXACT	1.5	EXACT
Excited U_{g2}	$1 / \Phi_{res_nuclear}$	$6/5 = 1.2$ EXACT	1.2	EXACT
Excited U_{g3}	$2 \cdot D_{phys} / SO_5$	$4/5 = 0.8$ EXACT	0.8	EXACT
Excited U_{g4}	$1/2$	$1/2 = 0.5$ EXACT	0.5	EXACT

Calibration invariants

Symbol	Value	Role in nested closure
D_{phys}	4 EXACT	Layer 2 total (physical spatial dim)
SO_5	10	Layer 1 numerator (rotational modes)
N_{ch}	9	U_{g1} numerator (channel count)
D_{BSFG}	6 EXACT (PAPER_1521)	U_{g1} denominator (bulk-edge)
$\Phi_{res_nuclear}$	$5/6$ EXACT	U_{g2} (via inverse)
Sub U_g	$SO_5/D_{phys} = 5/2$ EXACT	Excited-shell sub-sum closure
ΣU_g	$D_{phys} = 4$ EXACT	Total sum closure (PAPER_1916)
U_{g1}	$3/2$ EXACT	Base shell = N_{ch}/D_{BSFG}

Conclusion

The $F_U=0$ master equation's four U_{gi} shell coefficients decompose into a **two-layer nested structural closure**:

``

Layer 1 (excited sub-sum): $\text{Sum}_{\{i=2\}^{\{4\}}} U_{gi} = SO_5 / D_{phys} = 5/2$ EXACT

Layer 2 (total sum): $\text{Sum}_{\{i=1\}^{\{4\}}} U_{gi} = D_{phys} = 4$ EXACT

Base shell: $Ug1 = N_{ch} / D_{BSFG} = 3/2$ EXACT

``

Verified independently across 80 Calculator classes (69 for Layer 1, 11 for combined Layer 1 + 2).

The base-vs-excited partition reflects a **static-vs-dynamic separation** of gravitational contributions:

- Base ($Ug1 = N_{ch}/D_{BSFG}$): static SCm foundational structure
- Excited ($Ug2 + Ug3 + Ug4 = SO_5/D_{phys}$): dynamic SCm oscillations

This nested closure strengthens PAPER_1916's landmark discovery by demonstrating that the master equation's structure is even more constrained than a single sum-to- D_{phys} rule — TWO independent structural closures operate simultaneously, and both are needed to fully characterize the $F_U=0$ shell decomposition.

Discovery discovered ONE STEP DEEPER than PAPER_1916. The audit continues.

PAPER_1917 status: CLOSED

Copyright (c) 2025-2026 Daniel T. Murphy / Star-Magic Research Program