

1.1875 = K_MEX · SSq — Two-Path Convergence Across SCm Resonator Quality Factor and GW170817 Chirp Mass

Daniel T. Murphy

PAPER_1937 — 1.1875 = K_MEX · SSq Two-Path Convergence

Prologue — Theory of Permanence Reminder

NOT REPLACEMENT. UQFF does not replace resonator physics. UQFF does not replace gravitational-wave astronomy. UQFF describes the **same fundamental coefficient** $K_{MEX} \cdot SSq = 1.1875$ manifesting simultaneously and permanently in both domains.

Everything works simultaneously. The Q-factor of a superconducting resonator (electrical) and the chirp mass of a binary neutron-star merger (gravitational) are computed by the same primitive-arithmetic product. Not analogously — literally the same coefficient, permanently, in conjunction.

Speed IS a change in buoyancy component. Both a resonator's Q-factor and a chirp mass measure the rate at which the vacuum-buoyancy component changes near the observable — the Q-factor for electromagnetic mode oscillation, the chirp mass for gravitational-wave frequency sweep. Same underlying physics, two mathematical windows.

Nothing is negligible. The 1.1875 coefficient appears identically in two derivations from unrelated physics. This is not numerology — it is a permanent structural invariant of the vacuum-buoyancy manifold visible in both electromagnetic and gravitational sectors.

Abstract

This paper documents a novel UQFF structural closure discovered during Round 67 double-check of the CondensedPhysics stub-drainage program: **the coefficient $1.1875 = K_{MEX} \cdot SSq$ is derived by two independent UQFF paths across completely different physical domains, converging on the same primitive-arithmetic value.**

Master identity (two-path convergent coefficient):

$$\boxed{K_{MEX} \cdot SSq = \frac{25}{12} \cdot 0.57 = 1.1875 \text{ \textit{EXACT}}}$$

Path 1 (PAPER_1908 SCm Resonator Quality Factor):

$$Q_{UQFF} = 10^6 \cdot SSq \cdot K_{MEX} = 1.1875 \cdot 10^6 \text{ \textit{EXACT}}$$

The universal quality factor of the SCm superconductive resonator enabling Lorentzian coupling of astrophysical drivers from 10^{10} Hz cosmological expansion to 10^{12} Hz SCm carrier.

Path 2 (PAPER_1857 GW170817 Chirp Mass):

\$\$

$$M_c^{\{GW170817\}} = K_{\{MEX\}} \cdot [SSq] = 1.1875 \text{ \textbackslash; } M_{\odot} \text{ \textbackslash; } \text{\text{ESSENTIALLY EXACT}}$$

The chirp mass of the LIGO-observed binary neutron-star merger GW170817, matching LIGO measurement of 1.188 $M_{\odot}$ at 0.042% residual.

Both paths use the identical product $K_{MEX} \cdot SSq = 1.1875$. Different observables (electrical Q vs gravitational chirp), different units (dimensionless $\times 10^6$ vs $M_{\odot}$), different physics sectors (superconductivity vs gravitational waves), same primitive arithmetic. Under Theory of Permanence, this is expected: same structural invariant manifesting through two paths.

The identity is runtime-verified across TWO independent stubs (MUGEResonanceUg4iCalculator from Round 60 double-check + GalaxyMergerSpecificCalculator from Round 67 double-check) with both verifications returning True at exact/near-exact precision.

1. PAPER_1908 — SCm Resonator Quality Factor (Path 1)

PAPER_1908 established the SCm superconductive resonator quality factor as a universal UQFF coefficient:

\$\$

$$Q_{\{UQFF\}} = 10^6 \text{ \textbackslash times } [SSq] \text{ \textbackslash times } K_{\{MEX\}} = 1.1875 \text{ \textbackslash times } 10^6 \text{ \textbackslash; } \text{\text{EXACT}}$$

Physical interpretation: Q_{UQFF} is the resonator quality factor enabling **Lorentzian coupling of astrophysical drivers** at any frequency from 10^{10} Hz cosmological expansion to 10^{12} Hz SCm carrier. It appears in 5+ CondensedPhysics.py OscWave/Freq calculators as the resonance-sharpness parameter.

Formula structure:

- 10^6 — canonical UQFF resonance-sharpness scaling factor
- SSq — universal source coefficient (0.57 truly-independent primitive)
- K_{MEX} — Mexican-hat coefficient (25/12 EXACT via PAPER_1522 landmark)

The coefficient extracted:

\$\$

$$Q_{\{UQFF\}} / 10^6 = [SSq] \text{ \textbackslash times } K_{\{MEX\}} = 0.57 \text{ \textbackslash times } \frac{25}{12} = 1.1875$$

2. PAPER_1857 — GW170817 Chirp Mass (Path 2)

PAPER_1857 established that the LIGO-observed chirp mass of GW170817 equals UQFF's $K_{MEX} \cdot SSq$ product:

\$\$

$$M_c^{\{UQFF\}} = K_{\{MEX\}} \cdot [SSq] = 1.1875 \text{ \textbackslash; } M_{\odot}$$

LIGO observation: 1.188 $M_{\odot}$ (Abbott et al., 2017)

Residual: $|1.1875 - 1.188| / 1.188 = 0.042\%$ — well within observational uncertainty.

Physical interpretation (from PAPER_1857):

> "This is not coincidence — it is the fundamental Yang-Mills structural relation ($K_{\text{MEX}} = \sqrt{\sigma}/\Lambda_{\text{QCD}}$ from PAPER_1854) times the universal source coefficient [SSq]. **This is the natural neutron-star mass scale from QCD.**"

Formula structure:

- $K_{\text{MEX}} = \sqrt{\sigma}/\Lambda_{\text{QCD}} = 25/12$ EXACT (Yang-Mills string tension over QCD scale ratio)
- $\text{SSq} = 0.57$ (universal source coefficient)
- **Product = 1.1875 $M_{\odot}$** = natural neutron-star chirp mass from primitive arithmetic

3. The Two-Path Convergence

Claim (PAPER_1937): The coefficient 1.1875 appearing in Q_{UQFF} (electrical resonator) and M_{chirp} (gravitational wave) is the **same 1.1875** — a single permanent structural invariant of UQFF's vacuum-buoyancy manifold manifesting through two mathematical paths.

Cross-domain identity:

\$\$
[SSq] \cdot K_{\text{MEX}} = 1.1875
\$\$

- Path 1: appears as Q-factor coefficient (scaled by 10^6 for resonance-sharpness)
- Path 2: appears as chirp mass (in $M_{\odot}$ units)

Different observable interpretations. Same primitive arithmetic. Same value.

Physical meaning: The product $[\text{SSq}] \cdot K_{\text{MEX}} = 1.1875$ is the **fundamental coupling coefficient** between:

- **Yang-Mills structural relation** ($K_{\text{MEX}} = \sqrt{\sigma}/\Lambda_{\text{QCD}}$)
- **Universal source coefficient** ($\text{SSq} = 0.57$)

This coupling appears whenever the vacuum-buoyancy manifold reaches equilibrium at:

- **Electrical resonance** (Path 1: superconductive Q-factor)
- **Gravitational binary equilibrium** (Path 2: neutron-star chirp mass)

Because both regimes require the same underlying Yang-Mills-QCD coupling to source-coefficient product, they arrive at the same 1.1875 value.

4. Runtime Verification

Both paths are verified at runtime in independent CondensedPhysics stubs:

Path 1 verification (in MUGEResonanceUg4iCalculator, Round 60 double-check):

```
``python
Q_UQFF_PAPER_1908 = 1.0e6 SSQ K_MEX
Q_UQFF_1p1875e6_EXACT_verify_PAPER_1908 = abs(Q_UQFF_PAPER_1908 - 1.1875e6) <
1.0 # True
``
```

Path 2 verification (in GalaxyMergerSpecificCalculator, Round 67 double-check):

```
``python
M_chirp_UQFF_K_MEX_SSq_PAPER_1857 = K_MEX * SSq
M_chirp_1p1875_EXACT_verify_PAPER_1857 = abs(M_chirp_UQFF_K_MEX_SSq_PAPER_1857
- 1.1875) < 5e-4 # True
LIGO_M_chirp_GW170817_Msun = 1.188
```

```
chirp_matches_LIGO_042pct_verify_PAPER_1857 = abs(...) /
LIGO_M_chirp_GW170817_Msun < 0.001 # True
``
```

Runtime output:

```
Q_UQFF_PAPER_1908 = 1.1875e6 # electrical resonator
M_chirp_UQFF_K_MEX_SSq = 1.1875 # gravitational chirp mass
LIGO_M_chirp_GW170817 = 1.188 # observed
``
```

Both paths produce identical 1.1875 base coefficient.

5. Placement in the PAPER_1912-1937 Series

PAPER_1937 is the twenty-sixth paper in the Round 42-67 novel-structural-closure series:

```
| Paper | Closure | Category |
|---|---|---|
| PAPER_1912-1935 | 24 prior closures | Various |
| PAPER_1936 | 22 = KK regulator = compact dims two-path | Two-path (integer) |
| PAPER_1937 | 1.1875 = Q_UQFF/10■ = M_chirp two-path | Two-path (rational coefficient) |
```

PAPER_1937 is the **second two-path cross-derivation paper** in the series, following PAPER_1936. Where PAPER_1936 documented two-path convergence on an integer (22), PAPER_1937 documents two-path convergence on a rational coefficient ($25/12 \cdot 0.57 = 1.1875$).

Two-path category is expanding: PAPER_1936 (integer 22) + PAPER_1937 (rational 1.1875) + additional candidates from PAPER_1936 Prediction B suggest this category will become substantial as the series matures.

6. Cross-Framework Connections

6.1 To PAPER_1908 (source of Q_UQFF)

PAPER_1908 established $Q_UQFF = 10■ \cdot SSq \cdot K_MEX = 1.1875 \times 10■$ EXACT. PAPER_1937 extracts the base coefficient $1.1875 = SSq \cdot K_MEX$ and identifies its cross-domain identity.

6.2 To PAPER_1857 (source of M_chirp)

PAPER_1857 established $M_chirp = K_MEX \cdot SSq = 1.1875 M■$ ESSENTIALLY EXACT (0.042% to LIGO). PAPER_1937 recognizes this is the same base coefficient as PAPER_1908.

6.3 To PAPER_1854 (source of K_MEX physical meaning)

PAPER_1854 derived $K_MEX = \sqrt{\sigma}/\Lambda_{QCD}$ from Yang-Mills structural relation (σ = string tension, Λ_{QCD} = QCD scale). PAPER_1937 shows this Yang-Mills identity appears in both electrical and gravitational sectors.

6.4 To PAPER_1936 (Two-path convergence framework)

PAPER_1936 established the two-path convergence category (for integer 22). PAPER_1937 extends the category to rational coefficients (1.1875).

6.5 To PAPER_1929 (Theory of Permanence)

Under Theory of Permanence, two-path convergences are expected: same permanent structural invariant, multiple mathematical descriptions.

6.6 To PAPER_1932 (Wheeler-DeWitt = $F \cdot U = 0$)

The universal wavefunction $|\psi\rangle$ evaluated in electrical vs gravitational contexts should produce consistent coefficients. PAPER_1937 confirms 1.1875 is one such consistency check.

7. Physical Interpretation

The product $K_MEX \cdot SSq = 1.1875$ represents a **universal Yang-Mills-QCD $\times$ universal-source coupling coefficient**. Its appearances in:

1. **SCm superconductive resonator Q-factor** (electromagnetic coupling)
2. **Binary neutron-star chirp mass** (gravitational coupling)

reflect the fact that **both regimes require the same underlying QCD-Yang-Mills coupling to source amplitude**:

- **Electrical**: The resonator's Q-factor determines how sharply the SCm superconductive mode couples to external drivers. Sharp coupling requires the Yang-Mills-QCD structural relation (K_MEX) times the source availability (SSq).
- **Gravitational**: The chirp mass determines the frequency-sweep rate of binary inspiral emission. Its natural neutron-star scale is set by the same Yang-Mills-QCD coupling.

Under Theory of Permanence, both regimes describe the same permanent structural invariant. Different observables (Q vs M_chirp), same underlying vacuum-buoyancy structure.

Speed IS a change in buoyancy component: The resonator Q-factor measures the buoyancy-component change rate for electromagnetic oscillation. The chirp mass measures the buoyancy-component change rate for gravitational-wave frequency sweep. Same rate, two applications.

8. Predictions and Falsifiability

Prediction A (immediate): Any UQFF observable involving both K_MEX and SSq should reduce to 1.1875 (up to scaling factors like $10^{\pm 1}$). Falsifiable if a UQFF observable using this product yields substantively different value.

Prediction B (candidate additional paths): The 1.1875 coefficient may appear in other UQFF calculations. Candidates:

- Casimir force enhancement scaling
- Vacuum birefringence in strong fields
- Any observable involving Yang-Mills $\times$ universal source coupling

Falsifiable if these candidates fail to yield 1.1875 when refined.

Prediction C (K_MEX/SSq generalization): UQFF may have other two-path convergent coefficients built from primitive products:

- $K_MEX \cdot SSq = 1.1875$ (this paper)
- $F_TRZ \cdot SSq = 0.057$ (M_ej GW170817 fraction, PAPER_1886)
- $SSq \cdot \Phi_res = 0.479$ (Casimir 0.479%, PAPER_1852)

- $K_{\text{MEX}} / \Phi_{\text{res}} = 2.48$ (candidate?)

Each product should appear in multiple observables. Falsifiable if any predicted product fails to appear in multiple sectors.

Prediction D (Yang-Mills-QCD universality): The $K_{\text{MEX}} = \sqrt{\sigma}/\Lambda_{\text{QCD}}$ identity should govern any UQFF observable involving quark confinement or QCD scale. Falsifiable if a QCD-relevant UQFF observable requires a different structural coefficient.

9. Implications for UQFF Structure

Structural rigidity: Each new two-path convergence reinforces UQFF's structural rigidity — the framework's 9 truly-independent primitives are so tightly coupled that identical numerical values emerge from unrelated physics. If independent, we would expect no such convergences; observing them is evidence of underlying structural consistency.

Codebase architecture: Every calculator computing a UQFF coefficient should document what other UQFF observables share the same primitive product. Round 68+ stubs could adopt a `shares_coefficient_with` field in framework annotations, cross-referencing other stubs that compute the same base coefficient.

Cross-framework audit protocol: Any new UQFF integer or rational coefficient discovered in future work should trigger a search for additional paths that produce the same value. Multi-path convergences indicate structural closures; single-path values may be incomplete framework identifications.

10. Conclusion

PAPER_1937 formalizes as canonical UQFF structural closure the two-path convergence:

\$\$

$$1.1875 = \frac{Q_{\text{UQFF}}}{10^6} = M_{\text{c}}^{\text{GW170817}} = K_{\text{MEX}} \cdot [\text{SSq}]$$

\$\$

Runtime-verified across two independent stubs (MUGEResonanceUg4iCalculator electrical + GalaxyMergerSpecificCalculator gravitational). Two completely different physical domains (electromagnetic superconductive Q vs gravitational-wave chirp mass) converge on the same primitive-arithmetic coefficient.

Under Theory of Permanence:

- **NOT REPLACEMENT** — resonator physics + GW astronomy + UQFF cross-derivation all describe the same underlying reality permanently

- **Everything works simultaneously** — 1.1875 appears in electrical AND gravitational contexts at the same permanent value

- **Nothing is negligible** — every path contributes permanently; convergence is the visible manifestation of structural rigidity

- **Speed IS change in buoyancy component** — Q-factor buoyancy-rate for EM oscillation = chirp-mass buoyancy-rate for GW sweep; same physics, two windows

The truth is permanent. The truth is many-descriptive. 1.1875 in Q_{UQFF} and 1.1875 in M_{chirp} are the same 1.1875 — a permanent Yang-Mills × universal-source coupling invariant of the vacuum-buoyancy manifold, visible through both electromagnetic and gravitational windows.

Appendix — Verification Code

```
```python
CondensedPhysics primitives
K_MEX = 25.0 / 12.0 # PAPER_1522 landmark: K_MEX = Phi_5/6 * SO_5 / D_phys = 25/12 EXACT
SSQ = 0.57 # truly-independent primitive
```

**Base coefficient base\_1p1875 = K\_MEX \* SSQ # = 1.1875 EXACT**

**Path 1 (PAPER\_1908 SCm resonator Q-factor) Q\_UQFF = 1.0e6 \* SSQ \* K\_MEX # = 1.1875e6 EXACT verify\_Q = abs(Q\_UQFF - 1.1875e6) < 1.0 # True**

**Path 2 (PAPER\_1857 chirp mass GW170817) M\_chirp = K\_MEX \* SSQ # = 1.1875 M\_sun LIGO\_observed = 1.188 # M\_sun verify\_chirp = abs(M\_chirp - LIGO\_observed) / LIGO\_observed < 0.001 # True (0.042%)**

**Two-path convergence verify\_convergence = (Q\_UQFF / 1.0e6 == M\_chirp) # True (both = 1.1875) ```**

## Cross-references

- PAPER\_1908 — Universal Q\_UQFF =  $10^6 \times [\text{SSq}] \times \text{K\_MEX} = 1.1875 \times 10^6$  EXACT (Path 1 source)
- PAPER\_1857 — GW170817 NS Merger AT2017gfo Kilonova UQFF M\_chirp = K\_MEX · [SSq] = 1.1875 M\_sun (Path 2 source)
- PAPER\_1854 — K\_MEX =  $\sqrt{\sigma/\Lambda\text{QCD}}$  Yang-Mills structural relation
- PAPER\_1522 (LANDMARK) — K\_MEX derivative K\_MEX = 25/12 EXACT
- PAPER\_1929 — Theory of Permanence (foundational)
- PAPER\_1932 — Wheeler-DeWitt = F\_U = 0 (universal wavefunction consistency)
- PAPER\_1936 — 22 = KK regulator = compact dims two-path convergence (companion two-path paper)
- PAPER\_1886 — r-Process + M\_ej\_GW170817 = F\_TRZ · SSq (parallel two-path candidate)
- PAPER\_1912-1936 — Novel structural closure series

**License:** AGPL-3.0-or-later OR LicenseRef-StarMagic-Commercial

**Author:** Daniel T. Murphy, daniel.murphy00@enrgyone.com

**Date:** 2026-07-07