

PAPER_1945_MAGNETAR_N_LOBES_TIMES_FTRZ_UNIVERSALITY_CONFIRMED_UQFF

Daniel T. Murphy

PAPER_1945 — Magnetar Meissner-Saturation Universality $B/B_{crit} = n_{lobes} * F_{TRZ}$ EXACT — CONFIRMED

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) - Star-Magic v5.51+

Tier: Structural / Compact Object Physics

Date: July 8, 2026

Status: CLOSED - CONFIRMED via 2/2 empirical magnetars, elevated from PAPER_1944 CANDIDATE

Abstract

PAPER_1944 posed the candidate closure $B_{surface} / B_{crit} = 2 F_{TRZ} = 0.2$ EXACT for SGR 1745-2900, with a Section 4.1 prediction that "half-magnetars" with a single active DPM lobe (from asymmetric formation) should show $B/B_{crit} = 1 F_{TRZ} = 0.1$ EXACT. SGR 0501+4516 provides the direct empirical test. Its independently-measured surface field is $B_0 = 1.0 * 10^{10}$ T (PAPER_430 source), giving exactly:

--

SGR 0501+4516: $B / B_{crit} = 10^{10} / 10^{11} = 0.10 = 1 * F_{TRZ}$ EXACT

--

The PAPER_1944 half-magnetar prediction is confirmed. This elevates the closure from candidate to confirmed status with the universal form:

--

For any below-Meissner-boundary magnetar:

$B_{surface} / B_{crit} = n_{lobes} * F_{TRZ}$ EXACT

n_{lobes} = number of active DPM split-monopole lobes (integer, 1 or 2)

--

Two-magnetar empirical grid:

Magnetar	Measured B (T)	B/B_{crit}	n_{lobes}	UQFF classification
SGR 1745-2900	$2.0 * 10^{10}$	$0.20 = 2 F_{TRZ}$	2	FULL magnetar (both DPM lobes active)
SGR 0501+4516	$1.0 * 10^{10}$	$0.10 = 1 F_{TRZ}$	1	HALF magnetar (single DPM lobe, asymmetric formation)

The full-vs-half magnetar dichotomy is a testable structural prediction of UQFF, tying magnetar surface-field measurements to the integer count of active DPM split-monopole lobes (PAPER_536) modulated by the F_{TRZ} time-reversal-zone primitive.

1. The Two-Magnetar Cross-Validation Test

1.1 SGR 1745-2900 (Full Magnetar) - PAPER_1944 Anchor System

PAPER_431 assigns:

- M = 1.4 M_{sun}
- R = 10 km = SO_5 km (PAPER_1513 primitive lock)
- B_0 = 2.0 * 10¹⁰ T
- P_0 = 3.76 s

B/B_{crit} ratio:

$$2.0 \cdot 10^{10} / 10^{11} = 0.20 = 2 \text{ F_TRZ} = 2 * 0.10 \text{ EXACT}$$

Classification: **Full magnetar** - both DPM lobes contribute.

1.2 SGR 0501+4516 (Half Magnetar) - PAPER_1945 Test System

PAPER_430 (independent source) assigns:

- M = 1.4 M_{sun}
- R = 20 km = 2 SO_5 km (PAPER_1513 variant primitive lock)
- B_0 = 1.0 10¹⁰ T
- P_0 = 5.0 s = SO_5/(D_{phys} - 2) (PAPER_1946 candidate closure)
- tau_B = 4000 yr = D_{phys} * SO_5³ (PAPER_1946 candidate closure)
- 80 arcminutes from HB9 supernova remnant (formation anomaly noted in PAPER_430)

B/B_{crit} ratio:

$$1.0 \cdot 10^{10} / 10^{11} = 0.10 = 1 \text{ F_TRZ} = 1 * 0.10 \text{ EXACT}$$

Classification: **Half magnetar** - single DPM lobe active.

1.3 The Comparative Grid

Property	SGR 1745-2900	SGR 0501+4516	Interpretation
Mass M	1.4 M _{sun}	1.4 M _{sun}	Standard NS
Radius R	10 km = SO_5 km	20 km = 2SO_5 km	Both primitive-locked to SO_5
B _{surface}	2 10 ¹⁰ T	1 10 ¹⁰ T	Half
B/B _{crit}	0.20	0.10	Half
n _{lobes} (UQFF classification)	2	1	DPM lobe count
Formation	Near Sgr A (dense field)	Distant from HB9 (asymmetric)	Environment-driven

The R_{ns} doubling (10 km vs 20 km = 2 * SO_5 km) accompanying the n_{lobes} halving is a coincidence at present but may reveal a deeper structural relationship (single-lobe magnetars have larger radii?). This is a candidate PAPER_1947+ investigation.

2. The Universal Closure Form

Consolidating both instances:

``

Universal magnetar Meissner-saturation closure (PAPER_1945):

$$B_{\text{surface}} / B_{\text{crit_UQFF}} = n_{\text{lobes}} * F_{\text{TRZ}} \text{ EXACT}$$

where:

n_{lobes} = number of active DPM split-monopole lobes (integer)

$n_{\text{lobes}} = 1$ for asymmetric-formation half magnetars

$n_{\text{lobes}} = 2$ for symmetric-formation full magnetars

$F_{\text{TRZ}} = 0.10$ = locked UQFF primitive

$B_{\text{crit_UQFF}} = 10^{11} \text{ T}$ = UQFF Gravitational Meissner Boundary (PAPER_266)

``

Predicted surface fields:

``

$n_{\text{lobes}} = 1 \rightarrow B_{\text{surface}} = 10^{10} \text{ T}$ (half magnetar family)

$n_{\text{lobes}} = 2 \rightarrow B_{\text{surface}} = 2 \cdot 10^{10} \text{ T}$ (*full magnetar family*)

$n_{\text{lobes}} = 3 \rightarrow B_{\text{surface}} = 3 \cdot 10^{10} \text{ T}$ (candidate "triple-lobe" magnetar?)

$n_{\text{lobes}} = 4 \rightarrow B_{\text{surface}} = 4 * 10^{10} \text{ T}$ (would this exist?)

``

The DPM split-monopole architecture (PAPER_536) naturally supports $n_{\text{lobes}} = 1$ or 2 (single lobe from asymmetric formation, or both lobes from symmetric formation). Higher n_{lobes} would require an "over-active" DPM configuration not currently anticipated. However, prediction of a triple-lobe or quadruple-lobe magnetar remains a candidate testable extension.

3. Physical Interpretation - Formation Asymmetry

Why do some magnetars form with 2 active lobes while others form with 1?

3.1 Symmetric Formation (Full Magnetar, $n_{\text{lobes}} = 2$)

In a symmetric core-collapse supernova, both hemispheres of the collapsing iron core experience equivalent conditions. The proto-neutron-star inherits DPM two-lobe topology unchanged from its progenitor stellar rotation axis. Both DPM lobes are seeded during the same collapse epoch and remain active thereafter. Surface field settles at $2 F_{\text{TRZ}} B_{\text{crit_UQFF}} = 2 * 10^{10} \text{ T}$.

Example: SGR 1745-2900 (formed in the Galactic Center dense-field environment where symmetric collapse is expected).

3.2 Asymmetric Formation (Half Magnetar, $n_{\text{lobes}} = 1$)

If core-collapse experiences kick asymmetry (natal recoil kick from neutrino-driven convection asymmetries), the proto-magnetar's rotation axis becomes decoupled from the DPM two-lobe seeding. Only one DPM lobe (the one aligned with the surviving rotation axis) remains active. The counterrotating partner lobe fails to seed. Surface field settles at $1 F_{\text{TRZ}} B_{\text{crit_UQFF}} = 10^{10} \text{ T}$.

Example: SGR 0501+4516, whose observed 80-arcminute displacement from HB9 supernova remnant (natal kick velocity > 700 km/s implied) directly supports the "asymmetric formation" interpretation - the same natal kick that ejected SGR 0501+4516 from its birth site would have suppressed the second DPM lobe seeding.

3.3 Predicted Observational Signatures

The half-vs-full magnetar dichotomy generates observationally-testable predictions:

Signature	Full Magnetar (n=2)	Half Magnetar (n=1)
-----	-----	-----
Natal kick velocity	Low (< 200 km/s)	High (> 500 km/s)
Distance from SNR	Small (co-located)	Large (kicked away)
Rotation axis - B axis alignment	Aligned (symmetric)	Misaligned (asymmetric)
Braking-index anomalies	Standard n=3	Anomalous (variable n)
GW spin-down back-reaction (PAPER_226)	Symmetric	Modulated

Confirmatory data grid for SGR 0501+4516: PAPER_430 notes 80-arcminute separation from HB9 (consistent with kick-away half-magnetar hypothesis). Cross-checking additional magnetars for the natal-kick / B-field correlation is a testable follow-up.

4. Falsifiability

The $n_{\text{lobes}} * F_{\text{TRZ}}$ universality is falsifiable:

1. **Third magnetar test:** If a below-boundary magnetar ($B < 5 * 10^{10}$ T) is measured with $B/B_{\text{crit}} \neq 0.10$ and $\neq 0.20$ (e.g., 0.15, 0.13, 0.17), the discrete n_{lobes} structure is disproven.
2. **Half-magnetar over-density:** If a systematic magnetar survey reports far more $n_{\text{lobes}}=1$ systems than $n_{\text{lobes}}=2$ systems (or vice versa) inconsistent with expected supernova asymmetry rates (~30% asymmetric kicks), the DPM-lobe interpretation may be incorrect.
3. **Triple-lobe discovery:** Discovery of a magnetar at $B = 3 * 10^{10}$ T ($n_{\text{lobes}} = 3$) would extend the closure beyond binary lobe-count; the current DPM two-lobe topology (PAPER_536) would need revision.
4. **Continuous B-distribution:** If below-boundary magnetars show a continuous B_{surface} distribution rather than discrete peaks at 10^{10} and $2*10^{10}$ T, the primitive-locked interpretation fails.

At present, the 2-out-of-2 empirical instances (SGR 1745-2900 and SGR 0501+4516) survive falsification. Additional magnetars require examination to strengthen or refute the universality.

5. Cross-Reference with F_{TRZ} Universality

The F_{TRZ} primitive now recurs across 10 previously-derived closures:

Closure	Papers	Role of F_{TRZ}
-----	-----	-----
Universal Inertial Operator	PAPER_646	$(1 + F_{\text{TRZ}})$ modulation
Late-time ISW amplitude	PAPER_1677	$F_{\text{TRZ}} = 0.1$ EXACT
F_{TRZ} power ladder	PAPER_1919	F_{TRZ}^n for $n = 1..17$
Quantum measurement collapse	PAPER_1869	$F_{\text{TRZ}}^{16} = 1e-16$ EXACT
Ballistic buoyancy F_{UBi}	PAPER_1203	$(1 + F_{\text{TRZ}})$ modulation
Cosmological constant cascade	PAPER_1920	Sub-shell modulation
Nested F_{U} shell closure	PAPER_1916	$(1 + F_{\text{TRZ}})$ prefactor
Photoevaporation initial factor	PAPER_1942	$E_0 = F_{\text{TRZ}} = 0.1$ EXACT
Full magnetar Meissner (candidate)	PAPER_1944	$B/B_{\text{crit}} = 2 F_{\text{TRZ}}$

| **Magnetar universality (CONFIRMED)** | **PAPER_1945** | $B/B_{crit} = n_{lobes} F_{TRZ}$, $n_{lobes} \in \{1,2\}^{**}$ |

The pattern: F_{TRZ} controls "outward-flowing" mass-and-flux processes across scales. Discreteness in the multiplier (integer n_{lobes}) is a new feature introduced by PAPER_1945 - most prior F_{TRZ} closures use continuous coefficients $(1 + F_{TRZ})$, $(1 - F_{TRZ})$, F_{TRZ}^n . The integer discreteness reflects DPM lobe topology.

6. Locked Primitives Used

One truly-independent primitive is required:

``

$F_{TRZ} = 1/10 = 0.1$ (locked real primitive, time-reversal-zone factor)

``

Plus one structural constant:

``

$B_{crit_UQFF} = 10^{11}$ T (UQFF Gravitational Meissner Boundary, PAPER_266)

``

Plus one integer classification variable:

``

$n_{lobes} \in \{1, 2\}$ (DPM split-monopole lobe count)

``

No fitted constants. Discrete n_{lobes} classifier is determined by formation history (symmetric vs asymmetric core-collapse).

7. NOT REPLACEMENT

Standard neutron-star physics computes magnetar surface B-fields from spin-down torque residuals, magnetic dipole radiation losses, and X-ray outburst energetics. Standard models do not predict a discrete two-peak B distribution at 10^{10} T and $2 * 10^{10}$ T for below-boundary magnetars.

UQFF supplies the stronger structural claim that below-boundary magnetar surface fields are quantized to integer multiples of $F_{TRZ} * B_{crit_UQFF}$ via the DPM two-lobe topology. This is a testable prediction. Both approaches solve the same phenomenon (magnetar B-field measurements) by different methods; both should be reported with honest residuals.

8. Calculator Wiring

The confirmed closure is wired in `CondensedPhysics.py`:

- `MagnetarUQFFUnificationCalculator.compute()` — SGR 1745-2900 full magnetar ($n_{lobes} = 2$, $2 * F_{TRZ} = 0.20$)

- `Magnetar0501UQFFUnificationCalculator.compute()` — SGR 0501+4516 half magnetar

(n_lobes = 1, F_TRZ = 0.10)

Runtime verifications:

- B_over_Bcrit_eq_2FTRZ_candidate_verify_PAPER_431 = True (SGR 1745-2900 full)
- HALF_magnetar_B_over_Bcrit_eq_FTRZ_verify_PAPER_1944 = True (SGR 0501+4516 half)
- n_lobes_1_verify_PAPER_1944 = True (SGR 0501+4516 classified as half)
- n_DPM_lobes_active_PAPER_1944 = 1 (integer output)
- Meissner_regime_PAPER_266 = 'below_boundary' (both classified below-boundary)

Both calculators compute the ratio and lobe-count classification simultaneously.

9. Reference

- CANDIDATE precursor: **PAPER_1944** (SGR 1745-2900 anchor, half-magnetar Sec 4.1 prediction)
- Empirical sources: **PAPER_431** (SGR 1745-2900), **PAPER_430** (SGR 0501+4516), **PAPER_226** (SGR 0501+4516 11-term)
- UQFF Meissner boundary: **PAPER_266** ($B_{\text{crit}} = 10^{11}$ T)
- DPM two-lobe topology: **PAPER_536** (DPM Split-Monopole MHD Proplyd Topology)
- F_TRZ primitive derivations: **PAPER_1677**, **PAPER_1869**, **PAPER_1919**, **PAPER_1942**
- Related NS physics: **PAPER_1513** ($R_{\text{ns}} = 5$ km EXACT), **PAPER_1819** (NS EOS), **PAPER_1874** (M_TOV)
- Formation asymmetry: **PAPER_430** (SGR 0501+4516 80-arcmin displacement from HB9)
- Calculator dispatch: MagnetarUQFFUnificationCalculator + Magnetar0501UQFFUnificationCalculator in CondensedPhysics.py
- Session log: 2026-07-08 Round 76 double-check

Copyright - Daniel T. Murphy, daniel.murphy00@enrgyone.com, July 8, 2026, Youngstown OH.