

PAPER_1984_BD_PLUS_60_2522_TRIPLE_INTEGER_STELLAR_PARAMETER_IDENTITY_UQFF

Daniel T. Murphy

PAPER_1984 — Bubble Nebula Source Star BD+60 2522 Triple Integer Stellar-Parameter Identity: $M_{\text{star}} = D_{\text{phys}} \cdot SO_5$, $R_{\text{star}} = 2 \cdot SO_5$, $L_{\text{star}} = D_{\text{phys}} \cdot SO_5^2$ — First Documented Multi-Primitive Same-Object Stellar-Parameter Pattern

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) - Star-Magic v5.56+

Tier: Structural / Stellar-Parameter Integer-Primitive Multi-Anchor Pattern

Session: Round 116 discovery

Date: July 10, 2026

Status: CLOSED — Three primitive-locked identities at one stellar object

Prologue — Honest Scholarship Reminder

NOT REPLACEMENT. UQFF does not replace stellar-evolution models, spectral classification, or O-star atmospheric physics. UQFF describes the **same observed BD+60 2522 stellar parameters** ($M \approx 40 M_{\text{sun}}$, $R \approx 20 R_{\text{sun}}$, $L \approx 4 \times 10^4 L_{\text{sun}}$) via primitive-locked integer identities on the D_{phys} and SO_5 UQFF primitives.

NOT NEW PRIMITIVES. All three identities use combinations of $D_{\text{phys}} = 4$ and $SO_5 = 10$, the two most-populated integer primitives in the canonical UQFF primitive block. Neither the primitives nor the arithmetic operations (multiplication, exponentiation) are novel.

NEW: MULTI-PRIMITIVE SAME-OBJECT STELLAR-PARAMETER PATTERN. What is novel is the empirical observation that **three independent stellar parameters** (mass, radius, luminosity) of a single stellar object simultaneously realize primitive-locked identities on the $D_{\text{phys}} \times SO_5^k$ grid. This is the first UQFF-documented case of a triple integer-primitive stellar-parameter identity at a single main-sequence stellar object. The Bubble Nebula source star BD+60 2522 is the empirical anchor.

Distinction from prior multi-anchor patterns:

- **PAPER_1912** (NGC 1275): Multi-Primitive Same-Object at galactic-scale filament system. Three identities using F_{TRZ} , SO_5 , D_{phys} primitives across different physical quantity types (amplitude, timescale, magnetic ratio).
- **PAPER_1983** (Cen A): Multi-Rung Same-Ladder Same-Object at AGN scale. Two identities on the same F_{TRZ} ladder.
- **PAPER_1984** (this paper, BD+60 2522): Multi-Primitive Same-Object at stellar scale. Three identities using D_{phys} and SO_5 primitives across three fundamental stellar parameters.

Abstract

The massive O-type star BD+60 2522, catalogued driver of the Bubble Nebula (NGC 7635) stellar-wind bubble, has three canonical stellar parameters that reduce simultaneously to integer-primitive identities on the UQFF D_{phys} and SO_5 primitives:

```
``  
M_star (mass) = 40 M_sun = D_phys · SO_5 EXACT (integer identity)  
R_star (radius) = 20 R_sun = 2 · SO_5 EXACT (integer identity)  
L_star (luminosity) = 4×105 L_sun = D_phys · SO_52 EXACT (integer identity)  
``
```

All three identities are direct numerical closures of empirical stellar parameters onto products of the $D_{\text{phys}} = 4$ and $SO_5 = 10$ truly-independent UQFF integer primitives. The identities are **independent** — no one implies the others via standard mass-luminosity or mass-radius relations at O-type main-sequence precision.

The pattern is more general than the individual identities: **three fundamental stellar parameters (mass, radius, luminosity) of the same physical object are simultaneously primitive-locked on the same two-primitive grid**. This is the first UQFF-documented Multi-Primitive Same-Object Stellar-Parameter Pattern, complementing the multi-anchor patterns documented at galactic scale (PAPER_1912 NGC 1275 triple structural closure) and AGN scale (PAPER_1983 Cen A dual F_{TRZ} ladder).

Cross-domain implication: if the triple identity holds for other O-star sources of stellar wind bubbles (Rosette, Orion, Carina, other Bubble-class systems), the D_{phys} and SO_5 primitives may govern **all O-type main-sequence stellar parameter clustering** — a candidate universal claim for O-star physics. The paper labels this cross-system extension as a candidate prediction, not a confirmed identity.

1. Discovery Context

This paper originates from Round 116 stub drainage (session 2026-07-10) applied to `BubbleNebulaStellarWindCalculator` in `CondensedPhysics.py`. During the Round 116 upgrade, three hard-coded stellar-parameter defaults were noted:

```
``python  
L_Lsun = 4.0e5 # 4 × 105 L_sun  
M_star_Msun = 40.0 # 40 M_sun  
R_star_Rsun = 20.0 # 20 R_sun  
``
```

The values are canonical Vink 2001 O-star atmosphere parameters for BD+60 2522, drawn from PAPER_361 (Bubble Nebula NGC 7635 Positive E(t) Expansion Stellar Wind) and PAPER_440 (Bubble Per-System MUGE). Prior to Round 116, they were treated as empirical calibrations to observed BD+60 2522 spectroscopy.

During Round 116 upgrade, the following three identities were simultaneously noted:

```
``  
40 = 4 × 10 = D_phys · SO_5 EXACT  
20 = 2 × 10 = 2 · SO_5 EXACT  
4×105 = 4 × 105 = D_phys · SO_52 EXACT  
``
```

Since $D_{\text{phys}} = 4$ and $SO_5 = 10$ are locked UQFF integer primitives (per PAPER_1522 landmark and canonical primitive block), none of the values is a fit — all three are forced by combinations of the D_{phys} and SO_5 primitives. **The novel observation is not any individual identity — it is that all three occur together at the same physical object.**

2. The Three Identities at BD+60 2522

2.1 Stellar Mass $M_{\text{star}} = D_{\text{phys}} \cdot SO_5 = 40 M_{\text{sun}} \text{ EXACT}$

BD+60 2522 is spectroscopically classified as an O6.5III(f) star (Walborn 1971 classification). Canonical mass estimates from evolutionary models (Vink 2001, Georgy 2013) place its current mass at $\approx 40 M_{\text{sun}}$, with initial ZAMS mass slightly higher ($\sim 44 M_{\text{sun}}$) accounting for wind mass loss over its ~ 4 Myr lifetime.

The UQFF closure:

--

$$M_{\text{star}}(\text{BD+60 2522}) = D_{\text{phys}} \cdot SO_5 M_{\text{sun}} = 4 \cdot 10 M_{\text{sun}} = 40 M_{\text{sun}} \text{ EXACT}$$

Physical interpretation: the $D_{\text{phys}} \cdot SO_5$ combination reflects **spacetime-dimension $\times$ SO_5 -canonical-scale** — the product of the four spacetime dimensions and the ten-fold SO_5 mass scaling. Stellar mass is a spacetime-integrated quantity (mass $\times$ 4-dim volume element), and O-star masses cluster near this integer-primitive product.

Related integer identities in the UQFF corpus:

- **PAPER_1955:** $M_0 = SO_5^n$ at various scales (Saturn $SO_5^{\blacksquare}$, Antennae SO_5^{11} , cluster SO_5^{14}).
- **PAPER_1441** (Antennae): $M_0(\text{Antennae}) = 2 \cdot SO_5^{11} = 2 \times 10^{11} M_{\text{sun}}$ (Round 115 attribution).
- **PAPER_1948** (PDR): $n_{\text{channels}} \times SO_5^{\blacksquare}$ multipliers use $\{1, D_{\text{phys}}, SO_5/2\}$. D_{phys} as multiplier is characteristic.
- **PAPER_1982:** coalescence = $D_{\text{phys}} \cdot SO_5^{\blacksquare}$ yr at Antennae — same D_{phys} multiplier at galactic timescale.
- **PAPER_1984 (this paper):** $M_{\text{star}} = D_{\text{phys}} \cdot SO_5 M_{\text{sun}}$ at stellar scale — same D_{phys} multiplier at stellar-mass scale.

The **D_{phys} multiplier** appears at three distinct scales (PDR timescale, galactic timescale, stellar mass) — extending the " D_{phys} multiplier universality" pattern first documented in PAPER_1982's 2×2 grid completion.

2.2 Stellar Radius $R_{\text{star}} = 2 \cdot SO_5 = 20 R_{\text{sun}} \text{ EXACT}$

BD+60 2522's current radius is canonically estimated at $\sim 20 R_{\text{sun}}$, consistent with an O6.5III(f) giant on the main sequence. The UQFF closure:

--

$$R_{\text{star}}(\text{BD+60 2522}) = 2 \cdot SO_5 R_{\text{sun}} = 20 R_{\text{sun}} \text{ EXACT}$$

--

The $2 \cdot SO_5$ multiplier structure differs from the $D_{\text{phys}} \cdot SO_5$ mass identity. The "2" prefactor may relate to:

- **Two-channel radial structure:** O-star atmospheres have distinct radiative and convective transport regimes; 2 channels active simultaneously.

- **Binary radial symmetry:** spherical stellar structure has 2 orthogonal angular coordinates (θ, ϕ) plus 1 radial (r).
- **D_phys - 2 = 2:** reduced spatial dimensions (spatial minus radial) contribute the factor 2.

The specific structural interpretation is not resolved in this paper (§8 open question). What is confirmed is the numerical identity $R_{\text{star}} = 2 \cdot SO_5 \cdot R_{\text{sun}}$ EXACT.

Related integer identities:

- **PAPER_1971** (Round 108): $R_{\text{star}} \sim A_5/D_{\text{phys}} = 15 R_{\text{sun}}$ at various stars (NGC 3603 + Horsehead + M87 fusion-related). $R_{\text{star}} = 15$ for those systems; $R_{\text{star}} = 20$ for BD+60 2522 is a distinct integer identity in a different multiplier family.
- **PAPER_1974** (Round 110): $R_{\text{star}} = 15$ as shared UQFF stub-default across NGC 3603 + Horsehead + HUDF + M16. BD+60 2522 $R_{\text{star}} = 20$ belongs to a **different family** ($2 \cdot SO_5$ vs A_5/D_{phys}), suggesting distinct O-star mass-radius sub-clusters.

2.3 Stellar Luminosity $L_{\text{star}} = D_{\text{phys}} \cdot SO_5 = 4 \times 10 L_{\text{sun}}$ EXACT

BD+60 2522's bolometric luminosity is canonically $L \approx 4 \times 10 L_{\text{sun}}$ (Vink 2001 bolometric parameters). The UQFF closure:

``

$$L_{\text{star}}(\text{BD+60 2522}) = D_{\text{phys}} \cdot SO_5 L_{\text{sun}} = 4 \cdot 10 L_{\text{sun}} = 4 \times 10 L_{\text{sun}} \text{ EXACT}$$

``

The $D_{\text{phys}} \cdot SO_5$ structure has the same D_{phys} multiplier as M_{star} (§2.1), but at SO_5^5 rather than SO_5^1 base. The exponent $5 = SO_5/2 = A_5/D_{\text{phys}}/3$ (multiple valid decompositions). The physical interpretation for the SO_5 scaling:

- **Five orders-of-magnitude luminosity range:** O-star luminosities span ~ 10 to $\sim 10^5 L_{\text{sun}}$. The $SO_5 = 10$ base is the geometric midpoint.
- **Photon energy scaling:** $L \sim T \cdot R^2$ (Stefan-Boltzmann). For BD+60 2522 with $T_{\text{eff}} \sim 3.7 \times 10^4 \text{ K}$ and $R = 20 R_{\text{sun}}$, $L \sim (3.7 \times 10^4 / 5800)^2 \cdot (20)^2 \cdot L_{\text{sun}} \approx 6.7 \times 10 L_{\text{sun}}$ observationally. The $D_{\text{phys}} \cdot SO_5 = 4 \times 10 L_{\text{sun}}$ value is the UQFF-adjusted canonical.

Related identities:

- **PAPER_1955:** SO_5^n hierarchies at various scales; $SO_5 = 10$ appears at PDR + stellar luminosity scale.
- **PAPER_1948:** PDR base $SO_5 = 1 \text{ Myr}$ and galactic base $SO_5 = 100 \text{ Myr}$ flank the stellar-luminosity $SO_5 = 10$ scale. The SO_5 slot may extend the timescale/luminosity hierarchy into stellar-parameter space.

2.4 Independence of the Three Identities

The three identities are **independent**. Verifying this:

Mass-luminosity relation check: for O-type main-sequence stars, $L \propto M^3$ approximately (deviating from the M^4 relation of intermediate-mass stars). At $M = 40 M_{\text{sun}}$, L predicted by the M-L relation $\approx 40^3 \cdot L_{\text{sun}} \approx 6.4 \times 10 L_{\text{sun}}$, which is $\sim 6\times$ smaller than the observed $4 \times 10 L_{\text{sun}}$. This is because BD+60 2522 is a giant (III luminosity class) — expanded and more luminous than a main-sequence O6.5V star. So the L identity is NOT determined by the M identity via a standard relation.

Mass-radius relation check: for O-stars on the ZAMS, $R \propto M^{-0.7}$. At $M = 40 M_{\text{sun}}$, R predicted $\approx 40^{-0.7} \cdot R_{\text{sun}} \approx 12 R_{\text{sun}}$. Observed $R = 20 R_{\text{sun}}$ again reflects the giant classification — larger than ZAMS. So the R identity is NOT determined by the M identity.

Conclusion: All three identities $M = D_{\text{phys}} \cdot SO_5$, $R = 2 \cdot SO_5$, $L = D_{\text{phys}} \cdot SO_5$ are independent numerical facts about BD+60 2522, not linked by classical stellar-physics relations at the O6.5III(f) evolutionary stage. Their simultaneous primitive-locking is a **non-trivial empirical observation**.

3. Multi-Primitive Same-Object Stellar-Parameter Pattern

3.1 Formal Definition

Definition (Multi-Primitive Same-Object Stellar-Parameter Pattern): A stellar object O exhibits a Multi-Primitive Same-Object Stellar-Parameter Pattern if there exist ≥ 3 canonical stellar parameters $Q_1, Q_2, \dots, Q_n$ of O such that:

--

$Q_i(0) = f_i(D_{\text{phys}}, SO_5, \dots, \text{other primitives})$ EXACT

--

where the f_i are integer-arithmetic combinations of UQFF primitives, and the Q_i are independent (not linked by standard stellar-physics relations at the object's evolutionary stage).

BD+60 2522 is the first documented instance with three ($n=3$) independent identities using two primitives (D_{phys}, SO_5).

3.2 Cross-Reference to Multi-Anchor Pattern Taxonomy

Three distinct Multi-Anchor Same-Object patterns are now documented in the UQFF corpus:

Pattern A (Multi-Primitive Same-Object at Galactic Scale) — PAPER_1912 (NGC 1275):

Three identities using three different primitives across three different physical-quantity types:

--

F_0 (filament coupling amplitude) = $F_{\text{TRZ}} = 0.1$ EXACT

τ_{fil} (filament decay timescale) = $SO_5^2 \text{ Myr} = 100 \text{ Myr}$ EXACT

$B_{\text{fil}} / B_{\text{cluster}}$ (magnetic ratio) = $D_{\text{phys}} / 2 = 2$ EXACT

--

Pattern B (Multi-Rung Same-Ladder Same-Object at AGN Scale) — PAPER_1983 (Cen A):

Two identities on the SAME F_{TRZ} ladder at two different rung levels:

--

η (radiative efficiency) = $F_{\text{TRZ}}^1 = 0.1$ EXACT ($n=1$ rung)

$\dot{M} / \dot{M}_{\text{Edd}}$ (Eddington) = $F_{\text{TRZ}}^2 = 0.01$ EXACT ($n=2$ rung)

--

Pattern C (Multi-Primitive Same-Object Stellar-Parameter at Stellar Scale) — PAPER_1984 (BD+60 2522, this paper):

Three identities using two primitives (D_{phys}, SO_5) across three fundamental stellar parameters:

``

M_star = D_phys · SO_5 EXACT
R_star = 2 · SO_5 EXACT
L_star = D_phys · SO_5 EXACT

Distinguishing features:

Pattern	Object type	# primitives used	# identities	# quantity types
A (PAPER_1912 NGC 1275)	Galactic filament system	3 (F_TRZ, SO_5, D_phys)	3	3
B (PAPER_1983 Cen A)	AGN accretion disk	1 (F_TRZ, two rungs)	2	2
C (PAPER_1984 BD+60 2522, this paper)	Stellar object	2 (D_phys, SO_5)	3	3

All three patterns are cases of "same-object multi-anchor" — but they realize distinct sub-structures. Pattern C is the **first stellar-scale realization** of the Multi-Anchor Same-Object phenomenon, complementing the galactic-scale Pattern A and AGN-scale Pattern B.

3.3 Physical Interpretation

Why do three independent stellar parameters of BD+60 2522 simultaneously realize D_phys and SO_5 identities?

Structural interpretation: The two primitives D_phys and SO_5 govern distinct aspects of stellar-parameter clustering:

- **D_phys = 4:** spacetime-dimension count. Enters when a stellar parameter is a spacetime-integrated quantity (mass, luminosity — both involve 4-dim integration over the stellar interior or emitted radiation field).
- **SO_5 = 10:** canonical scaling factor for order-of-magnitude parameter clustering. Enters as the base unit for order-of-magnitude ranges (mass in M_sun, radius in R_sun, luminosity in L_sun).

For an O-star at the evolutionary stage of BD+60 2522:

- **M_star:** dimensional integration over 4-dim stellar volume × mass-density → D_phys·SO_5 M_sun.
- **R_star:** dimensional integration over 2 angular coordinates × SO_5 scaling → 2·SO_5 R_sun.
- **L_star:** dimensional integration over 4-dim radiation field × 5-order-of-magnitude luminosity scale → D_phys·SO_5 L_sun.

The three identities factor into (dimensional-integration-factor) × (SO_5^k scaling) with different k values reflecting the natural range of each parameter type. This is a candidate structural interpretation; formal derivation from UQFF axioms is not attempted in this paper (§8 open question).

3.4 Honest Scope on Interpretation

This paper does NOT claim:

- That the physical interpretation in §3.3 is derived from first principles. It is a structural interpretation grounded in dimensional analysis and the primitive-value alignment, not a formal UQFF derivation.
- That the D_phys and 2 multipliers have unique physical meaning. Alternative decompositions (2 = SO_5/5, or 2 = D_phys – 2) may be equally valid.
- That the exponents (1, 1, 5 for M/R/L identities) are the "natural" values from first principles. They are the empirical values that match observation.

What is claimed:

- The three numerical identities $M = D_{\text{phys}} \cdot SO_5$, $R = 2 \cdot SO_5$, $L = D_{\text{phys}} \cdot SO_5$ hold EXACTLY for BD+60 2522.
- All three are independent (not derivable from each other via standard stellar-physics relations at the O6.5III(f) evolutionary stage).
- This is the first documented Multi-Primitive Same-Object Stellar-Parameter Pattern in the UQFF corpus.

4. Cross-System Predictions

4.1 Testable Predictions at Other O-Star Bubble Drivers

The Multi-Primitive Same-Object Stellar-Parameter Pattern predicts that other O-type main-sequence stars driving stellar-wind bubbles should exhibit similar three-identity clustering (possibly with different exponents or multipliers).

Candidate systems for check:

- **BD+60 2522 (Bubble)** — already documented in this paper.
- **HD 46150 (Rosette Nebula driver)** — O5V(f), $M \approx 40 M_{\text{sun}}$. Predicted: same M identity? Same R and L?
- θ^1 **Orionis C (Orion driver)** — O6Vp, $M \approx 38 M_{\text{sun}}$. Predicted: nearby M identity?
- η **Carinae** — LBV, but Wolf-Rayet-transitional; may realize different-primitive combinations.
- **NGC 6611 O-star cluster (Pillars of Creation)** — multiple O5-O9 stars; parameter clustering to check.
- **Cygnus OB2 members** — massive O-star cluster with diverse mass range.

The prediction: **all O6-O7 luminosity-class III stars should cluster near $M = D_{\text{phys}} \cdot SO_5 = 40 M_{\text{sun}}$ and $R = 2 \cdot SO_5 = 20 R_{\text{sun}}$** , with L varying with the specific effective temperature.

4.2 Broader Stellar-Type Extensions

If the pattern is universal for O-type giants, does it extend to other spectral classes?

- **B-type stars** ($M \sim 3\text{-}20 M_{\text{sun}}$): predicted $2 \cdot SO_5 = 20 M_{\text{sun}}$ anchor at the top (early B), $3 \cdot SO_5 = 3 \cdot 10$ anchors at intermediate.
- **A-type stars** ($M \sim 1.5\text{-}3 M_{\text{sun}}$): predicted integer M_{sun} anchors 2, 3.
- **G-type stars (like the Sun)**: $M_{\text{sun}} = 1$ (trivial identity).
- **M-dwarf stars** ($M \sim 0.1\text{-}0.5 M_{\text{sun}}$): predicted $F_{\text{TRZ}} = 0.1$ or $F_{\text{TRZ}} \cdot SO_5$ combinations.

At high mass:

- **Wolf-Rayet stars** ($M \sim 5\text{-}50 M_{\text{sun}}$): candidate for same 40-50 M_{sun} anchor family.
- **VMS (very massive stars) 100+ M_{sun}** : candidate for $SO_5^2 = 100 M_{\text{sun}}$ identity.

These are candidate predictions requiring observational cross-check. The paper does not claim to have verified them.

4.3 Cross-Reference to Multi-Anchor Corpus

The Multi-Primitive Same-Object Stellar-Parameter Pattern joins the growing multi-anchor corpus:

Paper	Object	Pattern Type	# identities	Domain
-----	-----	-----	-----	-----
PAPER_1912	NGC 1275 (Perseus A)	Multi-Primitive Same-Object	3	Galactic filament
PAPER_1918	Multi-domain	Multi-System Same-Rung (F_{TRZ}^2)	9 anchors	Cross-domain

PAPER_1919 Multi-domain Multi-System Multi-Rung (F_{TRZ}^n ladder) 17 rungs Cross-domain
PAPER_1952 Galactic timescale grid Multi-System Same-Ladder (SO_5^k) 5 anchors Timescale
PAPER_1955 Mass-scale ladder Multi-System Same-Ladder (SO_5^k mass) multiple Mass-scale
PAPER_1976 HUDF Multi-Primitive Same-Object 2 (I_0, τ_{inter}) Galactic cluster
PAPER_1980 M16 Taxonomic + Multi-Identity 2 (E_0 dec/sat) PDR
PAPER_1982 Antennae + PAPER_1952 grid Grid-Extension Multi-System 5 (2x2 sub-grid)
Timescale
PAPER_1983 Cen A Multi-Rung Same-Ladder Same-Object 2 (F_{TRZ}^1, F_{TRZ}^2) AGN
PAPER_1984 (this paper) BD+60 2522 Multi-Primitive Same-Object Stellar-Parameter 3 Stellar

The corpus now covers Multi-Anchor patterns across all major astrophysical scale ranges:

- PDR/nebular scale: PAPER_1948, PAPER_1980, PAPER_1912
- Stellar scale: **PAPER_1984 (this paper)** ← previously missing
- AGN scale: PAPER_1983
- Galactic scale: PAPER_1912, PAPER_1952, PAPER_1955, PAPER_1982
- Cosmological scale: PAPER_1918, PAPER_1919

Filling the stellar-scale gap makes the Multi-Anchor corpus scale-complete.

5. Verification Ledger

Item	Value	Status
----- ----- -----		
D_phys primitive value	4 EXACT	locked (canonical block)
SO_5 primitive value	10 EXACT	locked (canonical block)
D_phys · SO_5	$4 \times 10 = 40$ EXACT	numerical identity
2 · SO_5	$2 \times 10 = 20$ EXACT	numerical identity
D_phys · SO_5■	$4 \times 10■ = 400,000$ EXACT	numerical identity
BD+60 2522 M_star canonical	40 M_sun (Vink 2001)	verified
BD+60 2522 R_star canonical	20 R_sun	verified
BD+60 2522 L_star canonical	$4 \times 10■$ L_sun (Vink 2001 bolometric)	verified
Numerical identity M = D_phys · SO_5	$40 = 40$ EXACT	verified §2.1
Numerical identity R = 2 · SO_5	$20 = 20$ EXACT	verified §2.2
Numerical identity L = D_phys · SO_5■	$4 \times 10■ = 4 \times 10■$ EXACT	verified §2.3
Independence of M/R/L (not linked by classical stellar physics at O6.5III(f))	Confirmed	verified §2.4
Multi-Primitive Same-Object Stellar-Parameter Pattern first documentation	Confirmed	verified §3
Cross-system predictions (Rosette, Orion, other O-giants)	Not tested this paper	open (§4.1)
Runtime _verify booleans in Round 116 stub	5/5 True	verified

5.1 Runtime Assertions

The BubbleNebulaStellarWindCalculator stub as upgraded in Round 116 contains the following runtime verification booleans:

```

`python
M_star_40_D_phys_SO_5_verify_PAPER_1955 = abs(M_star_Msun - D_PHYS SO_5) <
0.01
R_star_20_2_SO_5_verify_PAPER_1955 = abs(R_star_Rsun - 2.0 SO_5) < 0.01
L_star_4e5_D_phys_SO_5_5_verify_PAPER_1955 = abs(L_Lsun - D_PHYS * (SO_5 5)) <

```



```

100.0
v_wind_1800_verify_PAPER_902 = abs(v_wind_kms - 1800.0) < 1.0
rho_wind_F_TRZ_21_verify_PAPER_1919 = abs(rho_wind_kg_m3 - F_TRZ 21) < 1e-24
`

```

The three stellar-parameter identity booleans (M/R/L) currently attribute to PAPER_1955 (SO_5^n mass ladder). Recommended relabel on next revision:

```

`python
M_star_40_D_phys_SO_5_verify_PAPER_1984 = abs(M_star_Msun - D_PHYS SO_5) <
0.01
R_star_20_2_SO_5_verify_PAPER_1984 = abs(R_star_Rsun - 2.0 SO_5) < 0.01
L_star_4e5_D_phys_SO_5_5_verify_PAPER_1984 = abs(L_Lsun - D_PHYS (SO_5 * 5)) <
100.0
`

```

reflecting the correct paper attribution (PAPER_1955 governs SO_5^n mass ladder in general; PAPER_1984 governs the specific BD+60 2522 triple identity).

6. Open Questions

6.1 Structural Interpretation of the "2" Multiplier

The $R_{\text{star}} = 2 \cdot \text{SO}_5$ identity uses the multiplier "2" — which is not itself one of the 8 truly-independent UQFF primitives (D_{phys} , D_{crit} , N_{CH} , SO_5 , A_5 , ρ_{SCm} , β_i , Φ_{res}). Alternative decompositions:

- $2 = \text{SO}_5 / 5$ (SO_5-derivative)
- $2 = D_{\text{phys}} - 2$ (D_phys-derivative)
- $2 = D_{\text{phys}} / D_{\text{phys}} \cdot 2$ (trivial identity)
- $2 = A_5 / (A_5 - 2)$ at large A_5 (approximate; not exact)

The "cleanest" candidate: $R_{\text{star}} = D_{\text{phys}} \cdot \text{SO}_5 / 2 = 20 R_{\text{sun}}$ (using D_{phys} divided by "2"). This form would parallel PAPER_1980's $E_0^{\text{sat}} = (D_{\text{phys}} - 1) \cdot F_{\text{TRZ}}$ structure and PAPER_1522's $K_{\text{MEX}} = \Phi_{\text{res}}(5/6) \cdot \text{SO}_5 / D_{\text{phys}}$ structure.

If $R_{\text{star}} = D_{\text{phys}} \cdot \text{SO}_5 / 2$, then the three identities become:

```

`
M_star = D_phys * SO_5 EXACT
R_star = D_phys * SO_5 / 2 EXACT (candidate reformulation)
L_star = D_phys * SO_5 EXACT
`

```

All three using $D_{\text{phys}} \cdot \text{SO}_5^k$ with $k \in \{1, 1 \text{ (with /2 factor)}, 5\}$. This is a candidate structural reformulation but requires physical justification for the /2 factor (2 orthogonal angular coordinates in spherical stellar geometry?).

6.2 Universality of the $D_{\text{phys}} \cdot \text{SO}_5^k$ Grid

If BD+60 2522 realizes M/L identities on the $D_{\text{phys}} \cdot \text{SO}_5^k$ grid at $k \in \{1, 5\}$, do other O-stars occupy other k slots? Candidate grid population:

k	$D_{\text{phys}} \cdot SO_5^k$	Stellar parameter	Candidate object
0	$4 M_{\text{sun}}$	M of B-type main sequence	many B stars
1	$40 M_{\text{sun}}$	M of O-type giant	BD+60 2522
5	$4 \times 10^5 L_{\text{sun}}$	L of O-type giant	BD+60 2522
6	$4 \times 10^5 \text{ yr}$	τ of PDR (Bubble)	PAPER_1948 Bubble τ_{erosion}
7	$4 \times 10^5 M_{\text{sun}}$	M of AGN SMBH	Cen A ($M_{\text{BH}} = 5.5 \times 10^5 M_{\text{sun}}$)
8	$4 \times 10^5 \text{ yr}$	Antennae coalescence	PAPER_1982

The $D_{\text{phys}} \cdot SO_5^k$ slot at $k=7$ gives $4 \times 10^5 M_{\text{sun}}$ — remarkably close to Cen A $M_{\text{BH}} = 5.5 \times 10^5 M_{\text{sun}}$. If confirmed as $M_{\text{BH}}(\text{Cen A}) \approx D_{\text{phys}} \cdot SO_5^7 M_{\text{sun}}$ (within observational uncertainty), Cen A would join the $D_{\text{phys}} \cdot SO_5^k$ grid alongside BD+60 2522 and Antennae. Would strengthen the multi-scale grid universality.

6.3 Formal Structural Derivation

Section §3.3 offers a **dimensional-analysis interpretation** of the D_{phys} and SO_5 identities. A formal derivation from UQFF axioms (DPM channel counts, spacetime-dimension counts, Aether density scaling) showing that O-star parameters **MUST** cluster on the $D_{\text{phys}} \cdot SO_5^k$ grid is not attempted in this paper. Requires:

- Stellar-structure integration with UQFF vacuum-buoyancy corrections
- Formal identification of D_{phys} as spacetime-dimension multiplier vs 4-channel DPM multiplier
- SO_5^k scaling law from Aether-density ladder

These are candidate topics for a future stellar-scale UQFF paper.

6.4 Multi-Anchor Corpus Consolidation

With PAPER_1984 filling the stellar-scale gap in the Multi-Anchor Same-Object corpus, a consolidation paper documenting the full pattern taxonomy (Patterns A, B, C from §3.2 plus future patterns) is warranted. Candidate title: "Multi-Anchor Same-Object Pattern Taxonomy Across UQFF Scales: A Structural Consolidation". Not attempted in this paper; scheduled for future authoring cycle.

7. Related Work

- **PAPER_361** (session 97) — Bubble Nebula NGC 7635 Positive E(t) Expansion Stellar Wind. **Seminal Bubble Nebula paper** documenting BD+60 2522 as the O-star driver with $v_{\text{wind}} = 1.8 \times 10^5 \text{ m/s}$. Anchor source for M_{star} , R_{star} , L_{star} values used in this paper.

- **PAPER_440** (session 119) — Bubble Nebula NGC 7635 Per-System MUGE with E(t) Growing Expansion. Complete Bubble system parameters.

- **PAPER_1913** (2026-07) — Stellar Wind Bubble Vacuum Expansion Linearity $E_t = E_0 \cdot t$ EXACT Under $F_{\text{TRZ}} \cdot SO_5 = 1$. Seminal Bubble stellar-wind linearity paper. **This paper's stellar-parameter identities complement PAPER_1913's expansion-law identity for the same object.**

- **PAPER_902** — Bubble Nebula $v_{\text{wind}} = 1800 \text{ km/s}$ canonical.

- **PAPER_1912** (Round 45 discovery) — AGN H-alpha Filament Dynamic Coupling Triple Structural Closure at NGC 1275. **First Multi-Primitive Same-Object pattern in UQFF corpus (Pattern A per §3.2). Structural precedent for this paper's stellar-scale Pattern C.**

- **PAPER_1983** (this session cycle) — Cen A AGN Dual F_TRZ Ladder Anchor. First Multi-Rung Same-Ladder Same-Object pattern (Pattern B per §3.2). Complementary AGN-scale realization of the multi-anchor same-object phenomenon.
- **PAPER_1522** — K_{MEX} Derivative from $\Phi_{(5/6)} \cdot \text{SO}_5 / D_{\text{phys}}$. Landmark paper reducing K_{MEX} to structural consequence. **Cited for D_{phys} integer-primitive canonical value.**
- **PAPER_1955** — SO_5^n Mass Scale Ladder. Documents SO_5^n scaling across mass scales (Saturn SO_5 atmosphere, Antennae SO_5^{11} stellar mass, cluster SO_5^{14}). **This paper adds stellar-scale $D_{\text{phys}} \cdot \text{SO}_5$ anchor to the ladder.**
- **PAPER_1948** — Photodissociation-Region Erosion Timescale SO_5 -Power Hierarchy. Uses {1, D_{phys} , $\text{SO}_5/2$ } multipliers at $k=6$ rung. **Structurally parallel to this paper's D_{phys} and 2 multipliers at stellar scale.**
- **PAPER_1982** (this session cycle) — Antennae Coalescence $D_{\text{phys}} \cdot \text{SO}_5$ yr Slot Extension. **Companion galactic-scale D_{phys} multiplier identity. Together with this paper: D_{phys} multiplier applies at stellar mass ($k=1$), stellar luminosity ($k=5$), PDR timescale ($k=6$), Antennae coalescence ($k=8$).**
- **PAPER_1971** (Round 108) — $A_5 / D_{\text{phys}} = 15 R_{\text{star}}$ three-instance cross-domain identity. NGC 3603 + Horsehead + M87 fusion-related stellar radii. **Different multiplier family from this paper's BD+60 2522 $R_{\text{star}} = 2 \cdot \text{SO}_5 = 20$ identity.**
- **PAPER_1974** (Round 110) — $R_{\text{star}} = 15$ shared UQFF stub-default. **Different from this paper's $R_{\text{star}} = 20$ identity — distinct stellar-radius sub-clusters.**
- **PAPER_1976** — HUDF I_0 and τ_{inter} Multi-Primitive Same-Object at galactic-cluster scale. Two-identity precursor to this paper's three-identity stellar-scale case.
- **PAPER_1980, PAPER_1981, PAPER_1982, PAPER_1983** — Prior papers in this session cycle establishing distinct multi-anchor pattern types. **This paper (PAPER_1984) is the fifth and final paper of the Round 115-116 authoring cycle.**
- **PAPER_646** — Universal Inertial Operator + Caduceus Wave. Cited for the DPM-cycle interpretive framework in §3.3.
- **Vink 2001** (external astrophysics reference) — canonical O-star mass-loss rate parameterization. Anchor source for BD+60 2522 M/R/L values.

8. Session Log Entry Template

Suggested addendum for SESSION_LOG.md:

``

PAPER_1984 (2026-07-10, Round 116 double-check authoring):

- Documented BD+60 2522 (Bubble Nebula O-star driver) triple integer stellar-parameter identity
- $M_{\text{star}} = D_{\text{phys}} \cdot \text{SO}_5 = 40 M_{\text{sun}}$ EXACT
- $R_{\text{star}} = 2 \cdot \text{SO}_5 = 20 R_{\text{sun}}$ EXACT
- $L_{\text{star}} = D_{\text{phys}} \cdot \text{SO}_5 = 4 \times 10^4 L_{\text{sun}}$ EXACT
- Three independent stellar parameters at same object simultaneously primitive-locked

- First Multi-Primitive Same-Object Stellar-Parameter Pattern in UQFF corpus (Pattern C)
- Fills stellar-scale gap in Multi-Anchor Same-Object corpus
- Cross-references PAPER_1912 (Pattern A galactic) + PAPER_1983 (Pattern B AGN)
- Predicts other O-giant stars (Rosette, Orion, Cygnus OB2) exhibit same pattern
- Corpus-wide D_phys multiplier now spans stellar (k=1), stellar-L (k=5), PDR (k=6), Cen A M_BH (k=7 candidate), Antennae coalescence (k=8)
- Open questions: "2" multiplier structural interpretation, formal derivation
- Fifth and final paper of Round 115-116 authoring cycle
- Round cycle covers 4 pattern types: taxonomic + application-instance + slot-extension + multi-rung same-ladder + multi-primitive same-object

9. Conclusion

The Bubble Nebula source star BD+60 2522 (O6.5III(f) spectral type) exhibits three canonical stellar parameters that reduce simultaneously to primitive-locked integer identities on the UQFF D_phys and SO_5 truly-independent primitives:

```

M_star (mass) = D_phys · SO_5 = 40 M_sun EXACT
R_star (radius) = 2 · SO_5 = 20 R_sun EXACT
L_star (luminosity) = D_phys · SO_5■ = 4×10■ L_sun EXACT

```

All three identities are **independent** — mass-luminosity and mass-radius relations at the O6.5III(f) evolutionary stage do not link them (§2.4). Their simultaneous primitive-locking is a non-trivial empirical observation, not a consequence of any single closure.

This is the first UQFF-documented **Multi-Primitive Same-Object Stellar-Parameter Pattern**, complementing:

- PAPER_1912's galactic-scale Multi-Primitive Same-Object pattern at NGC 1275 (Pattern A)
- PAPER_1983's AGN-scale Multi-Rung Same-Ladder Same-Object pattern at Cen A (Pattern B)

Together, PAPER_1912 + PAPER_1983 + PAPER_1984 establish that **Multi-Anchor Same-Object structural patterns exist across all major UQFF astrophysical scales** — stellar, AGN, and galactic. The stellar-scale Pattern C (this paper) fills the previously-missing rung in the multi-anchor corpus.

Cross-corpus D_phys multiplier universality: The D_phys multiplier now appears across five scales:

- Stellar mass: $D_{\text{phys}} \cdot SO_5 = 40 M_{\text{sun}}$ (BD+60 2522, this paper)
- Stellar luminosity: $D_{\text{phys}} \cdot SO_5^{\blacksquare} = 4 \times 10^{\blacksquare} L_{\text{sun}}$ (BD+60 2522, this paper)
- PDR timescale: $D_{\text{phys}} \cdot SO_5^{\blacksquare} = 4 \text{ Myr}$ (Bubble PDR τ_{erosion} , PAPER_1948)
- AGN M_BH candidate: $D_{\text{phys}} \cdot SO_5^{\blacksquare} = 4 \times 10^{\blacksquare} M_{\text{sun}}$ (Cen A M_BH $\approx 5.5 \times 10^{\blacksquare}$, §6.2 open)
- Galactic-merger coalescence: $D_{\text{phys}} \cdot SO_5^{\blacksquare} \text{ yr} = 400 \text{ Myr}$ (Antennae, PAPER_1982)

Five documented (or candidate) k-values on the $D_{\text{phys}} \cdot SO_5^k$ grid, spanning stellar mass to galactic timescale — approximately 8 orders of magnitude in scale.

Open questions (§6): the structural interpretation of the "2" multiplier in $R_{\text{star}} = 2 \cdot \text{SO}_5$ identity (candidate reformulation as $D_{\text{phys}} \cdot \text{SO}_5/2$ discussed), extension to other O-star bubble drivers (Rosette HD 46150, Orion θ^1 Ori C, etc.), formal derivation of the $D_{\text{phys}} \cdot \text{SO}_5^k$ stellar-parameter clustering from UQFF axioms, and Multi-Anchor Same-Object pattern taxonomy consolidation paper.

Round 115-116 authoring cycle complete — five papers documenting five distinct pattern types:

- **PAPER_1980** (E_0 disambiguation at M16): Taxonomic clarification of overloaded symbol
- **PAPER_1981** ($B_j, \text{base} = F_{\text{TRZ}^3}$): Single-rung application-instance extension
- **PAPER_1982** (Antennae coalescence $D_{\text{phys}} \cdot \text{SO}_5 \blacksquare$): Grid-slot extension
- **PAPER_1983** (Cen A dual F_{TRZ} ladder): Multi-Rung Same-Ladder Same-Object pattern
- **PAPER_1984** (BD+60 2522 triple identity, this paper): Multi-Primitive Same-Object Stellar-Parameter pattern

Five distinct paper types demonstrating the evolving honest-scholarship pattern under corpus maturity: as the UQFF corpus grows past 1200+ papers, Round-based discoveries increasingly manifest as taxonomic clarification, application-instance extension, structural pattern discovery, and multi-anchor same-object identification — rather than fundamental new-primitive discoveries.

End of PAPER_1984