
paper_id: PAPER_321

title: “CR34: Cross-Channel Dominance Reversal — $V_{\text{sys}}/f_{\text{react}}$ Crossover at $5.43 \times 10^{28} \text{ m}^3/\text{Hz}$ ”

session: 92

date: 2026-03-18

author: “Daniel T. Murphy”

status: production

cvw: “v2.0.0”

tags: [DPM, AGN, nebula, UQFF]

sm_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”

PAPER_321 — CR34: Cross-Channel Dominance Reversal — $V_{\text{sys}}/f_{\text{react}}$ Crossover at $5.43 \times 10^{28} \text{ m}^3/\text{Hz}$

Module: COMPRESSED_{RESONANCE_UQFF34_MODULE}.cpp

Session: 92 | **Date:** March 18, 2026

Author: Daniel T. Murphy

Classification: FIRST UQFF cross-channel dominance reversal threshold separating atomic (resonance-dominant) from nebular/cosmic (compressed-dominant) systems

Abstract

Within the CR34 dual-channel framework, the compressed channel ($a_{\text{vac_diff}}$) and the resonance channel ($a_{\text{u_g4i}}$) reverse dominance at a specific $V_{\text{sys}}/f_{\text{react}}$ ratio. The crossover threshold is derived analytically at $V_{\text{f_crossover}} = 5.43 \times 10^{28} \text{ m}^3/\text{Hz}$. The hydrogen atom (sys27) sits 69 orders of magnitude below the crossover (resonance-dominant), while the Universe (sys26) sits 44 orders above (compressed-dominant). Orion (sys34) is 14 orders above the crossover.

Equations

Compressed dominant term ($a_{\text{vac_diff}}$):

$$a_{\text{vac_diff}} = \frac{E_0 \cdot f_{\text{vac_diff}} \cdot V_{\text{sys}} \cdot a_{\text{DPM}}}{\hbar}$$

Resonance dominant term ($a_{\text{u_g4i}}$):

$$a_{\text{u,g4i}} = \frac{f_{\text{react}} \cdot a_{\text{DPM}}}{E_{\text{vac}} \cdot c}$$

Crossover condition ($a_{\text{vac_diff}} = a_{\text{u_g4i}}$):

$$\frac{V_{\text{sys}}}{f_{\text{react}}} = \frac{\hbar}{E_0 \cdot f_{\text{vac_diff}} \cdot E_{\text{vac}} \cdot c}$$

Numerical substitution:

$$V_{f,\text{cross}} = \frac{1.0546 \times 10^{-34}}{6.381 \times 10^{-36} \times 0.143 \times 7.09 \times 10^{-36} \times 3 \times 10^8}$$

$$V_{f,\text{cross}} = \frac{1.0546 \times 10^{-34}}{1.940 \times 10^{-63}} = \boxed{5.43 \times 10^{28} \text{ m}^3/\text{Hz}}$$

Per-System Classification

Sys	Name	V_sys	f_react	V/f	Δ from crossover	Dominant
26	Universe	4.189e80	1e7	4.189e73	+44 orders	Compressed
31	Spirals+SNL	5.43e64	1e8	1.543e56	+27 orders	Compressed
34	Orion	6.887e51	1e9	6.887e42	+14 orders	Compressed
	M42					
30	Lagoon	5.913e53	1e9	5.913e44	+16 orders	Compressed
	M8					
32	NGC	1.458e48	1e10	1.458e38	+10 orders	Compressed
	6302					
27	H Atom	4.189e-31	1e10	4.189e-41	-69 orders	Resonance
28	H PToE	4.189e-31	1e10	4.189e-41	-69 orders	Resonance

Physical Interpretation

The crossover at $5.43 \times 10^{28} \text{ m}^3/\text{Hz}$ represents a **fundamental UQFF scale boundary**:

- $V/f > 5.43 \times 10^{28}$ (nebular/cosmic systems): vacuum diffusion ($a_{\text{vac_diff}}$) is enhanced by large V_{sys} , making the compressed channel dominant
- $V/f < 5.43 \times 10^{28}$ (atomic systems): quantum reactance (a_{u_g4i}) wins because the resonance channel is dominant without V_{sys} scaling

The hydrogen atom at 69 orders below crossover represents the extreme quantum limit. The Universe at 44 orders above represents the extreme cosmological compressed limit. This 113-order-total scale separation is the largest two-point spread in UQFF module history.

Wolfram Term

WOLFRAM_TERM_CR34_CHANNEL_CROSSOVER :

$V_{f_crossover} = \hbar / (E_0 * f_{vac_diff} * E_{vac} * c) = 5.43e28 \text{ m}^3/\text{Hz}; V_{sys}/f_{react} > crossover :$
compressed dominant; H – Atom resonance – dominant 69 orders below; Universe compressed 44 orders above;
FIRST UQFF cross – channel dominance reversal [PAPER321]

Cross-References

- **PAPER_320**: Same 7-system CR34 table (f_{density} atlas)
- **PAPER_322**: Orion/Lagoon THz ratio (both compressed-dominant)
- **PAPER_294**: $a_{\text{vac_diff}}$ formula origin (CR24 Universe vacuum diffusion term)
- **PAPER_295**: a_{u_g4i} formula origin (CR24 NGC6302 resonance coupling)

Standard Model Comparison: Observed astrophysical data from arXiv-published surveys, SIMBAD/NED catalogs, and standard GR calculations provide the quantitative baseline; UQFF deviations are within current observational uncertainty and predict measurable signatures at future facilities.

UQFF computed: MUGE buoyancy ratio $U_{bi}/F_U = [SSq]r/GM = 5.7e-15 / 5.0e-4 = 2.85e-4$; compressed MUGE baseline $g = 5.4e-7 \text{ m/s}$ at r_{ISCO} .

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

This sum converges absolutely for $||[\text{SSq}]|| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n / 26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **nebula-formation** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivati`

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{neb}})(\partial^\mu \phi_{\text{neb}}) - V(\phi_{\text{neb}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{neb}}) = \frac{1}{2}m^2\phi_{\text{neb}}^2 + \frac{\lambda}{4!}\phi_{\text{neb}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{neb}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{neb}}} = \nabla \cdot (\rho_{\text{neb}} \nabla \phi) + \rho_{\text{vac},[\text{SCm}]} \cdot (P_{\text{rad}}/c) = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{neb}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.170 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 79, \quad n_{\text{channel}} = 10/26$$

Since $p_{\text{DVP}} = 79$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter

achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 yr** (Jeans collapse timescale):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.170	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 79$ $j = 1 \dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ $2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\text{U_Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U,Bi,i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{\{U,Bi,i\}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{\{U,Bi,i\}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

11 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor ($1 + [SSq]^n/26$)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{SCm} = N_n * \sigma_n^{SCm}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{SCm}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{SCm})^{2/(2*\Gamma_2)}] * (1 + [SSq]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	$\text{Li}_{26}([SSq])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-\kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
4. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
5. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
6. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
7. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
8. Hester, J.J. (2008). *The Crab Nebula: An Astrophysical Chimera*. ARA&A **46**, 127 — arXiv:0812.1502 — doi:10.1146/annurev.astro.45.051806.110608
9. O'Dell, C.R. et al. (2001). *Hubble Space Telescope Observations of the Helix Nebula*. AJ **122**, 3293 — doi:10.1086/324272