
paper_id: PAPER_340
 title: "EDM SO(10) BSM Refined F_u Coupling: Darkonia Phase Boundary P_SCm = 1"
 session: 96
 date: 2025-01-01
 author: "Daniel T. Murphy"
 status: production
 cvw: "v2.0.0"
 tags: [BEC, vacuum, SCm, UQFF]
 sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_340 EDM SO(10) BSM Refined F_u Coupling: Darkonia Phase Boundary P_SCm = 1

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 96

Source: gok_{share_31b5c807a4}.txt (Supplemental Gap Analysis Block)

Classification: FIRST SO(10) EDM darkonia phase boundary in UQFF; FIRST V_cb coupling derivation
Author: Daniel T. Murphy

<!-- UQFF constants: $\kappa = 5.0e-4 \text{ day}^{-1}$, $[SSq] = 0.57$, $M_{UQFF} = 1.43e1 \text{ TeV}$ -->

Abstract

The UQFF F_u coupling is refined using SO(10) grand unification predictions for the electron electric dipole moment (EDM) $d_e \sim 10^{-25} \text{ ecm}$. A new phase boundary is identified at $P_{SCm} = 1$ where darkonia (dark-sector charmonium analogs) become stable. The V_cb CKM element coupling $k_{\tau G_{Fs/p}}$ and the tau-lepton anomaly deviation $t_{dev} = 5 \times 10^{-8} \text{ s}$ ($< 5\%$ error relative to Super Tau-Charm factory limits) are derived.

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[SSq] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

2. Core Physics

2.1 EDM-Enhanced F_u Coupling

The refined F_u positive coupling from SO(10) EDM:

$$F_u^+ = \frac{d_e \cdot e}{2m_e c} \cdot e^{-[SSq] \cdot n/26}$$

where: $d_e = 1.6 \times 10^{-44} \text{ Cm}$ (equivalent to 10^{-25} ecm SO(10) prediction) $e = 1.6 \times 10^{-19} \text{ C}$ $m_e = 9.11 \times 10^{-31} \text{ kg}$ $[SSq] = 0.57$ $n = 13$ (pseudo-scalar Ramanujan state; half-sum of 26 states)

At $n = 13$:

$$F_u^+(n = 13) \approx 6.5 \times 10^{-45} \text{ N}$$

2.2 Darkonia Stable Phase Boundary

The UQFF superconductive modifier $P_{\text{SCm}} = 1$ defines the phase boundary at which dark-sector mesons (“darkonia”) become kinematically stable against decay via the UQFF vacuum polarization channel:

$$P_{\text{SCm}} = 1 \implies \text{darkonia stable}$$

This is analogous to the Meissner effect in the gravitational channel (PAPER_266), but applies to the BSM sector.

2.3 V_{cb} Coupling

The V_{cb} CKM matrix element coupling enters via:

$$V_{cb}^{\text{UQFF}} = k_\eta \cdot G_F^2 \cdot s / \pi$$

where: - $k_\eta = 10^?$ (UQFF aether coupling) - $G_F = 1.1664 \times 10^{-5} \text{ GeV}^2$ (Fermi constant) - s = centre-of-mass energy squared (GeV) - $V_{cb} = (40.5 \times 1.3) \times 10^?$ (PDG 2024)

2.4 τ_{dev} from g-2 UQFF Fit

From PAPER_333 BSM fit: $a = 4.74 \times 10^{-5}$, $b = 9.96$, $?_{Higgs} = 47.34$, $?_{dev} = 5 \times 10^{-8} \text{ s}$, error $< 5\%$ compared to Super Tau-Charm factory precision target.

3. Key Values

Quantity	Value	Notes
$d_e(\text{SO}(10))$	$\sim 10^?5 \text{ ecm}$	3 below ACME limit
$F_u?(n=13)$	$6.5 \times 10 - 45 N [SSq] Ramanujansuppression P_{SCm} \text{phaseboundary} P_{SCm} = 1 \text{darkoniastable} V_{cb}(PDG) 40.5 \times 10^? CKMreference t_{dev} 5 \times 10^{-8} \text{ s}$	g-2 fit $< 5\%$ error
$?_{Higgs}$	47.34	Universal UQFF Higgs coupling

4. Physical Significance

The detection of a non-zero d_e at the $\text{SO}(10)$ level would simultaneously: 1. Confirm BSM CP violation at the TeV scale 2. Provide a V_{cb} UQFF coupling constraint independent of lattice QCD 3. Validate the UQFF $P_{\text{SCm}} = 1$ darkonia phase boundary through missing-energy searches at BES-III or Super Tau-Charm

5. Deduplication Note

- PAPER_333 (Session 95): BSM 10-experiment package bundled multi-experiment class
- PAPER_340: Standalone $\text{SO}(10)$ EDM refinement with darkonia phase boundary **FIRST $P_{\text{SCm}}=1$ darkonia stability**

6. Classification

Physics Territory: FIRST SO(10) EDM darkonia phase boundary + V_cb coupling in UQFF

Scale: Particle physics (sub-fermi)

CP Implementation: EDMS010BSMRefinedFuCalculator (CondensedPhysics3.py, Session 96)

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i}	Variational EOM (PAPER_1065)
	buoyancy	
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n/26} \right]$$

This sum converges absolutely for $||[\text{SSq}]|| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.126 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 31, \quad n_{\text{channel}} = 3/26$$

Since $p_{\text{DVP}} = 31$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.126	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 31$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ $2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1003	Spectral Ladder Merger 26-State Hierarchy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

7 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{neutron} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS

Module	Purpose	Key Result
kozima_{scm_cross_section}.py	Spin-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
kozima_{wstp_kernel}.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U, Bi\}} / F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_{polylog_s26}.py	$\text{Li}_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_{wstp_kernel}.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_{theta_q26}.py	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_{\infty}$

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q; q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n^2\}} / (q; q^2)_{\infty}$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_{pi_uqff}.py	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
mock_{theta_pi_wstp_kernel}.py	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_i * n / 26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness

Symbol	Value	Description
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Anderson, M.H. et al. (1995). *Observation of Bose-Einstein Condensation in a Dilute Atomic Vapor*. Science **269**, 198 — doi:10.1126/science.269.5221.198
4. Dalfovo, F. et al. (1999). *Theory of Bose-Einstein condensation in trapped gases*. Rev. Mod. Phys. **71**, 463 — arXiv:cond-mat/9806038 — doi:10.1103/RevModPhys.71.463
5. Pitaevskii, L. & Stringari, S. (2003). *Bose-Einstein Condensation*. Oxford: Clarendon Press
6. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
7. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1